



THE CROMMELIN GROUP
Innovation Powered by Experience



EDITION 2 - NOV 2018

2018/19 PRODUCTS



—
**INNOVATION
POWERED
BY EXPERIENCE**



2018 PRODUCTS

ABOUT US	P 04
CROMMELINS DIFFERENCE	05

GENERATORS	P 08
PETROL	11
DIESEL	13
LEISURE	14
WELDER	15
WORKSTATION	17
STANDBY	18
AVR	19

COMPACTION & CONCRETING	P 22
COMPACTORS	25
RAMMERS	26
TROWELLERS	27
DRIVE UNITS	29
VIBRATORY	30
GRINDING	31
CEMENT MIXERS	32

CUTTING & DRILLING	P 34
BRICK SAWS	35
TILE SAWS	36
FLOOR SAWS	37
CORE DRILLS	38
DIAMOND BLADES	40
CORE DRILL BITS	40

PRESSURE CLEANERS	P 42
PETROL	45
DIESEL	48
ELECTRIC	49
ACCESSORIES	50

PUMPS	P 52
FIRE FIGHTING	55
CLEAR WATER	57
POLY	60
TRASH	61
SUBMERSIBLE	63
FLEXIBLE	65
WATER CART	66

FLOORING	P 68
DRUM	69
ORBITAL	70
EDGER	71
STRIPPING	72

GROUND CARE	P 74
TRENCHERS	75
WOOD CHIPPERS	76
POSTHOLE DIGGERS	77
POST & PICKET DRIVERS	78
STUMP GRINDER	79
DE-THATCHERS	80
TURF CUTTERS	81
LAWN AERATOR	82
LAWN ROLLERS	83
HEDGE TRIMMER HARNESS	84

AIR EQUIPMENT	P 86
CARPET DRYERS	87
VENTILATORS	88
FANS	89
AIR FILTRATION	90

GENERAL TRADE	P 92
MATERIAL HANDLING	93
LED WORK LIGHTS	99
AIR COMPRESSORS	100
HOSE WINDER	101
WALLPAPER STEAMER	102
DRY WALL SANDER	103
VACUUMS	103

ENGINES	P 106
ROBIN	107
ROBIN FEATURES	108

WARRANTY	P 110
WARRANTY EXPLAINED	112



THE CROMMELIN GROUP
Innovation Powered by Experience



Robin

GÖLZ®

—
**INNOVATION
POWERED
BY EXPERIENCE**



ABOUT US

At CROMMELINS we always put the customer first. We respond promptly, deliver a quality product, provide the right information, follow up, and keep our promises. We approach every situation with a 'Can Do' attitude and use the 'One Team' method to make sure that the solutions we provide are cohesive and safe.

From humble beginnings selling equipment out of the back of an EJ Holden, CROMMELINS has grown to be the strong family owned business it is today. Employing over 35 people nationally whilst being a supplier of choice to the hire and rental industry for portable powered equipment.



SAFETY & TRUST

We care about the health and wellbeing of our staff, visitors and customers



CUSTOMER FOCUS

We respect our customer and always put them first



CAN DO & INNOVATION

We go the "extra mile" and always look for ways to innovate and improve our offerings



ONE TEAM

We work together to achieve our common goals. One Team – One Goal – No Limits



REWARD & RECOGNITION

We recognise the efforts of our team by celebrating wins and rewarding high performance



TAKE OWNERSHIP

We take responsibility for our actions, fix problems and learn from them

CROMMELINS DIFFERENCE

CROMMELINS has always been at the forefront of innovation within the Australian market and this has been powered by the experience of its staff in listening to what the customer needs and introducing products that meet the demands of the industry. All products are rigorously tested

and constantly reassessed to ensure they can outperform. With more than 60 years in Hire and Construction and a founding member of the Hire and Rental Industry Association, Crommelins has been providing high quality portable powered products to Australians since 1958.



PREFERRED SUPPLIER TO THE HIRE INDUSTRY

Over their long history, CROMMELINS has laid a foundation of reliability and trustworthiness and have built healthy relationships within the Hire and Rental industry.



AUSTRALIAN OWNED, EST. IN 1958

With a long Australian history you can trust that CROMMELINS will always do their best to look after Aussie needs.



QUALITY PRODUCTS

Moving forward doesn't mean letting go of the quality products they are known for. You'll always be able to rely on and trust anything from THE CROMMELIN GROUP.



NEW PRODUCTS, INNOVATIVE TECHNOLOGY

CROMMELINS continues to invest in new generations of products and the latest technology. Only products that stand-up to their rigorous testing will receive the CROMMELINS tick of approval.



RELIABLE SERVICE

When you've bought a product, CROMMELINS will go that extra mile to assist you when you need parts, service or backup support.



CUSTOM PRODUCTS

CROMMELINS products can be customised to meet your needs thanks to the flexibility their local manufacturing capacity allows.



—
**AUSTRALIAN
OWNED,
ESTABLISHED
1958**





GENERATORS

CHOOSING YOUR GENERATOR.

Crommelins have been building generators for 60 years and have a range of quality generators for all industries. Commelins can offer a generator to your specific needs and can also customised.

STANDARD GENERTOR

- Genuine Robin/Honda/Yanmar engine
- Australian fabricated steel frame.
- Quality AVR alternator
- 2 x Switched outlets

CHOOSING THE CORRECT GENERATOR


1. Figure out what item/s need powering.
2. Add the total wattage of item/s together.
3. Determine the total wattage equals less than the maximum output of generator.
For continuous loads use Cont. output.
4. Choose/Buy your generator

At start up, electric motors consume approximately 3 times the power requirement of the appliance. Make sure to check the generator continuous and/or its maximum output wattage when calculating power required.

Note: The initial 'start-up' power of some equipment/motors require 3x the wattage to get them running.

EQUIPMENT	WATTS RUNNING
SMART PHONE CHARGER	50
HAIR DRYER	1000-1500
MICROWAVE	1200+
KETTLE	1600-2000
HOUSEHOLD FRIDGE	300-600
PORTABLE FAN	40
COFFEE MAKER	1200
BELT SANDER	950
PRESSURE WASHER	1200
AIR COMPRESSOR	1400
CIRCULAR SAW	1500
SPACE HEATER	1000
CARAVAN AIR CONDITIONER	1500+
LAPTOP COMPUTER	500
9" ANGLE GRINDER	1500-2000
ELECTRIC DRILL 3/8"	500-700
TELEVISION	75-200
TOASTER	800-1250
WELDER 140A	5000
WATER PUMPS	275-1000
OVEN	4000-8000

BEST
 GOOD
 NOT RECOMMENDED



CUSTOMISE YOUR GENERATORS.



Crommelins generators can be customised to suit most requirements and applications. Due to their proven reliability, high performance and customisation many Crommelins generators are prevalent in Hire Fleets.

CUSTOM OPTIONS

- Long range fuel tanks (some models)
- Electric start with AGM battery
- Honda powered
- Lockable battery isolator
- Emergency stop button
- 4 x Wheels (solid, no-flat) with brakes
- 2, 4 and 6 wheel options
- Weatherproof (IP66) outlets
- Beacons
- Anderson jump plugs
- Recoil start locks
- Custom frame colouring
- Asset numbering and logo plate

STANDARD HIREPACK

- Central lifting bar/hook
- 2 x Wheel kit
- Foldout transport handle
- Weatherproof outlets & RCD protection
- Earth spike & lead

STANDARD MINE SPECIFICATION

- Hirepack
 - Electric start with AGM battery
 - Lockable battery isolator
 - Emergency stop button
 - Bunding
 - 1kg fire extinguisher
- *Please confirm these specs meet your local Mine-site requirements when ordering

ALTERNATORS EXPLAINED.

ALTERNATOR BRANDS

- Sincro - Crommelins Generators
- Mecce Alte - Cromtech Generators
- Stamford - Crommelins standby generators

Below is a guide to help match the alternator to the application.

<p>STANDARD ALTERNATOR (CONDENSER TYPE)</p>	<p>Suitable for power tools and resistive loads such as a kettle, a toaster, lights and other equipment not requiring a great accuracy of voltage control of power supply. A simple low maintenance design for basic equipment. Most generators come with a standard condenser type alternator.</p>
<p>AUTOMATIC VOLTAGE REGULATOR (AVR)</p>	<p>Used for when power is required for more sensitive equipment and when the generator will be used to start electric motors. AVR alternators provide a more stable voltage output to compensate for the variation in voltage from load changes.</p>
<p>INVERTER (ELECTRONIC VOLTAGE CONTROL)</p>	<p>For use with sensitive equipment such as computers. The inverter control system maintains an extremely high accuracy level of voltage and frequency fluctuation with very low wave distortion. The system also allows for the engine speed to be automatically adjusted in direct proportion to the load applied (econo-mode) maximizing fuel efficiency, while maintaining 240v supply.</p>

CROMMELINS PETROL GENERATORS.



Crommelins has been building generators for 60 years that power most equipment for the Hire, Agricultural and Construction Industries as well as recreational markets. The Crommelins range of petrol generators are sized from 2800 to 8000 watts and you can order to hire spec.

STANDARD FEATURES

- 32mm Australian fabricated steel frame
- Genuine Robin/Honda industrial engine
- Hirepack (2 x wheels, transport handle, lifting hook, weatherproof outlets with RCD protection)
- Earth leakage switch with earth spike
- IP66 Workplace compliant
- Sincro brushless alternator with overload protection
- 2 Years manufacturer's warranty
- Assembled and tested in Australia

IDEAL FOR

- Hire and rental
- Farm and rural
- Backup Power
- Government Shires and councils
- Work sites

OPTIONAL EXTRAS

- 3.5 kVA model CG35RPH
- Electric start with AGM battery
- Mine specification
- Honda powered
- Custom frame colouring
- Asset numbering and logo plate



	CG53RPH / P53H	CG64RPH / P64H	CH85RPH / P85H	CG100BEH / P100EH
MAXIMUM OUTPUT (W)	4240W	5000W	6800W	8000W
CONTINUOUS OUTPUT (W)	3800W	4800W	6200W	7500W
STARTING SYSTEM	RECOIL START	RECOIL START	RECOIL START	ELECTRIC START
OUTLETS (SINGLE PHASE)	1 X 10AMP, 1 X 15AMP	2 X 15AMP	2 X 15AMP	2 X 15AMP
ALTERNATOR	SINCRO	SINCRO	SINCRO	SINCRO
VOLTAGE/FREQUENCY	240V - 50HZ	240V - 50HZ	240V - 50HZ	240V - 50HZ
ENGINE MODEL	9HP EX27	12HP EX35	14HP EX40	16HP BS16HPES
ENGINE BRAND	ROBIN	ROBIN	ROBIN	VANGUARD
FUEL TANK	6L	7L	7L	8.4L
RUNNING TIME (RATED OUTPUT)	2.8HR	2.6HR	1.9HR	2HR
DECIBELS @ 7M	72db	76db	76db	76db
WEIGHT (DRY)	74KG	79KG	95KG	105KG
DIMENSIONS (LxWxH)	750 x 510 x 550MM	750 x 510 x 550MM	790 x 510 x 540MM	820 x 510 x 610MM
MANUFACTURERS WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMTECH PETROL GENERATORS.



Designed for general use, this trade range is perfect for the construction, agricultural, worksites and farming industries and will provide you with quality and durability with no fuss. Standard and Tradepack models are available.

IDEAL FOR

- General purpose use
- Tradies and residential
- Farm and rural
- Construction and work sites

STANDARD FEATURES

- 25mm Australian fabricated steel frame
- Genuine Robin/Honda industrial engine
- Mecc Alte brushless alternator
- Assembled and tested in Australia
- 2 Years manufacturer's warranty

TRADEPACK INCLUDES

- Central lifting bar/hook
- 2 x Wheel kit
- Foldout transport handles
- IP66 Weatherproof outlets and RCD protection



OPTIONAL EXTRAS (SOME MODELS)

- Honda powered
- Electric start
- Tradepack



	TG40RP / CTG40	TG60RP / CTG60	TG85RP / CTG85	TG100BE / CTG100E
MAXIMUM OUTPUT (W)	3200W	5000W	7000W	8000W
CONTINUOUS OUTPUT (W)	3000W	4700W	6400W	7500W
STARTING SYSTEM	RECOIL START	RECOIL START	RECOIL START	ELECTRIC START
OUTLETS (SINGLE PHASE)	2 X 10AMP	1 X 10AMP, 1 X 15AMP	2 X 15AMP	2 X 15AMP
ALTERNATOR	MECC ALTE	MECC ALTE	MECC ALTE	MECC ALTE
VOLTAGE/FREQUENCY	240V - 50HZ	240V - 50HZ	240V - 50HZ	240V - 50HZ
ENGINE MODEL	7HP EX21	9HP EX27	14HP EX40	16HP BS16HPES
ENGINE BRAND	ROBIN	ROBIN	ROBIN	VANGUARD
FUEL TANK	3.6L	6.1L	7L	8.4L
RUNNING TIME (RATED OUTPUT)	2.4HR	2.6HR	1.9HR	2.0HR
DECIBELS @ 7M	68db	70db	72db	76db
WEIGHT (DRY)	40KG	56KG	70KG	100KG
DIMENSIONS (LxWxH)	610 x 450 x 410MM	710 X 500 x 540MM	710 x 500 x 540MM	810 x 450 x 610MM
MANUFACTURERS WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMMELINS DIESEL GENERATORS.



Crommelins Diesel Generators are suitable for situations when it is not practical to have petrol powered generators, such as Mining and Oil Industry applications. They are low maintenance heavy duty industrial generators with the benefit of low running cost and durability over time..

IDEAL FOR

- Hire and Rental
- Mining and Oil

STANDARD FEATURES

- Electric Start with AGM battery
- Sincro brushless alternator
- IP66 Workplace compliant
- 32mm Australian fabricated steel frame
- 2 Years manufacturer's warranty
- Assembled and tested in Australia

OPTIONAL EXTRAS

- Mine specification
- Long range fuel tank (16L)
- Anderson plugs
- Recoil start lock
- Custom frame colouring
- Asset numbering and logo plate



PHOTO WITH ROBIN ENGINE



PHOTO WITH ROBIN ENGINE



PHOTO WITH HATZ ENGINE

	CG32YDEH / D32YEH	CG69YDEH / D69YEH	CG80ZDEH / D8EH	CG80YDEH / D8YEH
MAXIMUM OUTPUT (W)	2400W	5500W	6000W	5600W
CONTINUOUS OUTPUT (W)	2000W	4400W	5000W	5000W
STARTING SYSTEM	ELECTRIC START	ELECTRIC START	ELECTRIC START	ELECTRIC START
OUTLETS (SINGLE PHASE)	2 X 10AMP	2 X 15AMP	2 X 15AMP	2x 15AMP
ALTERNATOR	SINCRO	SINCRO	SINCRO	SINCRO
VOLTAGE/FREQUENCY	240V - 50HZ	240V - 50HZ	240V - 50HZ	240V - 50HZ
ENGINE MODEL	4.7HP L48	10HP L100	10.5HP IB40	10HP L100
ENGINE BRAND	YANMAR	YANMAR	HATZ	YANMAR
FUEL TANK	2.4L	5.4L	5L	5.4L
DECIBELS @ 7M	94db @ 1M	97db @ 1M	82db	97db @ 1M
WEIGHT (DRY)	85KG	116KG	126KG	125KG
DIMENSIONS (LxWxH)	710 x 450 x 530MM	840 x 520 x 640MM	920 x 710 x 950MM	920 x 710 x 950mm
MANUFACTURERS WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMTECH LEISURE GENERATORS.



Crommelins have hand selected this range of quality inverter generators for the recreational and domestic use. These generators come with multiple power options, are petrol powered and come with an eco-mode for economical operation.

IDEAL FOR

- Camping, caravanning & RVs
- Portable fridge/freezer
- Home and small office backup power
- Precision instruments
- Small power tools
- Fetes and markets

CTG2500I FEATURES

- Bonus dust cover
- Lightest model in its class



	CTG2500I
MODEL NAME	CROMTECH OUTBACK
MAXIMUM OUTPUT (W)	2400W
CONTINUOUS OUTPUT (W)	2100W
STARTING SYSTEM	RECOIL START
OUTLETS (SINGLE PHASE)	2 X 15AMP
VOLTAGE/FREQUENCY	230V - 50HZ
USB POWER OUTPUT	2X USB (5V)
12V POWER OUTPUT	12V-8AMP
ENGINE MODEL	2.6KW CROMTECH (79CC)
FUEL TANK	5L
DECIBELS @ 7M	52 - 59db
RUNNING TIME (LOAD DEPENDING)	5 TO 20HRS
WEIGHT (DRY)	19.8KG
DIMENSIONS (LxWxH)	512 x 315 x 447MM
MANUFACTURERS WARRANTY	1 YEAR

STANDARD FEATURES

- 2 x Outlets
- USB Outlets
- Main LED sensors (low oil alarm, overload protection, output light)
- Eco-mode adjusts output as load requires and lowers noise
- AC Reset button
- 4-Stroke, Forced air cooled, OHV, recoil start
- Pure Sine wave
- Easy maintenance with convenient access ports
- 1 year domestic use Cromtech warranty

CTG3000I FEATURES

- Digital Display (Volts, Hz, Kw, Hrs)
- Extendable handle
- Large rubber wheels



	CTG3000I
MODEL NAME	CROMTECH BRUMBY
MAXIMUM OUTPUT (W)	3000W
CONTINUOUS OUTPUT (W)	2800W
STARTING SYSTEM	RECOIL START
OUTLETS (SINGLE PHASE)	2 X 15AMP
VOLTAGE/FREQUENCY	230V - 50HZ
USB POWER OUTPUT	2X USB (5V)
12V POWER OUTPUT	12V-6AMP
ENGINE MODEL	5.4HP CROMTECH (205CC)
FUEL TANK	10.5L
DECIBELS AT 7M	64 - 76db
RUNNING TIME (LOAD DEPENDING)	8HRS (25% LOAD)
WEIGHT (DRY)	40KG
DIMENSIONS (LxWxH)	690 x 415 x 500MM
MANUFACTURERS WARRANTY	1 YEAR

CROMMELINS WELDER GENERATORS.



PHOTO
SHOWN WITH
HIREPACK

Crommelins Welder Generators are a convenient combination of Arc Welding and power generation. This unit is ideally suited to rental and agricultural industries for small on-site repairs. These models can be customised to suit your requirements.

STANDARD FEATURES

- Welder Sincro brushless alternator
- Genuine Robin/Yanmar industrial engine
- Electric start with AGM battery
- Workplace compliant
- 32mm Australian fabricated steel frame
- 2 Years manufacturer's warranty
- Assembled and tested in Australia

IDEAL FOR

- Hire and rental
- Mining and oil
- Farm and rural
- Shires and councils

OPTIONAL EXTRAS

- Electric start with AGM battery
- Hire pack
- Mine specification
- Long range fuel tank
- Anderson plugs
- Recoil start lock
- Welding leads



GW200RP / 3P200

WELDING AMPS (A)	60 TO 200AMP
FUEL TYPE	PETROL
MAXIMUM OUTPUT (W)	5600W
CONTINUOUS OUTPUT (W)	4480W
STARTING SYSTEM	RECOIL START
OUTLETS (SINGLE PHASE)	2 X 15AMP
ALTERNATOR	SINCRO
VOLTAGE/FREQUENCY	240V - 50HZ
ENGINE MODEL	14HP EX40
ENGINE BRAND	ROBIN
FUEL TANK	7L
RUNNING TIME (RATED OUTPUT)	1.9HR
DECIBELS @ 7M	72db
WEIGHT (DRY)	83KG
DIMENSIONS (LxWxH)	820 x 510 x 540MM
MANUFACTURERS WARRANTY	2 YEARS



PHOTO
WITH ROBIN
ENGINE

GW180YDE

WELDING AMPS (A)	60 TO 180AMP
FUEL TYPE	DIESEL
MAXIMUM OUTPUT (W)	4000W
CONTINUOUS OUTPUT (W)	3200W
STARTING SYSTEM	ELECTRIC START
OUTLETS (SINGLE PHASE)	1 X 10AMP, 1 X 15AMP
ALTERNATOR	SINCRO
VOLTAGE/FREQUENCY	240V - 50HZ
ENGINE MODEL	10HP L100
ENGINE BRAND	YANMAR
FUEL TANK	5.4L
RUNNING TIME (RATED OUTPUT)	-
DECIBELS @ 7M	97db @ 1M
WEIGHT (DRY)	114KG
DIMENSIONS (LxWxH)	840 x 520 x 640MM
MANUFACTURERS WARRANTY	2 YEARS

CROMTECH WELDER GENERATOR.



The 200amp CROMTECH™ welder generators are powered by a Robin engine and has a low maintenance Italian Mecc Alte Alternator. The model comes in an Australian made steel roll frame.

STANDARD FEATURES

- Welder Mecc Alte brushless alternator
- Genuine Robin industrial engine
- Double switched power outlets
- 25mm Australian fabricated steel frame
- Overload protection
- 2 Years manufacturer's warranty
- Australian assembled and tested



IDEAL FOR

- Farm maintenance
- General purpose use
- Welding on-site
- Backup power

OPTIONAL EXTRAS

- Electric start with AGM battery
- Trade pack
- Honda powered
- Welding leads



	TGW200RP / CTGW200
WELDING AMPS (A)	60 TO 200A
FUEL TYPE	PETROL
MAXIMUM OUTPUT (W)	5600W
CONTINUOUS OUTPUT (W)	4480W
STARTING SYSTEM	RECOIL START
OUTLETS (SINGLE PHASE)	2 X 15AMP
ALTERNATOR	MECC ALTE
VOLTAGE/FREQUENCY	240V - 50HZ
ENGINE MODEL	14HP EX40
ENGINE BRAND	ROBIN
FUEL TANK	7.0L
RUNNING TIME (RATED OUTPUT)	1.9HR
DECIBELS @ 7M	72DB
WEIGHT (DRY)	82KG
DIMENSIONS (LxWxH)	710 x 500 x 540MM
MANUFACTURERS WARRANTY	1 YEAR

CROMMELINS WORKSTATION GENERATORS.



The perfect combination for a mobile workshop or service vehicle. The Generator, Welder, Air Compressor is a convenient model all built into an Australian fabricated steel frame, making it easy to move from site to site.

STANDARD FEATURES

- 40L Air compressor (7.7cfm)
- Power generation
- Electric start with AGM battery
- Weatherproof outlets with RCD
- Sincro brushless alternator
- 33mm Australian fabricated steel frame
- Cable holders and lifting hook
- 5 metre welding leads
- 2 Years manufacturer's warranty
- Assembled and tested in Australia



IDEAL FOR

- Agriculture
- Air compressor equipment
- Welding on-site
- Multi-purpose use
- Service vehicles

OPTIONAL EXTRAS

- Mine specification
- Hire pack
- Long range fuel tank
- Battery charger



PHOTO WITH ROBIN ENGINE

	WS200RPEH / 3P200E41
WELDING AMPS (A)	60 TO 200A
AIR COMPRESSOR FLOW RATE (CFM)	7.7CFM
FUEL TYPE	PETROL
MAXIMUM OUTPUT (W)	5600W
CONTINUOUS OUTPUT (W)	4480W
STARTING SYSTEM	ELECTRIC START
OUTLETS (SINGLE PHASE)	2 X 15AMP
ALTERNATOR	SINCRO
VOLTAGE/FREQUENCY	240V - 50HZ
ENGINE MODEL	14HP EX40
ENGINE BRAND	ROBIN
FUEL TANK	7.0L
RUNNING TIME (RATED OUTPUT)	1.9HR
DECIBELS @ 7M	72db
WEIGHT (DRY)	143KG
DIMENSIONS (LxWxH)	930 x 830 x 720MM
MANUFACTURERS WARRANTY	2 YEARS

	WS180YDEH / 3D180YE41
WELDING AMPS (A)	60 TO 180A
AIR COMPRESSOR FLOW RATE (CFM)	7.7CFM
FUEL TYPE	DIESEL
MAXIMUM OUTPUT (W)	4000W
CONTINUOUS OUTPUT (W)	3200W
STARTING SYSTEM	ELECTRIC START
OUTLETS (SINGLE PHASE)	1 X 10AMP, 2 X 15AMP
ALTERNATOR	SINCRO
VOLTAGE/FREQUENCY	240V - 50HZ
ENGINE MODEL	10HP L100
ENGINE BRAND	YANMAR
FUEL TANK	5.4L
RUNNING TIME (RATED OUTPUT)	-
DECIBELS @ 7M	97db @ 1M
WEIGHT (DRY)	170KG
DIMENSIONS (LxWxH)	930 x 830 x 720MM
MANUFACTURERS WARRANTY	2 YEARS

CROMMELINS STANDBY GENERATORS.



Crommelins have put the big brand names you can trust together and now offer standby generator sets powered by a Kubota water cooled diesel engines and Stamford alternators with Deep Sea controllers. This range is ideal for most of those worksite, home and solar power backup needs with each model having switched single and three phase outlets for instant use.

STANDARD FEATURES

- Switched outlets with RCD circuit breakers
- Kubota diesel engine
- Deep Sea controller
- Stamford alternator (4 Pole AVR)
- Remote start and hardwire facility
- Bunded canopy with lockable doors & fuel cap
- Auto transfer switch socket
- Central lifting hook & forklift pockets
- Easy access panels for service and maintenance
- 50°C Rated radiator suits Australian conditions
- 2 Year Kubota engine warranty (2000hrs)
- 1 Year Stamford alternator warranty (1000hrs)
- 1 Year manufacturers warranty

IDEAL FOR

- Event Hire
- Rental
- Residential
- Commercial

OPTIONAL EXTRAS


- Auto transfer switch



	CHK13S	CHK13S3	CHK20S3	CHK30S3
MAX. PRIME OUTPUT (KVA / KW)	13KVA / 10.8KW	13KVA / 10.8KW	17KVA / 13.6KW	30KVA / 24KW
CONT. STANDBY OUTPUT (KVA / KW)	14KVA / 11.2KW	14KVA / 11.2KW	19KVA / 15.2KW	33KVA / 26.4KW
PHASE	SINGLE	THREE	THREE	THREE
OUTLETS (SINGLE / THREE PHASE)	2 X 15AMP	1 X 15AMP, 1 X 32AMP 3P	1 X 15AMP, 1 X 32AMP 3P	1 X 15AMP, 1 X 32AMP 3P
ALTERNATOR	STAMFORD PI144E	STAMFORD PI044G	STAMFORD PI144D	STAMFORD PI144G
OUTPUT AMPS	54.2 / 58.3 AMPS	18.1 / 19.5 AMPS	23.7 / 26 AMPS	41.7 / 45.9 AMPS
DEEPSEA CONTROLLER	DEEPSEA DSE6020	DEEPSEA DSE6020	DEEPSEA DSE6020	DEEPSEA DSE6020
AUTO TRANSFER SOCKET	YES	YES	YES	YES
2 WIRE REMOTE START	YES	YES	YES	YES
ENGINE BRAND / MODEL	KUBOTA D1703-BG	KUBOTA D1703-BG	KUBOTA V2203-BG	KUBOTA V3300-BG
FUEL TANK	55L	55L	65L	90L
RUNNING TIME (RATED OUTPUT)	24HR	28HR	26HR	24HR
DECIBELS @ 7M	64db	63db	64db	65db
WEIGHT (DRY)	625KG	601KG	646KG	910KG
DIMENSIONS (LxWxH)	1782 x 868 x 1115MM	1782 x 868 x 1115MM	1834 x 868 x 1115MM	2000 x 925 x 1300MM
MANUFACTURERS WARRANTY	1 YEAR	1 YEAR	1 YEAR	1 YEAR

**MODEL COMING
IN 2019**

CROMTECH AVR GENERATOR.



Designed for general use, this trade range is perfect for the construction, agricultural, worksites and farming industries and will provide you with quality and durability with no fuss. Standard and Tradepack models are available.

IDEAL FOR

- General purpose use
- Tradies and residential
- Farm and rural
- Fetes and markets

STANDARD FEATURES

- 2x Outlets (single phase - 15 Amp)
- Electric start and recoil start
- Fold-out handles
- Steel frame with large wheels
- 4-Stroke, air cooled, OHV engine
- Hours operation, Hz, Voltage meter
- Battery charging (12V-8.3Amp)
- Low oil alarm, overload alarm, output indicator
- Large 25L fuel tank
- 1 Year Cromtech warranty



	TG6500VE
MAXIMUM OUTPUT (W)	6500W
CONTINUOUS OUTPUT (W)	6000W
STARTING SYSTEM	ELECTRIC START
OUTLETS (SINGLE PHASE)	2 X 15AMP
VOLTAGE/FREQUENCY	230V - 50HZ
12V POWER OUTPUT	12V-8.3AMP
ENGINE MODEL	CROMTECH (420cc)
OIL CAPACITY (L)	1.1L
FUEL TANK	25L
DECIBELS @ 7M	74db
WEIGHT (DRY)	87KG
DIMENSIONS (LxWxH)	715 x 545 x 605MM
MANUFACTURERS WARRANTY	1 YEAR



—
**PREFERRED
SUPPLIER TO
THE HIRE
INDUSTRY**





COMPACTION & CONCRETING



—
**CONSTRUCTION
AND HIRE GRADE
PRODUCTS**

PORTABLE CONSTRUCTION EQUIPMENT

Crommelins offer an extensive range of concreting and construction equipment. From compactors to trowel machines and more. All products designed to deliver outstanding performance and reliability.

CROMMELINS STEEL FRAMES

Crommelins produce the majority of their frames in house, this allows for timely production and flexibility to a customers requirements.

- Australian made steel frames
- Customisable to your specifications
- Heavy duty tubular steel
- Powder coated

CUSTOM OPTIONS

CUSTOM OPTIONS (SOME MODELS)

- Electric Start & sealed AGM battery
- Lockable battery isolator
- Emergency stop button
- Solid wheels with brakes
- Long range fuel tanks
- Galvanised frames
- 1kg fire extinguisher
- Recoil start locks

INDUSTRY

- Hire and rental
- Building and construction
- Commercial
- DIY



MINE SPECIFICATION*

- Central lifting bar/hook
- 2 x Wheel kit
- Foldout transport handle
- Electric Start with sealed AGM battery
- Lockable battery isolator
- Emergency stop button
- Bunding
- 1kg fire extinguisher
- Lifting hook/bar

* Please confirm these specifications meet your local Mine-site requirements

CROMMELINS PLATE COMPACTORS.



Crommelins Compactors are built to industry best standards. These popular units will withstand the heavy demand of use by rental companies and contractors. Outstanding performance and longevity make them a perfect choice for any trade.

IDEAL FOR

- Soil compaction for turf
- Trench compaction (CC60R)
- Brick paving (CC90R)
- Hire and rental industry

STANDARD FEATURES

- Assembled and tested in Australia
- Soft grip handle
- Fast travel speed for increased productivity
- Easy to reach throttle control
- Central lifting hook
- Lifting bar and engine protection frame (CC70R/H model)
- 2 Years manufacturer's warranty

OPTIONAL EXTRAS

- Folding handle & wheels retro-fit for CC70RP
- Transport trolley [CWKTR]
- Multi purpose cover [MPCOVER]
- Honda powered
- Yanmar diesel powered



PHOTO WITH ROBIN ENGINE

	CC60RP	CC70RP	CC70RPT	CC90RP	CC70YD
PLATE/SHOE SIZE (MM)	520 x 360MM	610 x 460MM	610 x 460MM	540 x 500MM	610 x 460MM
FREQUENCY(VPM)	5800VPM	6500VPM	6500VPM	6000VPM	6500VPM
CENTRIFUGAL FORCE (KN)	12KN	18KN	18KN	16.5KN	18KN
EXCITER POSITION	FRONT	CENTRAL	CENTRAL	FRONT	CENTRAL
MAIN FEATURE	FOLDING HANDLE & WHEELS	REVERSIBLE HANDLE	FOLDING HANDLE & WHEELS	FRONT CLAMP FITS ISOLATION MAT	REVERSIBLE HANDLE
FUEL TYPE	PETROL	PETROL	PETROL	PETROL	DIESEL
ENGINE MODEL	6HP EX17	6HP EX17	6HP EX17	6HP EX17	4.7HP L48N
ENGINE BRAND	ROBIN	ROBIN	ROBIN	ROBIN	YANMAR
FUEL TANK	3.6L	3.6L	3.6L	3.6L	2.4L
DECIBELS @ 7M	66DB	66DB	66DB	69DB	94DB @ 1M
WEIGHT (DRY)	68KG	82KG	84KG	84KG	98KG
DIMENSIONS PACKAGE (LxWxH)	750 x 380 x 550MM	620 x 510 x 1250MM	620 x 510 x 740MM	620 x 510 x 1250MM	620 x 510 x 1250MM
MANUFACTURERS WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS	2 YEARS

MEIWA TRENCH RAMMERS.

MEIWA is renowned for its Japanese long standing excellence in the design and engineering of high-quality and high-performing machinery now available in Australia by Crommelins.

STANDARD FEATURES

- Genuine Robin 4-stroke engine
- Direct drive
- Oil bath lubrication
- Double air cleaner [RT70RD]
- Made in Japan
- 1 Years manufacturer's warranty

IDEAL FOR

- Foundation compacting
- Trench works
- Backfilling
- Paving
- Roadworks
- Plumbing



	RT50R
PLATE/SHOE SIZE (LxW MM)	330 x 230MM
IMPACT CYCLE(HZ)	10 - 10.8HZ
IMPACT STROKE (MM)	40 x 60MM
FUEL TYPE	PETROL
ENGINE MODEL	2.8HP EH09F
ENGINE BRAND	ROBIN
FUEL TANK	2.5L
WEIGHT (DRY)	55KG
DIMENSIONS (LxWxH)	690 x 385 x 1100MM
MANUFACTURERS WARRANTY	1 YEAR

	RT70RD
PLATE/SHOE SIZE (LxW MM)	330 x 270MM
IMPACT CYCLE(HZ)	10 - 10.8HZ
IMPACT STROKE (MM)	40 x 60MM
FUEL TYPE	PETROL
ENGINE MODEL	3.5HP EH12D
ENGINE BRAND	ROBIN
FUEL TANK	2.5L
WEIGHT (DRY)	72G
DIMENSIONS (LxWxH)	700 x 430 x 1100MM
MANUFACTURERS WARRANTY	1 YEAR

CROMMELINS PETROL TROWELLERS.



The Crommelins Petrol Power Trowellers set the standard for Concrete Trowelling Machines. Operator friendly, well balanced and easy to maintain, these machines are the choice of concreters Australia wide.

OPTIONAL EXTRAS

- Multi purpose cover [MPCOVER]
- Honda powered
- Floor pan



STANDARD FEATURES

- Smooth performance and stable handling
- Cut bar with ergonomic handles offers easily adjustable control
- Handy holder for mobile phone, water bottle, or other accessories
- 'Dead-mans' safety switch
- Blade guard with blade access gate for easy blade changes and cleaning
- Heavy duty lifting bar
- Assembled and tested in Australia
- 2 Year manufacturer's warranty



IDEAL FOR

- Concrete tilt panels
- House pads
- Hire and rental



	CPT24RP	CPT34RP	CPT40RP	CPT46RP
TROWELLER SIZE (INCH & MM)	24" (610MM)	34" (860MM)	40" (1015MM)	46" (1170MM)
MAIN FEATURE	SMALL JOBS, FITS SMALL/TIGHT AREAS & PATHWAYS, SIDE-HOUSE LANEWAYS	MEDIUM SIZED JOBS, FULLY ADJUSTABLE HANDLE, BOTTLE HOLDER	MEDIUM JOBS, FULLY ADJUSTABLE HANDLE, BOTTLE HOLDER	LARGE JOBS, FULLY ADJUSTABLE HANDLE, BOTTLE HOLDER
ENGINE MODEL	6HP EX17	6HP EX17	6HP EX17	9HP EX27
ENGINE BRAND	ROBIN	ROBIN	ROBIN	ROBIN
FUEL TANK	3.6L	3.6L	3.6L	6.1L
DECIBELS @ 7M	66db	66db	66db	70db
WEIGHT (DRY)	50KG	75KG	78KG	102KG
DIMENSIONS (LxWxH)	-	1500 x 940 x 1030MM	1650 x 1070 x 1010MM	-
MANUFACTURERS WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMMELINS DIESEL TROWELLERS.



Crommelins diesel powered trowel machines are well balanced and are the perfect machine when diesel powered has to be used. Particularly on minesites or in no-spark job sites.

IDEAL FOR

- Concrete tilt panels
- Mining & diesel related jobs
- Hire and rental

STANDARD FEATURES

- Soft grip handle
- Fast travel speed for increased productivity
- Easy to reach throttle control
- Lifting hook/bar
- Assembled and tested in Australia
- 2 Years manufacturer's warranty

OPTIONAL EXTRAS

- Multi purpose cover [MPCOVER]
- Floor pan



CPT34YD

TROWELLER SIZE	34" (860MM)
MAIN FEATURE	MEDIUM JOBS, FULLY ADJUSTABLE HANDLE, BOTTLE HOLDER
ENGINE MODEL	4.7HP L48N (RECOIL START)
ENGINE BRAND	YANMAR
FUEL TANK	2.4L
DECIBELS @ 1M	94db @ 1M
WEIGHT (DRY)	98KG
DIMENSIONS (LxWxH)	1500 x 940 x 1030MM
MANUFACTURERS WARRANTY	2 YEARS



CPT40YD

TROWELLER SIZE	40" (1015MM)
MAIN FEATURE	MEDIUM JOBS, FULLY ADJUSTABLE HANDLE, BOTTLE HOLDER
ENGINE MODEL	10HP L100N (RECOIL START)
ENGINE BRAND	YANMAR
FUEL TANK	5.4L
DECIBELS @ 1M	97db @ 1M
WEIGHT (DRY)	93KG
DIMENSIONS (LxWxH)	1650 x 1070 x 1010MM
MANUFACTURERS WARRANTY	2 YEARS

CROMMELINS DRIVE UNITS.



Crommelins Drive Units suit most makes of 3 dog drive flexible shaft concrete vibrators and pumps and come diesel or petrol powered. All models feature a sled mounted frame which enables use on any surface.

STANDARD FEATURES

- Drives 2" Flexible drive submersible pumps [FP2T & FP2TA]
- Drives vibrator Shafts
- Rubber mounted sub-frame between engine and HD frame to ensure reduced vibration
- Sled mounted frame which enables usage on any surface
- Full heavy duty protective roll frame
- 2 Year manufacturer's warranty

IDEAL FOR

- Power source to drive flex pumps
- Power source to drive concrete vibrator shafts
- Hire and rental
- Civil
- Construction

OPTIONAL EXTRAS

- Electric start
- Mine specification
- Long range fuel tank
- Emergency stop
- Central lifting bar/hook



	DU60RPB / DU53BF	DU60RP / DU53	DU47YDE	DU10YDE
VIBRATORY SHAFTS (UP TO)	65MM	65MM	65MM	75MM
PUMP SHAFTS (UP TO)	50MM	50MM	50MM	75MM
FUEL TYPE	PETROL	PETROL	DIESEL	DIESEL
STARTING SYSTEM	RECOIL START	RECOIL START	ELECTRIC START	ELECTRIC START
ENGINE MODEL	6HP EX17	6HP EX17	4.7HP L48	10HP L100
ENGINE BRAND	ROBIN	ROBIN	YANMAR	YANMAR
FUEL TANK	3.6L	3.6L	2.4L	5.4L
DECIBELS @ 7M	66db	66db	94db @ 1M	97db @ 1M
WEIGHT (DRY)	31KG	32KG	50KG	103KG
DIMENSIONS (LxWxH)	-	-	600 x 510 x 550MM	850 x 510 x 650MM
DIMENSIONS PACKAGE (LxWxH)	500 x 500 x 550MM	500 x 500 x 550MM	765 x 525 x 555MM	980 x 530 x 660MM
MANUFACTURERS WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMMELINS VIBRATORY PRODUCTS.

Available in 28, 38, 45 and 60mm vibrator shaft sizes these attach to '3 dog' drive units and are for fast, effective compaction for concrete pours in footings and formwork.

STANDARD FEATURES

- Strong, durable shafts for demanding jobs
- 2 piece oil seals double the protection from grease seeping into the rotary head and reducing power
- High tension spring coupling between inner cable and rotor provides better vibration and longer life
- Protective spirals on both ends of the shaft minimises kinking and damage
- High quality inner cable and multilayered outer casing
- 'Flats' on removable parts makes servicing quick and easy
- Quality self aligning double row ball bearings are used to withstand high loadings

IDEAL FOR

- Stairways
- Footings
- Slabs

OPTIONAL EXTRAS

- 9.0m length [excludes JV28]



	JV28	JV38	JV45	JV60
SHAFTS SIZE (MM)	28MM	38MM	45MM	60MM
SHAFT LENGTH (M)	6M	6M	6M	6M
FREQUENCY (VPM)	13500VPM	13500VPM	13500VPM	13500VPM
WEIGHT (DRY)	16KG	16KG	21.5KG	21.5KG
DIMENSIONS (LxWxH)	6000 x 28 x 28MM	6000 x 38 x 38MM	6000 x 45 x 45MM	6000 x 60 x 60MM
MANUFACTURERS WARRANTY	1 YEAR	1 YEAR	1 YEAR	1 YEAR

CROMMELINS PORTABLE VIBRATOR.

The 45mm Crommelins Portable Vibrator will do a number of jobs that could only be done by larger drive units and shafts. The portability and weight means that this unit is easy to use and saves using a heavy drive unit. It is ideal for footings, stairways and footpaths.

STANDARD FEATURES

- Genuine Robin/Honda 4-stroke engine
- Resilient nose
- Throttle control on shaft with soft grip handle for low vibration
- Proportionately balanced design and lightweight
- Anti-roll bar to protect the engine from damage in transit.
- Full length steel reinforcing spiral which provides increased strength to the poker hose
- 2 Year manufacturer's warranty



	PV45SRN
SHAFT SIZE (MM)	45MM
FREQUENCY (VPM)	9000VPM
FUEL TYPE	PETROL
ENGINE MODEL	1.6HP EH035
ENGINE BRAND	ROBIN
FUEL TANK	0.65L
DECIBELS @ 7M	69,5db
WEIGHT (DRY)	11KG
DIMENSIONS PACKAGE (LxWxH)	1100 x 370 x 310MM
MANUFACTURERS WARRANTY	2 YEARS

CROMMELINS CONCRETE GRINDER.

The 10" Crommelins Floor Grinder is powered by a 2.2kw single phase electric motor, is Australian made and designed to grind right to the wall in wet & dry applications. This robust machine will remove glue, epoxy and paint effortlessly and make all floor grinding tasks simple.

STANDARD FEATURES

- Operator height control (3 positions)
- Level adjustment on the rear wheels for a perfect even surface result
- Safety trigger mechanism
- 2" Vacuum port (51mm) to connect to most vacuums
- Foldable handle for easy storage
- Australian made and tested
- 1 Year manufacturer's warranty
- **Disc sold separately**



	CFGKUB
GRINDING DISC SIZE	10" (254MM)
WATTAGE (W)	2200W
MOTOR SPEED (RPM)	1450RPM
PHASE	SINGLE
WEIGHT (DRY)	47KG
DIMENSIONS FOLDED (LxWxH)	350 x 700 x 750MM
MANUFACTURERS WARRANTY	1 YEAR

TRADESMEN CEMENT MIXERS.

These mixers have been on the market for many years and are virtually a household name in the building industry. Choose from petrol or electric models. These units are available with stands.

STANDARD FEATURES

- CMG electric motor or Honda petrol engine
- Pulley and belt driven
- Extra heavy duty frame, adjustable motor mount, adjustable feet and steel pulley covers
- Extra heavy duty steel 9 paddle bowl
- Heavy duty flat free wheels
- 1 Year manufacturer's warranty

IDEAL FOR

- Building and Construction
- Tradespeople
- Pathways

OPTIONAL EXTRAS

- Robin powered
- Stands
- Swivel stand



PHOTO WITH ROBIN ENGINE



PHOTO WITH ROBIN ENGINE

	EP35E	EP35HP	TU35HP
CUBIC FEET (CU.FT)	3.5CU.FT	3.5CU.FT	3.5CU.FT
TYPE	SIDE TIP	SIDE TIP	TIP UP
POWER SOURCE	ELECTRIC	PETROL	PETROL
ENGINE MODEL	1000W	GX160	GX160
ENGINE BRAND	CMG MOTOR	HONDA	HONDA
FUEL TANK	N/A	3.1L	3.1L
WEIGHT (DRY)	95KG	90KG	93KG
DIMENSIONS (LxWxH)	-	1650 x 1100 x 1500MM	-
MANUFACTURERS WARRANTY	1 YEAR	1 YEAR	1 YEAR





CUTTING & DRILLING

CROMMELINS ELECTRIC BRICK SAW

These robust bricksaws have been designed to operator use and transport easier and safer. The models are single phase electric powered and the cutting blade is water cooled by attaching a hose to the water fitting. These bricksaws will make easy work of cutting your bricks, limestone and tiles.

STANDARD FEATURES

- Extendable handles for lifting and transport
- Weight adjustable spring loaded cutting head
- Sliding tray with rail system
- Heavy duty mitre guide
- Motor capacitor box crash plate
- Large never-flat wheels
- Assembled and tested in Australia
- 1 Year manufacturer's warranty

	CBS350CE
BLADE SIZE (MM)	350MM
CUTTING DEPTH (MM)	120MM
CUTTING TABLE SIZE (MM)	860 x 440MM
SLIDING TRAY SIZE (MM)	280 x 460MM
BLADE FLANGE SIZE Ø (MM)	
ARBOR HOLE	
MOTOR WATTAGE (W)	1700W
MOTOR BRAND	CMG
SHAFT SPEED (RPM)	2880RPM
WEIGHT (DRY)	109KG (INCLUDING STAND)
DIMENSIONS (LxWxH)	1200 x 780 x 1620MM
MANUFACTURERS WARRANTY	1 YEAR



IDEAL FOR

- Hire and rental
- Contractor
- DIY

OPTIONAL EXTRAS

- Diamond blades



GOLZ TILE SAWS

This professional rail tile saw with a durable low maintenance guide rail system comes standard with a small electric pump located in the water catchment tray, is excellent for cutting precision and has extensions to the tray for cutting large tiles.

STANDARD FEATURES

- Water cooled cutting blade
- Adjustable tilt saw head & rail to cut 90° & 45°
- Adjustable cutting length
- Removable water tub, cutting table for easy cleaning
- Removable blade guard for easy blade changes
- Foldable legs for transport and storage
- Rear wheels for transport onsite
- 1 Years manufacturer's warranty
- Comes with 200 or 250mm blade (depends on model)

OPTIONAL EXTRAS

- Diamond blades



IDEAL FOR

- Hire and rental
- Tilers
- Construction
- DIY



TS200

BLADE SIZE (MM)	200MM
CUTTING DEPTH (MM)	40MM
CUTTING LENGTH (MM)	560MM
CUTTING TABLE SIZE (MM)	720 x 480MM
BLADE FLANGE SIZE Ø (MM)	64MM
ARBOR HOLE	25.4MM
MOTOR WATTAGE (W)	1300W
SHAFT SPEED (RPM)	2800RPM
WEIGHT (DRY)	57KG
DIMENSIONS (LxWxH)	1220 x 540 x 1299MM
MANUFACTURERS WARRANTY	1 YEAR



TS250

BLADE SIZE (MM)	250MM
CUTTING DEPTH (MM)	65MM
CUTTING LENGTH (MM)	980MM
CUTTING TABLE SIZE (MM)	1140 x 480MM
BLADE FLANGE SIZE Ø (MM)	64MM
ARBOR HOLE	25.4MM
MOTOR WATTAGE (W)	1300W
SHAFT SPEED (RPM)	2800RPM
WEIGHT (DRY)	72KG
DIMENSIONS (LxWxH)	1640 x 540 x 1299MM
MANUFACTURERS WARRANTY	1 YEAR

GOLZ FLOOR SAWS

These German designed compact road saws are made for asphalt and concrete cutting. The Golz floor saws are ideal for small road repair jobs and small services. If you are in the building/construction or civil works fields there is a GÖLZ product to suit your needs

STANDARD FEATURES

- Adjustable anti-vibration handles for operator comfort
- Cutting depth adjustment by handwheel with depth indicator
- Push style cutting
- Front cutting guide
- Parking break with big rear wheels
- Lifting hook
- 25L water tank
- Durable Poly-V belt for an optimum power

OPTIONAL EXTRAS

- Diamond blades
- Honda powered [FS125]



IDEAL FOR

- Hire and rental
- Contractor
- Road repairs
- Cutting trenches for piping



	FS125
BLADE SIZE (MM)	350MM
CUTTING DEPTH (MM)	120MM
BLADE SHAFT SIZE (MM)	25.4MM
WATER TANK (L)	25L
HAND VIBRATION	4.5 M/S ²
MOTOR MODEL	7HP EX21
MOTOR BRAND	ROBIN
SHAFT SPEED (RPM)	2730RPM
WEIGHT (DRY)	84KG
DIMENSIONS (LxWxH)	650 x 450 x 1000MM
MANUFACTURERS WARRANTY	1 YEAR

	FS175
BLADE SIZE (MM)	450MM
CUTTING DEPTH (MM)	165MM
BLADE SHAFT SIZE (MM)	25.4MM
WATER TANK (L)	25L
HAND VIBRATION	4.5 M/S ²
MOTOR MODEL	14HP EX40
MOTOR BRAND	ROBIN
SHAFT SPEED (RPM)	2300RPM
WEIGHT (DRY)	126KG
DIMENSIONS (LxWxH)	1220 x 491 x 1160MM
MANUFACTURERS WARRANTY	1 YEAR

GOLZ 2-STROKE CORE DRILL

Powered by a STIHL 2-stroke engine, this core drill is the original and most modern solution in pipe and sewage drilling for house connections and surface water. Golz Core Drills are manufactured for easy and convenient operation in building construction.

STANDARD FEATURES

- Genuine Stihl 2-Stroke engine
- 45° and 90° drilling (engine allows any angle drilling)
- Gearbox with water swivel
- Drill stand with pipe base (self centering)
- 4m Flexible exhaust hose extension
- Ground frame with 2 ground fixing spikes
- Fastening straps with ratchets (fixing onto pipes)
- 10L pressurised water tank
- Light weight design for the industry

IDEAL FOR

- Hire and rental
- Construction
- Sewage pipes
- Civil works
- Contractor

OPTIONAL EXTRAS

- Core drill bits



KB350

CORE DRILL SIZE (MM)	100 TO 354MM
TRAVEL LENGTH (MM)	450MM
DRILL SPEED (RPM)	300RPM
OPERATION	WET
ENGINE MODEL	2.8KW FS560
ENGINE BRAND	STIHL
FUEL TYPE	2-STROKE
FUEL TANK	990ML
WEIGHT (DRY)	45KG
DIMENSIONS (LxWxH)	550 x 410 x 800MM
MANUFACTURERS WARRANTY	1 YEAR



90° Drill in sewage pipe. Fixing by ground spikes



90° Drill concrete pipe. Fixing by vacuum pads (accessory).



90° Drill in sewage pipe. Pipe base clamped between concrete pipe and trench and secured by ground spikes.



45° Drill in cast iron pipe. Fixing by strap, clamping ratchet and angle support (accessory).



GOLZ ELECTRIC CORE DRILLS



Powered by a single phase 2200w motor, this 3x Speed model is for both hand held or drill stand operation and comes with either a D-grip handle or Pistol-grip handle.

STANDARD FEATURES

- External drill bit connection 1¼" UNC
- Internal drill bit connection R½"
- Soft start and thermal overload protection
- PRCD integrated in the power cord
- 3x Speed operation
- Gardena water connection
- Horizontal & vertical bubble Levels
- **Toolset SW32 & SW41 inclusive**

IDEAL FOR

- Hire and rental
- Construction
- Fencing
- Electricians
- Plumbers

VACUUM PUMP VP25

A rubber seal creates vacuum for anchor-less drilling. The vacuum keeps suction even with it turned off

- 250 Watt
- 25L/min (1500L/hr) suction volume
- 5L Safety tank
- Vacuum breaker
- Super quiet running
- 13kg weight
- IP44 Compliant



DRILLSTAND KB125

- 650mm travel length
- Ø 250mm drilling diameter
- Up to 45° angle drilling
- Standard 60mm ring collar for core drills
- Aluminium roller carriage with smooth & precise guiding
- Left and right handed operation
- Laser pointer for accurate setup
- Anchor / Vacuum base
- 12kg weight
- 505 x 350 x 945mm
- **Tool and fastening kit included**



	FB33P
DRILL STAND DRILLING (MM)	20 TO 160MM
DRILL TYPE	PISTOL GRIP
DRILL SPEED (RPM)	520 / 1400 / 2900RPM (3X SPEED)
DRILL BIT CONNECTION	1 1/4" UNC + R1/2"
RING COLLAR (MM)	60MM
MOTOR SIZE (W)	2200W
WEIGHT (DRY)	6.5KG
DIMENSIONS (LxWxH)	422 x 100 x 295MM
MANUFACTURERS WARRANTY	1 YEAR



	FB33S
DRILL STAND DRILLING (MM)	20 TO 160MM
DRILL TYPE	D HANDLE
DRILL SPEED (RPM)	520 / 1400 / 2900RPM (3X SPEED)
DRILL BIT CONNECTION	1 1/4" UNC + R1/2"
RING COLLAR (MM)	60MM
MOTOR SIZE (W)	2200W
WEIGHT (DRY)	6.5KG
DIMENSIONS (LxWxH)	562x 100 x 150MM
MANUFACTURERS WARRANTY	1 YEAR

DIAMOND BLADES

DIAMOND BLADES

Crommelins have a variety of blades for most applications. Three quality types is available, GÖLZ Premium, GÖLZ Silent & CROMTECH™.

GOLZ PREMIUM BLADES


- 8" & 10" Ceramic Tile blades, sintered, cutting for ceramic, porcelain tiles, thin segment.
- 8" Combination blades, sintered, cutting in medium intensive tiles, thin segment.
- 14" & 18" Concrete premium, 12mm segmented.
- 14" to 18" Asphalt premium, 12mm segmented.
- 14" & 16" Combination premium, 16mm segment height, special cooling holes for reducing heat and keeping stable performance.
- 14" & 16" Combination super premium, 16mm segment height, RX1.

GOLZ SILENT BLADES

- 14" & 16" Combination super premium silent, 16mm segment sandwich design with steel core, RX1 whisper.

CROMTECH BLADES

- 8" & 10" Combination tile blades, thin segment.
- 14" Combination blade laser welded, 12mm segment.
- 14" & 18" Concrete laser welded, 12mm segment.
- 14" & 18" Asphalt laser welded, 12mm segment.



CORE DRILL BITS

CORE DRILL BITS

Drill Bits for concrete, reinforced concrete, brickwork, asphalt and granite. Excellent performance.

STANDARD FEATURES

- External drill bit connection 1¼" UNC standard attachment
- Internal drill bit connection R½"
- Diamond core bit with 3-hole flange [KB350]

CORE DRILL RANGE

- 25 to 66mm at 220mm length - For concrete with light to medium with reo and masonry
- 16 to 400mm at 450mm length - For concrete with light to medium reo and masonry
- 4" to 10" Core drills with 3 bolt flange







PRESSURE CLEANERS

CHOOSING A PRESSURE WASHER.

Crommelins petrol, diesel and electric powered high-pressure washers are power packed to rapidly and effectively wipe out all the washing, degreasing, descaling and disinfecting problems that are part of every working day in commercial and industrial situations.

FOR THE HOME

- Strip paint flakes off walls and garden furniture
- Remove stains and mould from brick paving and limestone
- Wash grease and oil from driveways
- Clean gutters and pergolas.

FOR INDUSTRY

- Clean agricultural equipment and other machinery
- Remove paint flakes
- Wash grease and oil from workshops
- High pressure water cleaning.

PRESSURE WASHER TERMS

- **PSI** - Pounds per square inch which determines how much pressure is directly applied on the surface being cleaned.
- **LPM** - Liters per minute
- **Water Flow** - The maximum amount of water that can flow through the lance.
- **Purge** - A method of eliminating air from a pressure washer so that starting it is easier.

CUSTOM OPTIONS (SOME MODELS)

- Electric start
- Honda powered
- Mine specification
- Long range fuel tank
- Bunding
- Fire extinguisher
- Emergency safety stop
- Lockable battery isolator
- Lockable recoil start
- Plant numbering
- Anderson jump start
- Custom frame colouring

Note: Both PSI and LPM are important for effective cleaning. The higher the combination of these numbers, the stronger the cleaning.

BEST
 GOOD
 NOT RECOMMENDED

LOW LITRES/MIN 500 to 1800psi	LIGHT DUTY 1500 to 1900psi	MEDIUM DUTY 2000 to 2800psi	HEAVY DUTY 2900 to 3600psi	X-HEAVY DUTY +3700psi
HOUSE / SECOND STORY				
POWER SOAPING / SHOP FRONTS / FACADE				
DRIVE WAY / PATIO / PATIO WOOD FURNITURE				
CAR / MOTORCYCLE / GOLF BUGGY				
TRUCK				
PAVEMENT / SIDE WALKS / STAIRS / ROADS				
PAINT PREPARATION / STAIN REMOVAL				

AR BLUE CLEAN PRESSURE PUMPS



**ANNOVI
REVERBERI**
The Power of Experience

AR Blue Clean is the trade mark of Annovi Reverberi, an Italian manufacturer famous for their innovative range of quality and reliable domestic, industrial and commercial high pressure cleaners.

Annovi Reverberi has been producing high pressure pumps for Industrial, Hire, Agriculture and DIY Industries since 1958, manufacturing over 1 million high quality pumps per year. Crommelins and AR Blue Clean are a formidable team, both over 60 years strong!

As with our commitment to high quality products, all AR pumps are manufactured using high quality alloys, brass, stainless steel and ceramics ensuring performance and longevity.

RANGE INCLUDES

- Trade
- Light Industry
- Industrial
- Commercial

All Crommelins and AR Blue Clean Pressure Cleaners are fitted with quality AR pumps.

PUMP TYPES

- Triplex pump is fitted with a brass manifold which resists corrosion and extends lifespan. It has a connecting rod system, with ceramic* or stainless steel* plunger (pistons) and a 2:1 reduction gear box. *depending on model
- Axial (wobble) plate pump has a pressure relief valve and a forged brass manifold.



PRESSURE CLEANERS


AXIAL (WOBBLE) PLATE



HIGH SPEED TRIPLEX PUMP



TRIPLEX PUMP WITH 2:1
REDUCTION GEARBOX



TRIPLEX PUMP WITH CERAMIC
PISTONS AND BRASS NICKEL
PLATED PUMP



PETROL CPV PRESSURE CLEANERS.



This extremely popular range of pressure cleaners are built with AR Pumps for the light industrial market. Assembled and tested in Australia, the CPV range are powered by Robin engines for performance and longevity.

IDEAL FOR

- Light trade and agricultural use
- Cleaning moss and dirt from paving
- Shop fronts and awnings

STANDARD FEATURES

- Quality gun and steel lance
- Quick-connect hose couplings
- 4 x Spray nozzles (0° / 15° / 40°/ Detergent)
- Detergent hose pickup tube & filter
- Trolley frame with hose holders, gun hook and front bumper
- Removable handle and bumper for transport
- Front bumper bar to protect the pump
- Rubber front foot to keep machine stable
- Pneumatic wheels
- Additional inline water filter
- 1 Year pressure pump warranty
- 2 Year manufacturer's warranty

CUSTOM OPTIONS

- Honda powered
- Turbo nozzle
- Hose extension
- 15" Surface cleaner (2700psi models)
- 21" Surface spray [SC21] fits 3000psi+ models



	CPV2700RP / CPV2700X21	CPV3200RP / CPV3200X27	CPV4000RP / CPV4000X40
MAX. RATED PRESSURE (PSI)	2700PSI	3200PSI	4000PSI
MAX. RATED BAR (BAR)	186BAR	220BAR	275BAR
WATER FLOW (L/MIN)	11.4L	14.0L	15.0L
HOSE LENGTH & TYPE	10M HOSE	10M HOSE	15M HOSE
PRESSURE PUMP TYPE	AR TRIPLEX	AR TRIPLEX	AR TRIPLEX
ENGINE MODEL	7HP EX21	9HP EX27	14HP EX40
ENGINE BRAND	ROBIN	ROBIN	ROBIN
FUEL TANK	3.6L	6.0L	7.0L
DECIBELS @ 7M	68db	74db	72db
WEIGHT (DRY)	43KG	48KG	67KG
DIMENSIONS (LxWXH)	670 x 520 x 960MM	720 x 520 x 960MM	920 x 600 x 960MM
MANUFACTURERS WARRANTY	2 YEARS	2 YEARS	2 YEARS

CROMTECH PRESSURE CLEANER.



This new Cromtech pressure cleaner is built with an AR brass head axial pump for all round cleaning at home, on the farm and work place. This model is powered by a Robin petrol engine for performance and longevity.

STANDARD FEATURES

- Quality gun and steel lance
- Quick-connect hose couplings
- Spray nozzles - 0°, 15°, 40°, Detergent
- AR brass head axial pump
- Detergent hose pickup tube & filter
- Trolley frame with hose holders, gun hook
- Removable handle for storage
- Rubber foot to keep machine stable
- Pneumatic wheels
- Additional inline water filter
- 1 Year manufacturer's warranty
- 3 Year Robin engine warranty



IDEAL FOR

- Light trade
- Cleaning moss/dirt from paving
- Shop fronts and awnings
- Mud from flooded areas
- Paint from fences

CUSTOM OPTIONS

- Turbo nozzle
- Hose extension
- 15" Surface cleaner (2700psi models)



	TPV2700RP
MAX. RATED PRESSURE (PSI)	2700PSI
MAX. RATED BAR (BAR)	186BAR
WATER FLOW (L/MIN)	10L
HOSE LENGTH & TYPE	10M HOSE
PRESSURE PUMP TYPE	AR BRASS HEAD AXIAL PUMP
ENGINE MODEL	6HP EX21
ENGINE BRAND	ROBIN
FUEL TANK	3.6L
DECIBELS @ 7M	66db
WEIGHT (DRY)	36KG
DIMENSIONS (LxWXH)	780 x 550 x 920MM
MANUFACTURERS WARRANTY	1 YEARS

PETROL CPC PRESSURE CLEANERS.



Crommelins have produced a Pressure Cleaner available in 2000psi, 3000psi or 4000psi. Whether required for the smaller simpler jobs like washing down dusty & dirty machinery or for larger jobs and constant use, this pressure cleaner will suit your needs.

STANDARD FEATURES

- Genuine Robin industrial engine
- AR Triplex pump with 2:1 reduction gearbox
- Adjustable pressure regulator
- Detergent injector nozzle
- Heavy duty gun with twin lance
- 10m high pressure hose
- Gun and hose holder
- Rubber isolated engine mounting plate
- Central lifting hook
- 4 x Pneumatic wheels
- Australian fabricated heavy duty galvanised roll frame
- 1 Year pressure pump warranty
- 2 Year manufacturer's warranty

IDEAL FOR

- Hire and rental
- Agriculture
- Mud from flooded areas
- Paint from fences

CUSTOM OPTIONS

- Honda powered
- Electric start
- Turbo nozzle
- Hose extension
- Custom colouring
- 21" Surface spray [SC21] fits 3000psi+ models



	CPC2000RP	CPC3000RP	CPC4000RP
MAX. RATED PRESSURE (PSI)	2000PSI	3000PSI	4000PSI
MAX. RATED BAR (BAR)	135BAR	205BAR	275BAR
WATER FLOW (L/MIN)	12L	15L	15L
HOSE LENGTH & TYPE	10M HOSE	10M HOSE	10M HOSE
PRESSURE PUMP TYPE	AR TRIPLEX	AR TRIPLEX	AR TRIPLEX
ENGINE MODEL	7HP EX21	14HP EX40	14HP EX40
ENGINE BRAND	ROBIN	ROBIN	ROBIN
FUEL TANK	3.6L	7.0L	7.0L
DECIBELS @ 7M	68db	72db	72db
WEIGHT (DRY)	63KG	83KG	85KG
DIMENSIONS (LxWxH)	-	-	-
MANUFACTURERS WARRANTY	2 YEARS	2 YEARS	2 YEARS

DIESEL CPC PRESSURE CLEANERS.



These diesel pressure cleaners are available in 2000psi and 3000psi and is powered by a genuine Yanmar diesel engine.

IDEAL FOR

- Hire and rental
- Mining
- Agriculture
- Mud from flooded areas

STANDARD FEATURES

- Genuine Yanmar industrial engine with electric start
- AR Triplex pump with 2:1 reduction gearbox
- Detergent injector nozzle
- Adjustable pressure regulator
- 10m high pressure hose
- Heavy duty gun with twin lance
- Gun and hose holder
- Australian fabricated heavy duty galvanised roll frame
- Central lifting hook
- Rubber isolated engine mounting plate
- 4 x Pneumatic wheels
- 1 Year pressure pump warranty
- 2 Year manufacturer's warranty

CUSTOM OPTIONS

- Mine specification
- Turbo nozzle
- Hose extension
- Custom colouring
- 21" Surface spray [SC21] fits 3000psi+ models



MODEL SHOWN WITH ROBIN ENGINE AND YELLOW FRAME



	CPC2000YDE
MAX. RATED PRESSURE (PSI)	2000PSI
MAX. RATED BAR (BAR)	135BAR
STARTING SYSTEM	ELECTRIC START
WATER FLOW (L/MIN)	12L
HOSE LENGTH & TYPE	10M HOSE
PRESSURE PUMP TYPE	AR TRIPLEX
ENGINE MODEL	4.7HP L48
ENGINE BRAND	YANMAR
FUEL TANK	2.4L
DECIBELS @ 1M	94db @ 1M
WEIGHT (DRY)	76KG
DIMENSIONS (LxWxH)	-
MANUFACTURERS WARRANTY	2 YEARS

	CPC3000YDE
MAX. RATED PRESSURE (PSI)	3000PSI
MAX. RATED BAR (BAR)	205BAR
STARTING SYSTEM	ELECTRIC START
WATER FLOW (L/MIN)	15L
HOSE LENGTH & TYPE	10M HOSE
PRESSURE PUMP TYPE	AR TRIPLEX
ENGINE MODEL	10HP L100
ENGINE BRAND	YANMAR
FUEL TANK	5.4L
DECIBELS AT 7M	97db @ 1M
WEIGHT (DRY)	115KG
DIMENSIONS (LxWxH)	-
MANUFACTURERS WARRANTY	2 YEARS

AR BLUE CLEAN PRESSURE CLEANERS



These Italian made pressure cleaners are available in 1900psi and 2030psi. They are single phase and electric powered plus have many optional accessories to make pressure cleaning quicker and easier. They are ideal for the tradesperson, hire and serious home use.

IDEAL FOR

- Tradesperson
- Home use

STANDARD FEATURES:

- Heavy duty gun & high pressure hose
- Built-in hose reels (AR505RLW & AR767RLW)
- Adjustable spray lance & Rotopower turbo lance
- Triplex pump with brass head and ceramic plungers (AR620 & AR767RLW)
- Built-in detergent tank with flow control (AR505RLW & AR767RLW)
- All metal pump (AR505RLW)
- Detergent suction hose
- Additional water filter
- 1 Year manufacturer's warranty



OPTIONAL EXTRAS

- 12" Surface cleaner (excludes AR1330)



HOT WATER MODEL



	AR505RLW	AR620	AR767RLW	AR1330
MAX. RATED PRESSURE (PSI)	2030PSI	1900PSI	1900PSI	1900PSI
MAX. RATED BAR (BAR)	140BAR	130BAR	130BAR	130BAR
WATER FLOW (L/MIN)	7L	8L	10L	10L
MAIN FEATURES	EXTERNAL HOSE REEL, TOTAL STOP SYSTEM	COMPACT, MOUNT TO WALLS	EXTERNAL HOSE REEL, PRESSURE GAUGE	STAINLESS STEEL, 24L DIESEL BOILER, 30° TO 150°C THERMOSTAT
HOSE LENGTH & TYPE	8M BRAIDED	8M BRAIDED	10M BRAIDED	10M BRAIDED
PRESSURE PUMP TYPE	ALL METAL PUMP	AR TRIPLEX	AR TRIPLEX	AR TRIPLEX
MOTOR	2100W	2600W	2600W	3000W (15 Amp plug)
DETERGENT TANK	1.2L TANK	DETERGENT SUCTION PICKUP	2L TANK	N/A
WEIGHT (DRY)	19KG	20KG	36KG	110KG
DIMENSIONS (LxWxH)	420 x 400 x 830MM	530 x 280 x 340MM	390 x 380 x 900MM	1180 x 670 x 700MM
MANUFACTURERS WARRANTY	1 YEAR DOMESTIC	1 YEAR	1 YEAR	1 YEAR

PRESSURE CLEANER ACCESSORIES

12" SURFACE CLEANER - AR41581

- Suits AR cold water models



TURBO NOZZLES

- Suits all models



15" SURFACE CLEANER - HKJ1501A

- Suits 2700psi models



HIGH PRESSURE HOSE

- Suits all models (up to 4000psi)



21" SURFACE CLEANER - SC21

- Suits 3000psi+ models
- 14KG




CPV NOZZLES

- Pencil Jet
- Fan Jet 15
- Fan Jet 40
- Detergent Nozzle







PUMPS

CHOOSING YOUR PUMP



Crommelins has a large range of pumps to meet all your pumping needs. From small portable pumps, fire fighting pumps, large capacity pumps to pumps for on-site construction and heavy duty pumping work.

STANDARD FEATURES

- Construction grade quality
- Low maintenance and long engine life
- Assembled and tested in Australia

PUMP TERMS

- **Total Head** - The total height in meters liquid can be pumped to
- **Max. Suction** - The maximum depth liquid can be sucked at below the level of the pump
- **Trash** - Allows pumping in muddy/sandy water and will also pump solids
- **Clean Water** - For clear water pumping only.
Poly - For pumping waste water, chemicals, sea water, etc.
- **Self Priming** - Requires no water for subsequent pumping operation once initial pumping is done, and the pumping capacity is large.

CUSTOMISE YOUR PUMP

Crommelins can customise pumps to suit your needs.

OPTIONAL EXTRAS

- Long range fuel tank
- Mine specification
- Electric start
- Roll frame
- Fire extinguisher
- Safety stop
- Custom colouring



PRE-SEASON PUMP MAINTENANCE.

Before the bushfire season arrives or when you need to use your pump, it is wise to check your pump unit to make sure it is ready for service.






MAINTENANCE TIPS*

1. If not already done (at end of season) change the engine oil.
2. Drain any fuel left in the tank and fill with fresh petrol. Loosen the fuel bowl retaining bolt on carburettor and allow fresh fuel to flush through. Tighten the bolt.
3. Remove spark plug and put a couple of squirts or pour a little engine oil in the cylinder. Pull motor over three or four times. Remove plug and rinse in petrol and replace.
4. Fill pump unit with water and start pump in normal fashion. The engine can be run for 1-2 minutes without connecting to water tank as long as the pump is full of water.

If the motor does not start or run properly (lack of compression/blocked carburettor) it will be necessary to have the unit checked by your local service agent.

*Note: Service should be done in a workshop (clean area), not an open field.

PUMP CURVES



CROMMELINS PETROL FIRE FIGHTING PUMPS.



These Fire Fighting pumps are known for their reliability, durability and versatility. They are ideal for fire fighting, water transfer, washing down farm machinery and many other jobs that require water at pressure. They come in either single or twin impeller.

STANDARD FEATURES

- 1 ½" Inlet (40mm)
- 1 ½" Outlet and 2 x 1" Outlet
- Cast aluminium impeller
- Bolt on replaceable suction port
- Cast iron diffuser increases pump life
- Cast aluminium pump body
- Metal (not plastic) delivery outlet caps
- 2 Years manufacturer's warranty
- Assembled and tested in Australia

IDEAL FOR

- Fire fighting
- Water transfer
- Washing down farm machinery
- Agriculture and farms
- Shires and councils

OPTIONAL EXTRAS

- Electric start
- Trolley kit
- Honda powered
- 2" Inlet / Outlets
- Hose kits available
- Viton seals

PUMP CURVE: REFER TO PAGE 54



	FF150RP / 150HPROHC	FF150RP7 / 150HPROHC21	FT150RP / 150HPROHCT	FT150RP7 / 150HPROHCT21
WATER FLOW (L/MIN)	360L	420L	300L	360L
WATER FLOW (L/HR)	21,600L	25,200L	18,000L	21,600L
TOTAL HEAD (M)	60M	60M	90M	90M
MAX. SUCTION (M)	8M	8M	8M	8M
IMPELLER	SINGLE	SINGLE	TWIN	TWIN
ENGINE MODEL	6HP EX17	7HP EX21	6HP EX17	7HP EX21
ENGINE BRAND	ROBIN	ROBIN	ROBIN	ROBIN
FUEL TANK	3,6L	3,6L	3,6L	3,6L
DECIBELS @ 7M	66db	68db	66db	68db
WEIGHT (DRY)	24KG	25KG	30KG	32KG
DIMENSIONS (LxWxH)	510 x 440 x 440MM	510 x 440 x 440MM	510 x 440 x 440MM	510 x 440 x 440MM
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMMELINS DIESEL FIRE FIGHTING PUMP.



These Fire Fighting pumps are known for their reliability, durability and versatility. They are ideal for firefighting, water transfer, washing down farm machinery and many other jobs that require water at pressure. They come in either single or twin impeller.

STANDARD FEATURES:

- 1 ½" Inlet (40mm)
- 1 ½" Outlet and 2 x 1" Outlet
- Cast aluminium impeller
- Bolt on replaceable suction port
- Cast iron diffuser increases pump life
- Cast aluminium pump body
- Metal (not plastic) delivery outlet caps
- 2 Years manufacturer's warranty
- Assembled and tested in Australia

IDEAL FOR

- Fire fighting
- Water transfer
- Washing down farm machinery
- Agriculture and farms
- Shires and councils




	FF150YDE / 150HPRDS
WATER FLOW (L/MIN)	300L
WATER FLOW (L/HR)	18,000L
TOTAL HEAD (M)	57M
MAX. SUCTION (M)	8M
IMPELLER	SINGLE
STARTING SYSTEM	ELECTRIC START
ENGINE MODEL	4.7HP L48
ENGINE BRAND	YANMAR
FUEL TANK	2.4L
DECIBELS @ 7M	94db @ 1M
WEIGHT (DRY)	51KG
DIMENSIONS (LxWxH)	530 x 420 x 490MM
MANUFACTURER'S WARRANTY	2 YEARS

OPTIONAL EXTRAS

- Electric start
- Mine specification
- 2" Inlet / Outlets
- Hose kits available
- Viton seals

PUMP CURVE: REFER TO PAGE 54



CROMMELINS PETROL CLEAR WATER PUMPS.



These are ideal for general purpose pumping, for transfer of large volumes of water such as from a dam to a water tank. They are also popular on water trucks for spray bars and tree watering operations.

STANDARD FEATURES

- Genuine Robin engine
- Direct coupled pump ensures efficient, economical operation
- Self-priming pump requires no water for subsequent pumping operation once initial pumping is done and the pumping capacity is large
- Water-resisting qualities with mechanical seal made of ceramic-carbon and the impellers made of cast iron
- Cast alluminium impeller and inner casing
- 2 Years manufacturer's warranty

IDEAL FOR

- Hire and rental
- General purpose ater transfer
- Agricultural

OPTIONAL EXTRAS

- Electric start with AGM battery

PUMP CURVE: REFER TO PAGE 54



	CP200RP / PTX201	CP300RP / PTX301	CP400RP / PTX401
INLET (IN)	2"	3"	4"
OUTLET (IN)	2"	3"	4"
WATER FLOW (L/MIN)	520L	1000L	1800L
WATER FLOW (L/HR)	31,200L	60,000L	108,000L
TOTAL HEAD (M)	32M	32M	28M
MAX. SUCTION (M)	8M	8M	8M
STARTING SYSTEM	RECOIL START	RECOIL START	RECOIL START
ENGINE MODEL	4.5HP EX13	6HP EX17	9HP EX27
ENGINE BRAND	ROBIN	ROBIN	ROBIN
FUEL TANK	2.7L	3.6L	6.1L
DECIBELS @ 7M	64db	66db	70db
WEIGHT (DRY)	25KG	28KG	45KG
DIMENSIONS (LxWxH)	470 x 344 x 414MM	527 x 368 x 417MM	610 x 425 x 565MM
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS

CROMMELINS DIESEL CLEAR WATER PUMPS.



These are ideal for general purpose pumping, for transfer of large volumes of water such as from a dam to a water tank. They are also popular on water trucks for spray bars and tree watering operations.

STANDARD FEATURES

- Genuine Yanmar diesel engine
- Direct coupled pump ensures efficient, economical operation
- Self-priming pump requires no water for subsequent pumping operation once initial pumping is done and the pumping capacity is large
- Water-resisting qualities with mechanical seal made of ceramic-carbon and the impellers made of cast iron
- Cast alluminium impeller and inner casing
- 2 Years manufacturer's warranty

IDEAL FOR

- Hire and rental
- General purpose ater transfer
- Agricultural

OPTIONAL EXTRAS

- Electric start with AGM battery

PUMP CURVE: REFER TO PAGE 54



PHOTO WITH ROBIN ENGINE



PHOTO WITH ROBIN ENGINE




PHOTO WITH ROBIN ENGINE

	CP200YD	CP300YDE	CP400YDE
INLET (IN)	2"	3"	4"
OUTLET (IN)	2"	3"	4"
WATER FLOW (L/MIN)	520L	900L	1800L
WATER FLOW (L/HR)	31,200L	54,000L	108,000L
TOTAL HEAD (M)	32M	28M	25M
MAX. SUCTION (M)	8M	8M	8M
STARTING SYSTEM	RECOIL START	ELECTRIC START	ELECTRIC START
ENGINE MODEL	4.7HP L48N	6.7HP L70	6.7HP L70
ENGINE BRAND	YANMAR	YANMAR	YANMAR
FUEL TANK	2.4L	3.3L	3.3L
DECIBELS @ 1M	94db @ 1M	-	-
WEIGHT (DRY)	41KG	44KG	100KG
DIMENSIONS (LxWxH)	540 x 370 x 460	590 x 410 x 510	850 x 510 x 650
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS

CROMTECH PETROL CLEAR WATER PUMPS.

**MODELS COMING
IN 2019**



1" PORTABLE PUMP

This 4-stroke, compact, lightweight pump is for water transferring to dams, water tanks and more.

STANDARD FEATURES


- 25mm inlet and outlet
- Mechanical seal (ceramic carbon)
- Petrol powered
- Recoil start
- Transport handle
- Light weight
- 1 Year Cromtech warranty

IDEAL FOR

- Water transfer
- Emptying ponds, dams and large water tanks
- Agricultural and general purpose

ACCESSORIES

- 5m Suction hose included
- Tool kit
- Plastic funnel
- Hose-tails and strainer



	CTP101
INLET (IN)	1"
OUTLET (IN)	1"
WATER FLOW (L/MIN)	117L
WATER FLOW (L/HR)	7020L
TOTAL HEAD (M)	30M
MAX. SUCTION (M)	8M
STARTING SYSTEM	RECOIL START
ENGINE TYPE	4-STROKE
ENGINE BRAND	CROMTECH
FUEL TANK	0.65L
WEIGHT (DRY)	7.0KG
DIMENSIONS (LxWxH)	380 x 300 x 380MM
MANUFACTURER'S WARRANTY	1 YEAR

3" PUMP


This model comes with a 2" reducer to turn it into a higher-pressure water pump. The pump is compact and perfect for general use because of its multiple applications.

STANDARD FEATURES

- 3" to 2" Reducer (Inlet/Outlet)
- Mechanical seal (ceramic carbon)
- Petrol powered
- Recoil start
- Steel frame protects model
- 1 Year Cromtech warranty

IDEAL FOR

- Water transfer
- Emptying ponds, dams and large water tanks
- Agricultural and general purpose



	CTP301
INLET (IN)	3"
OUTLET (IN)	3"
WATER FLOW (L/MIN)	900L
WATER FLOW (L/HR)	54,000L
TOTAL HEAD (M)	30M
MAX. SUCTION (M)	7M
STARTING SYSTEM	RECOIL START
ENGINE TYPE	4-STROKE, 4.5KW
ENGINE BRAND	CROMTECH
FUEL TANK	2.6L
WEIGHT (DRY)	26KG
DIMENSIONS (LxWxH)	530 x 415 x 445MM
MANUFACTURER'S WARRANTY	1 YEAR

CROMMELINS POLY PUMPS.



The Crommelins Poly Pumps are durable and reliable pumps for applications where chemicals, waste water, salt water and mild caustic liquids have to be pumped. Constructed of corrosion-resistant materials it comes with 316 stainless steel fasteners throughout and viton seals.

STANDARD FEATURES

- Viton seals for pumping chemical liquids
- Corrosion resistant poly pump
- Heavy duty roll frame
- 2 Years manufacturer's warranty
- Assembled and tested in Australia

IDEAL FOR

- Chemicals and mild caustic liquids
- Waste water
- Salt water
- Flexi and fertiliser

OPTIONAL EXTRAS

- Genuine Robin industrial engine
- Electric start with AGM battery
- Yanmar diesel powered

PUMP CURVE: REFER TO PAGE 54



	PP200HPV / 200PHV	PP300HPV / 300PHV	PP200YDEV / 200PYD	PP300YDEV / 300PYDE
INLET (IN)	2"	3"	2"	3"
OUTLET (IN)	2"	3"	2"	3"
WATER FLOW (L/MIN)	730L	1059L	7.30L	1059L
WATER FLOW (L/HR)	43,800L	63,540L	43,800L	63,540L
TOTAL HEAD (M)	38M	25M	38M	25M
MAX. SUCTION (M)	8M	8M	8M	8M
STARTING SYSTEM	RECOIL START	RECOIL START	RECOIL START	ELECTRIC START
ENGINE MODEL	GX200	GX200	4.7HP L48N	4.7HP L48
ENGINE BRAND	HONDA	HONDA	YANMAR	YANMAR
FUEL TYPE	PETROL	PETROL	DIESEL	DIESEL
FUEL TANK	3.1L	3.1L	2.4L	2.4L
DECIBELS @ 7M	N/A	N/A	94db @ 1M	94db @ 1M
WEIGHT (DRY)	28KG	38KG	50KG	63KG
DIMENSIONS (LxWxH)	530 x 420 x 490MM	730 X 485 X 610MM	530 X 420 X490MM	730 X 485 X 610MM
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMMELINS PETROL TRASH PUMPS.



Trash pumps handle larger solids and debris for heavy-duty de-watering applications. A trash pump uses deep impeller vanes with a large volute and pumps water containing suspended sticks, stones & debris without clogging or harming pump components.

STANDARD FEATURES

- Genuine Robin/Honda petrol engine
- Self-priming with no water required after initial priming is done.
- Silicon-carbon mechanical seal
- Cast iron impeller and inner casing
- Quick clean-out suction port provides easy maintenance and long service life.
- 2 Years manufacturer's warranty
- Assembled and tested in Australia

IDEAL FOR

- Rental and hire
- General purpose de-watering
- Construction job site
- Agricultural

OPTIONAL EXTRAS

- Electric start with AGM battery
- Honda powered

PUMP CURVE: REFER TO PAGE 54



	TP200RP / PTX201T	TP300RP / PTX301T	TP400RP / PTX401T
INLET (IN)	2"	"3	4"
OUTLET (IN)	2"	3"	4"
WATER FLOW (L/MIN)	750L	1300L	2000L
WATER FLOW (L/HR)	45,000L	78,000L	120,000L
TOTAL HEAD (M)	27M	28M	23M
MAX. SUCTION (M)	8M	8M	8M
STARTING SYSTEM	RECOIL START	RECOIL START	RECOIL START
ENGINE MODEL	6HP EX17	9HP EX27	12HP EX35
ENGINE BRAND	ROBIN	ROBIN	ROBIN
FUEL TANK	3.6L	6.1L	7.0L
DECIBELS @ 7M	66db	69.5db	74db
WEIGHT (DRY)	35KG	49KG	72KG
DIMENSIONS (LxWxH)	570 x 436 x 397MM	672 x 484 x 610MM	730 x 485 x 600MM
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS

CROMMELINS DIESEL TRASH PUMPS.



Trash pumps handle larger solids and debris for heavy-duty de-watering applications. A trash pump uses deep impeller vanes with a large volute and pumps water containing suspended sticks, stones & debris without clogging or harming pump components.

STANDARD FEATURES

- Genuine Yanmar diesel engine
- Self-priming with no water required after initial priming is done.
- Silicon-carbon mechanical seal
- Cast iron impeller and inner casing
- Quick clean-out suction port provides easy maintenance and long service life.
- 2 Years manufacturer's warranty
- Assembled and tested in Australia

IDEAL FOR

- Rental and hire
- General purpose de-watering
- Construction job site
- Mining and oil

OPTIONAL EXTRAS

- Electric start with AGM battery
- Mine specification

PUMP CURVE: REFER TO PAGE 54



PHOTO WITH ROBIN ENGINE



PHOTO WITH ROBIN ENGINE



PHOTO WITH ROBIN ENGINE

	TP200YD / PTG205TYD	TP300YDE / PTG305TYDE	TP400YDE / PTG405TYDE
INLET (IN)	2"	3"	4"
OUTLET (IN)	2"	3"	4"
WATER FLOW (L/MIN)	680L	1170L	2000L
WATER FLOW (L/HR)	40,800L	70,200L	120,000L
TOTAL HEAD (M)	24M	25M	21M
MAX. SUCTION (M)	8M	8M	8M
STARTING SYSTEM	RECOIL START	ELECTRIC START	ELECTRIC START
ENGINE MODEL	4.7HP L48N	4.7HP L48	10.0HP L100
ENGINE BRAND	YANMAR	YANMAR	YANMAR
FUEL TANK	2.4L	2.4L	5.4L
DECIBELS @ 7M	94db @ 1M	94db @ 1M	97db @ 1M
WEIGHT (DRY)	55KG	100KG	95KG
DIMENSIONS (LxWxH)	590 x 510 x 550MM	850 x 510 x 650MM	-
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS

CROMTECH SUBMERSIBLE PUMPS.



Constructed with stainless steel and cast iron, there is a pump to suit most applications. These pumps are ideal for pumping grey and clean water out of water tanks, pools, ponds, sewage and flooded areas.

OPTIONAL EXTRAS

- Available without float switch (except 750F)
- Hose kits available

STANDARD FEATURES

- Float switch (F) automatically turns pump on/off
- High quality bearing, seals
- Stainless motor shaft
- Single phase electric motor
- Overload protection
- 7m rope to lower/lift pump
- 10m long power cord
- Vortex impeller



IDEAL FOR

- Pools and ponds
- Flooded areas
- Sewage
- Dewatering



	MQ350LINOX	V180F	V250F	V450F	V750F	V1100DF
OUTLET (MM)	25 / 32MM	25 / 32MM	25 / 32 / 40MM	50MM	50MM	50MM
WATER FLOW (L/MIN)	108L	133L	150L	200L	300L	233L
WATER FLOW (L/HR)	6480L	7980L	9000L	12,000L	18,000L	13,980L
TOTAL HEAD (M)	6M	7M	7.5M	8.5M	10.5M	7M
MAX. SOLIDS (MM)	3MM	15MM	15MM	25MM	25MM	25MM
IMPELLER	OPEN VANE VORTEX	OPEN VANE VORTEX	OPEN VANE VORTEX	OPEN VANE VORTEX	OPEN VANE VORTEX	OPEN VANE VORTEX/ PRE-CHOPPER BLADE
MOTOR	350W	180W	250W	450W	750W	1100W
WEIGHT (DRY)	5KG	8.5KG	9KG	17KG	21KG	23KG
DIMENSIONS (LxWxH)	-	200x190x390MM	200x190x400MM	270x200x520MM	270x207x560MM	275x225x560MM
MANUFACTURER'S WARRANTY	1 YEAR	1 YEAR	1 YEAR	1 YEAR	1 YEAR	1 YEAR

CROMTECH SUBMERSIBLE PUDDLE PUMP.



When you have those nuisance puddles or flooding on site and conventional pumps don't drain low enough, the Cromtech Puddle Pump is the answer. This pump will operate on most surfaces down to 1mm leaving the bare minimum of water.

STANDARD FEATURES

- Adjustable discharge outlet
- Operates on most surfaces
- Drains down to 1mm water level
- Single phase electric motor
- Overload protection
- 10m long power cord
- Vortex impeller

IDEAL FOR

- Rental and hire
- General purpose de-watering
- Construction sites
- Slabs and footings
- Agriculture
- Pools and ponds
- Flooded areas
- Versatile for all industries



	CPP450
OUTLET (MM)	25MM
WATER FLOW (L/MIN)	85L
WATER FLOW (L/HR)	5100L
TOTAL HEAD (M)	10M
MAX. SOLIDS (MM)	0.2MM
IMPELLER	OPEN VANE VORTEX CAN PUMP DOWN TO 1MM WATER LEVEL
MOTOR	450W
WEIGHT (DRY)	12KG
PACKAGE DIMENSIONS (LxWxH)	230 x 230 x 350mm
MANUFACTURER'S WARRANTY	1 YEAR

CROMMELINS FLEXIBLE SUB. PUMPS.

These 50mm pumps are heavy duty and designed to handle the toughest of jobs. The submersible pump attaches to the drive units for rapid removal of water containing solids in footings, manholes, tanks, drainage, emptying pools, waste transfer and much more.

STANDARD FEATURES

- Cast Iron or aluminium pump casing
- Wide suction passages to allow debris (up to 25mm) to pass through
- Can allow fluids containing up to 60% solids
- Quick action flexshaft coupling with 3 dog drive
- Includes adaptor for cam lock/discharge hose
- 6m length
- Rope included to lift the pump in/out of holes
- Movable spiral section to prevent kinking
- 1 Year manufacturer's warranty

OPTIONAL EXTRAS

- 3M Extension shaft
- 6M Extension shaft
- Drive units
- Hose kits available



IDEAL FOR

- Rental and hire
- Manholes
- Drainage



FP2T

OUTLET (IN)	2" (50MM)
WATER FLOW (L/MIN)	933L
WATER FLOW (L/HR)	56,000L
TOTAL HEAD (M)	29M
PUMP TYPE	CAST IRON
MAX. SOLIDS (MM)	25MM
IMPELLER	OPEN VANE
DRIVE TYPE	3 DOG
WEIGHT (DRY)	33KG
DIMENSIONS PACKAGE (LxWxH)	1000 x 770 x 200MM
MANUFACTURER'S WARRANTY	1 YEAR



FP2TA

OUTLET (IN)	2" (50MM)
WATER FLOW (L/MIN)	933L
WATER FLOW (L/HR)	56,000L
TOTAL HEAD (M)	29M
PUMP TYPE	ALUMINIUM
MAX. SOLIDS (MM)	25MM
IMPELLER	OPEN VANE
DRIVE TYPE	3 DOG
WEIGHT (DRY)	32KG
DIMENSIONS PACKAGE (LxWxH)	1000 x 770 x 200MM
MANUFACTURER'S WARRANTY	1 YEAR

CROMMELINS SKID MOUNT WATER CART.



Built to order, Crommelins Water Cart is designed to be easily placed onto a 6x4 or 8x5 trailer or Ute tray. There is three models to choose from and each include a 6.0hp Crommelins Fire Fight Pump as standard.

IDEAL FOR

- Rental and hire
- General purpose watering
- Construction and Civil Works
- Agriculture

STANDARD FEATURES

- Crommelins FF Pump [FF150RP]
- 30m, 3/4" hose on hose reel
- Adjustable spray nozzle
- Recirculation hose with bypass valve back to tank
- 6m Suction hose with valve for filling from dam.
- Hot dipped galvanized steel skid (square tube)
- Base with lifting points
- 1 Year manufacturer's warranty

OPTIONAL EXTRAS

- Twin impeller pumps
- Honda powered
- Yanmar diesel powered
- Forklift pockets
- Customisation to suit customer needs



	FS600RP / 600LTFFP	FS800RP / 800LTFFP	FS1000RP / 1000LTFFP
WATER TANK CAPACITY	600L	800L	1000L
SKID MOUNT FEATURES	FITS STANDARD 6X4 TRAILER (LOAD CAPACITY 745KG)	FITS STANDARD 6X4 TRAILER (LOAD CAPACITY 945KG)	FITS STANDARD 8X5 TRAILER (LOAD CAPACITY 1165KG)
WATER FLOW (L/MIN)	360L	360L	360L
WATER FLOW (L/HR)	21,600L	21,600L	21,600L
TOTAL HEAD (M)	60M	60M	60M
MAX. SUCTION (M)	8M	8M	8M
IMPELLER	SINGLE	SINGLE	SINGLE
STARTING SYSTEM	RECOIL START	RECOIL START	RECOIL START
ENGINE MODEL	6HP EX17	6HP EX17	6HP EX17
ENGINE BRAND	ROBIN	ROBIN	ROBIN
FUEL TANK	3.6L	3.6L	3.6L
DECIBELS @ 7M	66db	66db	66db
WEIGHT (DRY)	145KG	145KG	160KG
WEIGHT (WET)	745.G	945KG	1165KG
DIMENSIONS (LxWxH)	1170 x 1180 x 1000MM	1170 x 1180 x 1000MM	1760 x 1500 x 1000MM
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS





FLOORING

AMERICAN SANDERS DRUM.



The EZ8 drum sander combines professional contractor-type floor sanding results with highly productive, easy-to-use equipment features for the do-it-yourselfer. The drum lowering lever lets you “feather” the drum.

STANDARD FEATURES

- Drum lowering lever allows for feathering.
- 1.1 kW dual capacitor motor provides power for the most demanding jobs.
- The motor is totally enclosed, keeping it dust free and eliminating the need for motor cleaning.
- Quick release dust bag that slides on and off with a simple twist and pull.
- Dust pipe allows for easy attachment of 1-1/2 or 2 inch (3.8 or 5 cm) vacuum hoses for improved dust containment.
- Easy release latch allows the machine to break down into multiple pieces for transportation.
- Rugged cast aluminum construction designed for years of service.

IDEAL FOR

- Hire and rental

	07060A / EZ8
SANDING WIDTH (IN)	8" (200MM)
SANDING PAD SIZE (IN)	8 x 19" (200 x 480MM)
OUTPUT SPEED (RPM)	1500RPM
MOTOR (W)	1100W
DECIBELS @ 7M	N/A
WEIGHT (DRY)	48KG
DIMENSIONS (LxWxH)	990 x 380 x 810MM
MANUFACTURERS WARRANTY	1 YEAR



AMERICAN SANDERS ORBITAL.

The random-orbital sanding action OBS18DC removes the scratch patterns left by drum or rotary sanders, leaving a smooth, flat floor ready for refinishing. At 3,000 orbits per minute, the OBS18DC sands faster than any other orbital sander available. With torque-less operation for enhanced operator comfort, the OBS18DC is perfect for interim “screen and recoat” and fine finish sanding jobs.

STANDARD FEATURES

- Bristle dust skirt to aid in dust containment.
- Independent dust pickup fan for effective dust containment (DC model only).
- Dust pipe allows for easy attachment of 1-1/2 or 2 inch (3.8 or 5 cm) vacuum hoses for improved dust containment.
- The totally enclosed, fan cooled motor, eliminates overheating and the need for motor cleaning.
- Heavy duty cast aluminum main frame and pad driver plate for added strength.

IDEAL FOR

- Hire and rental
- Flooring contractors

	07098A / OBS18DC
SANDING WIDTH (IN)	18" (460MM)
SANDING PAD SIZE (IN)	18 x 12" (460 x 305MM)
OUTPUT SPEED (RPM)	3000 ORBITS/MIN
MOTOR (W)	750W
DECIBELS @ 7M	74db
WEIGHT (DRY)	57KG
DIMENSIONS (LxWxH)	460 x 510 x 1140MM
MANUFACTURERS WARRANTY	1 YEAR



AMERICAN SANDERS EDGE.



The Super 7 is the most efficient wood floor edger in the industry. Designed for both power and durability, it has been the edger of choice for the pro contractor for over 50 years. Equipped with a quick release dust bag and the ability to attach directly to a vacuum, this edger continues to outpace the competition.

IDEAL FOR

- Hire and rental
- Flooring Contractors

STANDARD FEATURES

- Precision-balanced sanding pad produces finer finish.
- Hardened steel pinion with brass drive gear reduces vibration.
- Powerful 1.3 kW motor maintains speed under the heaviest cutting conditions.
- Rotating dust pipe swivels 210 degrees to allow access to tight spaces and easily attaches to 1-1/2 inch or 50 mm vacuum hoses for improved dust containment.
- Quick release dust bag that slides on and off with a simple twist and pull.



	07083B / SUPER7
DISC SIZE DIAMETER (IN)	7" (178MM)
DUST PORT	1.5" to 2"
OUTPUT SPEED (RPM)	2800RPM
MOTOR (W)	750W
DECIBELS @ 7M	N/A
WEIGHT (DRY)	14KG
DIMENSIONS (LxWxH)	410 x 280 x 300MM
MANUFACTURERS WARRANTY	1 YEAR

CROMMELINS FLOOR STRIPPER.

This sturdy and powerful Floor Stripper will remove glued carpet, vinyl, vinyl tiles and glue residue from floors quickly and efficiently, leaving a smooth, clean surface.

STANDARD FEATURES

- Wear resistant blade, high-grade spring steel
- Folding handles for easy transportation
- Folds to fit in the boot of a car
- Easy to replace blades
- Adjustable wear points
- Replaceable wear pads
- Robust galvanised chassis



IDEAL FOR

- Removal of multiple layers of carpet, vinyl and underlay
- Flooring contractors
- Hire and rental industry



	STRIPPER
OPERATIONAL WIDTH (IN)	9" (230mm)
OFFLOAD CURRENT	3AMP
OUTPUT SPEED (RPM)	CONSTANT
MOTOR (W)	1500W
DECIBELS @ 7M	N/A
WEIGHT (DRY)	38KG
DIMENSIONS (LxWxH)	700 x 320 x 400MM
MANUFACTURERS WARRANTY	1 YEAR



 **BLUEBIRD**

HONDA



GROUND CARE

CROMMELINS RETICULATION TRENCHER.



These Trenchers are easy to use for controlled digging straight to the exact depth with an absolute minimum of effort. The Groundhog Trenchers slim design fits through narrow gates and doorways, and allows trenching close to walls and fences, perfect for NBN Contractors.

IDEAL FOR

- Hire and rental
- NBN Cabling
- Reticulation & plumbing
- Councils and government departments

STANDARD FEATURES

- 'Shark' tooth cutting blades
- Digging chain guard
- Solid roller digging chain for increased life
- Up to 2.5 to 3m (8-10Fft) per minute productivity
- Centrifugal clutch with all metal shoes and drum, needle bearing equipped
- Side deliver auger
- Wide pneumatic tyres with tubes
- Heavy duty steel frame
- Heavy duty lift hook
- 2 Year manufacturer's warranty



	T418RP / T418DS
OPERATIONAL LENGTH (IN)	18" (460MM)
DIGGING DEPTH (IN)	8", 12" & 18" (203, 305 & 460MM)
DIGGING WIDTH (IN)	3" (75MM)
ENGINE MODEL	6HP EX17
ENGINE BRAND	ROBIN
FUEL TANK	3.6L
DECIBELS @ 7M	66db
WEIGHT (DRY)	110KG
DIMENSIONS (LxWxH)	1600 x 610 x 1200MM
MANUFACTURER'S WARRANTY	2 YEAR

CROMMELINS WOOD CHIPPERS.



Crommelins Wood Chippers feature twin reversible chipping blades and the single adjustable anvil blade easily 'cuts' through tree branches. With options from home to farm/commercial models these heavy duty models will suit most chipping needs.

STANDARD FEATURES

- Twin reversible chipper blades and single adjustable anvil blade
- Deep hopper with rubber curtain
- Vibration free operation under load
- Foot mounted emergency stop switch
- Easy remove hopper and discharge chute
- Large wheels for transport on site
- Simple maintenance & belt tensioning
- Heavy duty rotor bearings with grease points
- Heavy duty 3mm steel plate construction
- Removable front handle
- 2 Year manufacturer's warranty

IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments and parks & gardens

OPTIONAL EXTRAS

- Electric start with AGM battery (GTS13 models)
- Lifting points
- Honda powered



	GTS600RP	GTS900RP	GTS1300RP	GTS1310RP (HIRE MODEL)
GREEN WOOD DIAMETER (MM)	50MM	80MM	100MM	100MM
CHIPPER BLADE WIDTH (MM)	60MM	195MM	250MM	250MM
EXTRA FEATURES	FOOT MOUNTED E/STOP, EXTRA LONG FEED CHUTE	FOOT MOUNTED E/STOP	FOOT MOUNTED E/STOP	FOOT MOUNTED E/STOP, PANIC BAR, LOCKABLE RECOIL START, AUTO SHUT-OFF ON HOPPER & CHUTE
INPUT HOPPER SIZE (MM)	250 x 250MM	250 x 250MM	340 x 420MM	340 x 420MM
ENGINE MODEL	7HP EX21	9HP EX27	14HP EX40	14HP EX40
ENGINE BRAND	ROBIN	ROBIN	ROBIN	ROBIN
FUEL TANK	3.6L	6.1L	7.0L	7.0L
DECIBELS @ 7M	72db	74db	74db	74db
WEIGHT (DRY)	58KG	133KG	165KG	175KG
DIMENSIONS (LxWxH)	1340 x 470 x 1320MM	1500 x 630 x 1520MM	1500 x 750 x 1520MM	1500 x 750 x 1520MM
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

GROUNDHOG POST HOLE DIGGERS.



The Crommelins Post Hole Diggers are ideal for fencing, tree planting and landscaping. Single person and two-person operation models all designed for operator comfort and ease of use.

STANDARD FEATURES

- Genuine Robin industrial engine
- Centrifugal clutch disengages on hidden obstacles
- Ergonomic handlebars with 'dead man' switch providing safe operation
- Reversible blade auger design to double the life
- Made in the USA

IDEAL FOR

- Hire and rental
- Fencing contractors
- Agriculture & farming
- Tree planting
- Landscaping

OPTIONAL EXTRAS

- Honda powered
- Display stand
- Augers 2", 4", 6" and 8" [for GHM1H]
- Augers 2" to 12" (Other models)
- Augers 14" to 18" (HD99SX only)
- Auger extensions (3ft and 6ft)



	GHM1H	C715RP / C715SX	1M5CRP / 1M5CSX	HD99RP / HD99SX
AUGER WIDTH (IN)	8" (203MM)	12" (305MM)	12" (305MM)	18" (457MM)
OPERATING TYPE	ONE-PERSON	TWO-PERSON	ONE-PERSON	ONE-PERSON
ENGINE MODEL	1.6HP EH035	6HP EX17	6HP EX17	9HP EX27
ENGINE BRAND	ROBIN	ROBIN	ROBIN	ROBIN
FUEL TANK	0.65L	3.6L	3.6L	6.1L
DECIBELS @ 7M	69db	66db	66db	70db
WEIGHT (DRY)	11.5KG	35KG	85KG	135KG
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

CROMMELINS STAR PICKET DRIVERS.

Fencing has never been made easier with Crommelins Picket/Post Drivers. These machines will efficiently hammer star pickets and posts into the ground. Built to be lightweight, they have versatile sleeves to allow for use with different sized Star (Y) Pickets, steel posts and timber stakes.

STANDARD FEATURES

- Genuine Robin/Honda industrial engine
- 4-Stroke, petrol powered
- Lightweight for its size
- Anti-vibration handles
- Large impact force provides efficient driving
- Compact and easily transportable

IDEAL FOR

- Hire and rental
- Fencing
- Agriculture & farming
- Landscaping
- Sign companies

OPTIONAL EXTRAS

- Picket/Post reducer sleeves
- Cradle (PDCRADLE)
- Case (PDCASE)



	SP52CR	SP52CH	SP82CR	SP82CH
PICKET/POST CAPACITY (IN)	2" (50.8MM)	2" (50.8MM)	3 ¼" (82MM)	3 ¼" (82MM)
IMPACT BLOW	1720/MIN	1720/MIN	1720/MIN	1720/MIN
ENGINE MODEL	1.6HP EH035	GX35	1.6HP EH035	GX35
ENGINE BRAND	ROBIN	HONDA	ROBIN	HONDA
FUEL TANK	0.65L	0.63L	0.65L	0.63L
DECIBELS @ 7M	69db	69db	69db	69db
WEIGHT (DRY)	16KG	16KG	19.5KG	19.5KG
DIMENSIONS (LxWxH)	590 x 340 x 200MM			
MANUFACTURER'S WARRANTY	2 YEARS	2 YEARS	2 YEARS	2 YEARS

BLUEBIRD STUMP GRINDER.

Bluebird's Stump Grinder maximizes cutting performance with its 14" (356mm) diameter blade with carbide-tipped teeth, offering a variable cutting depth up to 12" (300mm). The compact design and clean sight lines of the stump grinder make it easy to use and maneuver through narrow gates and other tight areas.

STANDARD FEATURES

- Up to 12" (300mm) cutting depth
- 14" Cutting wheel with replaceable tungsten carbide-tipped teeth
- 13.0hp GX390 Honda engine with cyclone air filter
- Adjustable handle enables the operator to maintain a comfortable and safe stance throughout the stump grinding job.
- Hayes disc brake - lever activated
- Handle brake and levers
- Greaseable pillow block bearings support cutter wheel
- Lift handles for transport and storage
- 12" Pneumatic knobby tread wheels



PHOTO SHOWN
WITH ROBIN
ENGINE


SG12RP / SG1314SD

GRINDING DISC (IN)	14" (356MM)
OPERATIONAL DEPTH (IN)	12" (300MM)
ENGINE MODEL	GX390
ENGINE BRAND	HONDA
FUEL TANK	6.1L
WEIGHT (DRY)	115KG
DIMENSIONS (LxWxH)	1850 x 686 x 1140MM
MANUFACTURER'S WARRANTY	1 YEAR



IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments



DE-THATCHERS.



These machines are for removing years of build up of dead thatch in lawns. Using flail or fixed knife blades they will strip the thatch which is then raked up. This then promotes healthy regrowth and improved water absorption.

IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments

VM15R STANDARD FEATURES

- Ribbon steel blades for long life
- Simple and easy to use
- Low maintenance
- Heavy gauge steel frame
- 6 month manufacturer's warranty

Note: Not recommended for buffalo lawns

PR18 STANDARD FEATURES

- Flail Blade (for removing matted thatch).
- Ergonomic handle with padded grips to reduce operator fatigue
- Three-position handle for user comfort
- Folding handle for transport
- Strong steel frame

PR18 OPTIONAL EXTRAS

- Delta blade - thinning running stem grasses.
- Flail blade - removing matted thatch



VM15R

OPERATIONAL WIDTH (IN)	17" (432MM)
OPERATIONAL HEIGHT (IN)	N/A
MODEL BRAND	INGS
ENGINE MODEL	9HP EX27
ENGINE BRAND	ROBIN
FUEL TANK	6.1L
WEIGHT (DRY)	56KG
DIMENSIONS (LxWxH)	1600 x 800 x 1200MM
MANUFACTURER'S WARRANTY	6 MONTHS



PHOTO SHOWN WITH ROBIN ENGINE

PR18

OPERATIONAL WIDTH (IN)	18" (457MM)
OPERATIONAL HEIGHT (IN)	7X PRESETS 1" TO -1" (AT 1/4" INCREMENTS)
MODEL BRAND	BLUEBIRD
ENGINE MODEL	GX200
ENGINE BRAND	HONDA
FUEL TANK	3.1L
WEIGHT (DRY)	59KG
DIMENSIONS (LxWxH)	1160 x 670 x 990MM
MANUFACTURER'S WARRANTY	1 YEAR

SOD AND TURF CUTTERS.

Where there is turf to remove, these Sod-turf Cutters will cut up the competition! A low center of gravity, and a vibration-isolated handle make it the smoothest and most stable to use.

SC550 STANDARD FEATURES

- Simplified depth setting adjusts up to 2.5" (60mm) depth.
- 5 x Speeds (2 x Cut speeds, 2 x Transport, 1 x Reverse)
- Soft grip rubber handle reduces vibration
- 4WD Operation for extra torque
- Up to 1404m²/hr - low speed productivity
- Up to 1822m²/hr - high speed productivity
- Strong steel frame
- Lightweight aluminum plate arms reduce vibration and feature maintenance-free ball bearings
- 10" semi-pneumatic v-tractor tread wheels



IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments

OPTIONS

- **Turf Cutting** - Using the wedged blade driven by an oscillating cam, the machine can cut to a depth of 1-10 cm and a proficient operator can cut turf from 20-50m per minute, depending on requirements and conditions
- **Turf Slitting** - can be achieved with three, four or five vertical blades used to break compaction on bowling greens, golf greens and tees, tennis courts, etc
- **Trenching** - uses a v-shaped blade and will cut into turf for the laying of reticulation pipes, etc
- **Mole Draining** - uses a bullet shaped blade which is suitable for dragging conduit and the like underground



	TC16S
CUTTING WIDTH (IN)	16" (355MM)
CUTTING DEPTH (IN)	4" (100MM)
MODEL BRAND	INGS
ENGINE MODEL	6HP EX17
ENGINE BRAND	ROBIN
FUEL TANK	3.6L
WEIGHT (DRY)	130KG
DIMENSIONS (LxWxH)	1450 x 850 x 500MM
MANUFACTURER'S WARRANTY	6 MONTHS



	SC550H
CUTTING WIDTH (IN)	18" (457MM)
CUTTING DEPTH (IN)	2.5" (60MM)
MODEL BRAND	BLUEBIRD
ENGINE MODEL	GX200
ENGINE BRAND	HONDA
FUEL TANK	3.1L
WEIGHT (DRY)	150KG
DIMENSIONS (LxWxH)	1370 x 610 x 910MM
MANUFACTURER'S WARRANTY	1 YEAR

BLUEBIRD LAWN AERATOR.

This self propelled aerator is used to core holes into compacted lawns. By removing the cores this allows the soil to loosen and water to feed directly to the root matter.

STANDARD FEATURES

- 30 x 2cm Coring tines (closed spoon design) hardened for long life
- Genuine Briggs & Stratton industrial engine
- Rotating tines for easy turning
- Aerating pattern 76-100mm
- Up to 2034m²/hr productivity
- 2 x 16kg removable weights
- Front wheels - 10" semi-pneumatic
- Rear wheels (8" solid rubber)
- Fold down handles for easy transportation and storage



	530
CUTTING WIDTH (IN)	19" (482MM)
CUTTING DEPTH (IN)	3" (75MM)
MODEL BRAND	BLUEBIRD
ENGINE MODEL	4HP 6:1 REDUCTION ENGINE
ENGINE BRAND	BRIGGS & STRATTON
FUEL TANK	3.1L
WEIGHT (DRY)	131KG
DIMENSIONS (LxWxH)	1220 x 736 x 1295MM
MANUFACTURER'S WARRANTY	1 YEAR



IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments



WATER-FILLED LAWN ROLLERS.



These simple, no fuss rollers are very easy to use. Operate the roller by placing the unit on the lawn, filling it with water and then pull the roller along the lawn to flatten out.

IDEAL FOR

- Hire and rental
- DIY

60L POLY WATER ROLLER FEATURES

- Lightweight (when unfilled)
- 25mm double bung system for quick emptying
- Steel handle and frame
- Impact resistant PVC roller
- Dimensions package - 650x450x450MM



GALVANISED SPIKED ROLLER FEATURES

- Galvanised
- Internal galvanizing protects when filled with water.
- 600mm operating width
- 300mm diameter
- 150mm spikes



GTM ELEPHANTS TRUNK

Exclusive to CROMMELINS, the GTM Elephants Trunk is an ergonomically designed harness to take the weight of a hedge trimmer off the operator. Comfortable and easy to setup, this will reduce operator fatigue and risk of back/arm injury to work all day safely, in comfort, with less effort.

STANDARD FEATURES

- Adjustable strapping (for all sizes)
- Suited to petrol powered hand held tools such as hedge trimmers and long-reach hedge cutters
- Adjustable tension cable reduces apparent weight to no more than 1.5kg (20N to 30N)
- Tension cable winds in/out to operate at all heights
- Rotates up to 15 degrees for off center operation
- Separates into 2 pieces for storage and transport
- Carry bag included.

IDEAL FOR

- Landscaping
- Garden contractors
- Shires and councils
- Parks and gardens
- Golf courses



	ET2
OPERATIONAL ROTATION (°)	UP TO 15°
OPERATIONAL WEIGHT (kg)	EQUIPMENT UP TO 4.5kg
WEIGHT (DRY)	5KG
MANUFACTURER'S WARRANTY	1 YEAR





AIR EQUIPMENT

CROMTECH CARPET DRYERS.



This range of industrial carpet dryers is well suited to professional carpet cleaning, flood remediation and rental. All units are low amperage running and have a large air output for quick drying.

STANDARD FEATURES

- Single phase motor
- Impact resistant body with integrated handle
- Protective fan covers
- Low amp draw for economical running
- Long power cable
- Stackable, light weight and compact
- 1 Year CROMTECH™ warranty

IDEAL FOR

- Rental and hire
- Carpet drying
- Air movement
- Flood remediation
- Professional carpet cleaners

OPTIONAL EXTRAS

- Snout attachment [SNAK] for D22 and C22



	AP110002	D22	C22	AP160016
AIR TYPE	CARPET DRYER	CARPET DRYER	CARPET DRYER	DOWN DRAFT BLOWER
WATTAGE (W)	250W	750W	1000W	250W
AMPS (LOW/MED/HIGH)	1.6AMP	2.2 / 2.2 / 2.3AMP	4 / 4.5 / 5.5AMP	1.4 / 2.0AMP
VENT SIZE (IN)	-	-	-	16" (406MM)
AIR DISPLACEMENT (CFM)	850CFM	2455CFM	3800CFM	3500CFM
SPEED (LOW/MED/HIGH)	1600RPM	1200 / 1300 / 1400RPM	1200 / 1300 / 1400RPM	1200 / 1400RPM
EXTRA FEATURES	COMPACT PROFILE, NO AIR FLOW DEAD SPOT	STACKABLE	STACKABLE	IN-BUILT TROLLEY, CASTOR WHEELS, STACKABLE
POWER CABLE LENGTH (M)	N/A	4.5M	4.5M	N/A
DECIBELS @ 7M	62db	70db	78db	66db
WEIGHT (DRY)	8.5KG	16KG	16.5KG	19KG
DIMENSIONS (LxWxH)	540 x 430 x 250MM	520 x 450 x 540MM	470 x 490 x 500MM	595 x 575 x 450MM
MANUFACTURER'S WARRANTY	1 YEAR	1 YEAR	1 YEAR	1 YEAR

CROMTECH VENTILATORS.



Cromtech Ventilators are for applications where ventilation is required for cleaning, fume and dust dispersion and room or confined space ventilation. Made from heavy duty durable materials.

STANDARD FEATURES

- Light weight, compact design
- Impact resistant body with handle
- Protective fan covers
- Long power cable
- 1 Year CROMTECH™ warranty

DUCTING AVAILABLE

- 12" and 20" Ducting
- Hard wearing flexible woven polyester
- Easily retractable for transport
- 5 metre length
- BR125M - 340 x 340 x 5000mm
- BR205M - 540 x 540 x 5000mm



IDEAL FOR

- Hire and rental
- Air movement
- Fume dispersion
- Commercial and trade use



	HT30	HT50	AP110012	AP110020
AIR TYPE	VENTILATOR	VENTILATOR	VENTILATOR	VENTILATOR
WATTAGE (W)	500W	750W	1000W	250W
VENT SIZE (IN)	12" (300MM)	20" (500MM)	12" (300MM)	20" (500MM)
STATIC PRESSURE (PA)	273PA	170PA	540PA	-
AIR FLOW RATE (M³)	65M³	166M³	65M³	4500CFM
SPEED (LOW/MED/HIGH)	2800RPM	1450RPM	2850RPM	1200 / 1400RPM
EXTRA FEATURES	HANDLE	CASTOR WHEELS	STACKABLE, PLASTIC BODY RESISTS RUST	STAND, ADJUSTABLE DIRECTION, STACKABLE
POWER CABLE LENGTH (M)	2.5M	2.5M	2.5M	N/A
DECIBELS @ 7M	78db	70db	68db	66db
WEIGHT (DRY)	10.5KG	20.5KG	14KG	13KG
DIMENSIONS (LxWxH)	300 x 280 x 330MM	355 x 650 x 700MM	520 x 400 x 500MM	550 x 365 x 575MM
MANUFACTURER'S WARRANTY	1 YEAR	1 YEAR	1 YEAR	1 YEAR

CROMTECH FANS



These high velocity fans effectively cool large areas in factories, warehouses, stores, offices, workshops and public places. They all come with 3 speeds and are constructed with heavy duty steel. They also feature industrial grade aluminium blades and full surround guarding.

IDEAL FOR

- Cooling large spaces
- Factories & warehouses
- Offices
- Workshops

STANDARD FEATURES

- Low wattage motors for economical running
- Oscillating or fixed head (Excludes FE500)
- 3 x Speeds
- Heavy duty steel
- Full surround guarding
- Optimised three aluminium-iron blades
- 1 Year CROMTECH™ warranty



	FE500	FB50	FB75	FS75
TYPE	FLOOR	WALL	WALL	PEDESTAL
WATTAGE (W)	180W	130W	280W	280W
FAN SIZE (IN)	20" (500MM)	20" (500MM)	30" (750MM)	30" (750MM)
AIR FLOW RATE (M³)	142M³	170M³	290M³	290M³
SPEED (HIGH)	1350RPM	1400RPM	1350RPM	1350RPM
POWER CABLE LENGTH (M)	4.5M	4.5M	4.5M	4.5M
EXTRA FEATURES	HANDLE	OSCILLATING FAN	OSCILLATING FAN	OSCILLATING FAN
WEIGHT (DRY)	10.5KG	20KG	24.5KG	24.5KG
DIMENSIONS (LxWxH)	450 x 560 x 560MM	200 x 620 x 620MM	200 x 820 x 820MM	200 x 820 x 820MM
MANUFACTURER'S WARRANTY	1 YEAR	1 YEAR	1 YEAR	1 YEAR

CROMTECH AIR FILTRATION.



Designed for indoor air quality restoration, particularly after fire, flood, sewage or mould remediation. This air scrubber has a filtration device fitted with HEPA filters for removing hazardous particles from the air.

CROMTECH AIR SCRUBBER

- Single phase motor
- Variable speed control
- Stackable and compact
- 16" Inlet and 10" lay flat outlet
- 1 Year CROMTECH™ warranty
- **Accessory** - Carbon/potassium permanganate filter to absorb odours and gases

IDEAL FOR

- Professional carpet cleaners
- Concrete cutting
- Chemical pouring



	AS110001
TYPE	AIR SCRUBBER
WATTAGE (W)	250W
AIR DISPLACEMENT (CFM)	500CFM
SPEED (HIGH)	2400RPM
POWER CABLE LENGTH (M)	4.5M
EXTRA FEATURES	16" INLET & 10" LAY FLAT OUTLET
WEIGHT (DRY)	16KG
DIMENSIONS (LxWxH)	570 x 360 x 655MM
MANUFACTURER'S WARRANTY	1 YEAR

The 90L industrial dehumidifier is an efficient, humidity control expert that is compact and very portable. Equipped with removable/washable filters, thermostat defrost control, digital control panel, timer, it will remove up to 90L of moisture from the air a day.

CROMTECH DEHUMIDIFIER

- Single phase motor
- Automatic humidity percentage display
- 12hr Programmable timer
- Up to 90L/day water removal (27°C @ 80%RH humidity)
- Up to 61L/day (27°C @ 60%RH humidity)
- Design pressure 240psig / 480psig (low / high)
- 6m drain hose
- Automatic water pump
- Digital control panel
- Compact design & stackable
- 1 Year CROMTECH™ warranty



	AONE90L
TYPE	DE-HUMIDIFIER
WATTAGE (W)	1450W
AIR DISPLACEMENT (CFM)	410CFM
PRESSURE RATING	240PSIG / 480PSIG (Low / High)
POWER CABLE LENGTH (M)	4.5M
EXTRA FEATURES	R410A / 980G REFRIGERANT, RE-TRACTABLE HANDLE
WEIGHT (DRY)	45KG
DIMENSIONS (LxWxH)	535 x 510 x 815MM
MANUFACTURER'S WARRANTY	1 YEAR





GENERAL TRADE

CROMMELINS TROLLEYS.



The Crommelins range of compactor, fridge trolley as well as the panel lifter caddy will make the task of moving equipment easier, quicker and safer

STANDARD FEATURES

- Australian manufactured and assembled
- Powdercoated HD steel frame
- 1 Year manufacturer's warranty

COMPACTOR TROLLEY

- Handle clip prevents compactor from slipping off trolley
- 2x Heavy duty rubber wheel
- Suits CC70 and CC90 models

STAIR CLIMBING TROLLEY

- Adjustable strap to hold fridge/object to trolley
- Dual protective strips prevents damage to object
- Tri-shaped wheels allow climbing stairs
- Heavy duty rubber tri-wheels

PANEL LIFT CADDY

- Lifting hook/bar
- Rubber strap to hold pieces in
- Large never flat wheels
- Keeps all panel lift components in one easy to move and transport caddy



	CWKTR	FTSCS	PLCADDY
CAPACITY MAX. (KG)	150KG	300KG	PANEL LIFT (45KG)
WHEELS TYPE	SOLID RUBBER	TRI-SHAPED SOLID WHEELS	SOLID RUBBER
SUITS	CC70, CC90 COMPACTORS	FRIDGES AND BULKY ITEMS	PANEL LIFT [PLIFT]
WEIGHT (DRY)	15KG	25KG	15KG (60KG WITH PLIFT)
DIMENSIONS (LxWxH)	400 x 500 x 1305MM	460 x 610 x 1520MM	410 x 600 x 1114MM
MANUFACTURER'S WARRANTY	1 YEAR	1 YEAR	1 YEAR

PANEL LIFT.

The popular dry wall panel lifter enables one person to work alone installing panels to ceilings or vertical walls. This model is designed to fold up and fit in the boot of a car for easy transportation and is perfectly suited for the Hire Industry and Contractors.

STANDARD FEATURES

- Reaches to 3.4m (11 feet)
- Easy one-person operation
- No tool assembly
- Folding tripod base
- All welded steel construction
- Foldable tripod legs with 5" (125mm) casters so it fits easily through doorways.
- Fast action single stage winch
- Silent camlock brake



	PLIFT
MAX. CAPACITY (KG)	68KG
MAX. HEIGHT (MM)	3350MM
MIN. HEIGHT (MM)	860MM
SHEET SIZE (MM)	1200 X 4880MM
WEIGHT (DRY)	45KG
DIMENSIONS PACKAGE (LxWxH)	1500 x 800 x 400MM
MANUFACTURER'S WARRANTY	1 YEAR

IDEAL FOR

- Hire and rental
- Walls and ceilings
- Drywall plasterers



OPTIONAL EXTRAS

- Trolley [PLCADDY]



MACE PORTABLE SHIFTAS.



The Shifta is a portable conveyor used for moving rubble, aggregate, soils, concrete, and chippings. It is an aluminium constructed machine, available in 3 lengths and can be easily maneuvered by one person.

IDEAL FOR

- Building and construction
- Landscaping
- Moving rubble, aggregate, soil, concrete, chippings

STANDARD FEATURES

- Single phase electric motor
- Aluminum extruded body with braked wheels
- Heavy duty detachable hopper
- Use multiple lengths to meet your distance
- Adjust incline up to 50° degree (max.)
- 2 x Emergency stop switches
- Easily movable on site by one person
- In built belt tracking and scraper

OPTIONAL EXTRAS

- Hopper
- Aggregate sifter [SUPASCREEN]



	SHIFTA3	SHIFTA4	SHIFTA5	SHIFTA3450	SHIFTA4450	SHIFTA5450
CONVEYOR LENGTH (MM)	3200MM	4400MM	5400MM	3200MM	4400MM	5400MM
CONVEYOR WIDTH (MM)	300MM	300MM	300MM	450MM	450MM	450MM
BELT SPEED (M/MIN)	20M / 28M					
MAX. INCLINE (°)	50°	50°	50°	50°	50°	50°
CAPACITY (TONNES/HR)	50T	50T	50T	90T	90T	90T
MOTOR (W)	550W	550W	550W	750W	750W	750W
DECIBELS @ 7M	65db	65db	65db	75db	75db	75db
WEIGHT (DRY)	103KG	113KG	130G	116KG	160KG	180KG
DIMENSIONS (LxWxH)	3200 x 600 x 820MM	4400 x 600 x 820MM	5400 x 600 x 820MM	3200 x 750 x 820MM	4400 x 750 x 820MM	5400 x 750 x 820MM
MANUFACTURER'S WARRANTY	1 YEAR					

MACE BUMPA CONVEYOR.



Simplify the back breaking chore of moving heavy loads to roof height. The Bumpa makes this job quick and easy and is proven to double your performance for half the effort. It is a must for every roofer.

STANDARD FEATURES

- Foldable design for easy transport and storage
- Single phase electric motor
- Max. incline up to 65° degree (max.)
- Continuous action - no waiting for platforms
- Easily moved and re-positioned (by two persons)
- Forwards and reverse speeds (loading and unloading)
- Reliable simple design
- Virtually maintenance free
- 20kg maximum per carrier

IDEAL FOR

- Roof tiling contractors

OPTIONAL EXTRAS

- Pro bucket



	BUMPA6	BUMPA8	BUMPA10
CONVEYOR LENGTH (MM)	6000MM	8000MM	10000MM
MAX. CARRIER CAPACITY (KG)	20KG	20KG	20KG
CAPACITY TOTAL (KG)	80KG	80KG	80KG
MAX. WORKING HEIGHT (M)	5M	7M	9M
MAX. INCLINE (°)	65°	65°	65°
BELT SPEED (M/MIN)	20M	20M	20M
MOTOR (W)	750W	750W	750W
DECIBELS @ 7M	75db	75db	75db
WEIGHT (DRY)	89KG	104KG	119KG
STORAGE DIMENSIONS (LxWxH)	3360 x 620 x 820MM	4300 x 620 x 820MM	5350 x 620 x 820MM
MANUFACTURER'S WARRANTY	1 YEAR	1 YEAR	1 YEAR

MACE UNILOADA CONVEYOR.

The Uni-loader is a portable belt fed elevator designed for loading and unloading goods and boxes. It will enable you to move your materials from ground to mezzanine in seconds. You can even load from the back of a truck to the mezzanine.

STANDARD FEATURES

- Continuous pick up / delivery
- Forwards and reverse speeds (loading and unloading)
- From horizontal to up to 30° degrees (max.) incline.
- Automatic stop
- Setup in seconds - easily repositionable
- Lightweight with locking wheels
- Reliable - simple design
- Virtually maintenance free



IDEAL FOR

- Shifting goods to upper levels
- Production lines
- Sorting
- Hire and rental
- Warehouses
- Goods handling
- Courier companies



	UNILOADA5
CONVEYOR LENGTH (MM)	5000MM
CONVEYOR WIDTH (MM)	270MM
CAPACITY TOTAL (KG)	100KG
MAX. WORKING HEIGHT	4000MM
MAX. INCLINE (°)	60°
BELT SPEED (M/MIN)	20M
MOTOR (W)	750W
DECIBELS @ 7M	75db
WEIGHT (DRY)	89KG
DIMENSIONS (LxWxH)	5000 x 610 x 850MM
MANUFACTURER'S WARRANTY	1 YEAR

	UNILOADA6
CONVEYOR LENGTH (MM)	6000MM
CONVEYOR WIDTH (MM)	270MM
CAPACITY TOTAL (KG)	100KG
MAX. WORKING HEIGHT	5000MM
MAX. INCLINE (°)	60°
BELT SPEED (M/MIN)	20M
MOTOR (W)	750W
DECIBELS @ 7M	75db
WEIGHT (DRY)	104KG
DIMENSIONS (LxWxH)	6000 x 610 x 850MM
MANUFACTURER'S WARRANTY	1 YEAR

MACE SUPA SCREEN SIFTER.



The compact portable screen is used for sifting soils and aggregates. It will help to cut down on landfill, reducing the number of vehicle movements and generally reduce the environmental impact of construction and building.

STANDARD FEATURES

- Single phase electric motor
- Dual auxiliary plugs (to couple with Shifta)
- Adjustable angle
- Quick inter-changable screens (6 - 50mm)
- Easy access - can go through 900mm wide openings
- Process large amounts of soil and aggregate
- Reduces number of vehicle movements and landfill

IDEAL FOR

- Building and construction
- Landscaping
- Sifting rubble, aggregate, soil, concrete, chippings

OPTIONAL EXTRAS

- SCREENS (6, 8, 12, 18, 25, 50mm)

	SUPASCREEN
SCREEN GRADES (MM)	6, 8, 12, 18, 25, 50MM
SCREEN SIZE (MM)	1200 x 720MM
CAPACITY (TONNES/HR)	4T
MOTOR (W)	750KW
DECIBELS @ 1M	90db @ 1 M
WEIGHT (DRY)	165KG
DIMENSIONS (LXWXH)	1750 X 900 X 1200MM
MANUFACTURERS WARRANTY	1 YEAR



CROMTECH LED WORK LIGHTS.



These rechargeable lights will help lighten your work space when you need it. They come with a carry handle, 240V and 12V charging and is multi positional so that you can light the area you need. It is perfect for applications such as caravanning, camping, emergency lighting and workshops.

IDEAL FOR

- Building and construction
- Workshops and garages
- Jobsites
- Camping

STANDARD FEATURES

- LED chip 'Chip on Board'
- 100° beam angle
- Lightweight
- Carry handle
- Up to 4 hours operation
- Rechargeable li-ion battery
- 240V & 12V Charging
- 1 Year manufacturers warranty

OPTIONAL

- Tripod stand



	CWL20WR	CWL50WR
LED CHIP (COB) OUTPUT (W)	20W	50W
LUMEN (LM)	600LM	1300LM
OPERATION HOURS (HR)	UP TO 4HR	UP TO 4HR
MANUFACTURER'S WARRANTY	1 YEAR	1 YEAR

CROMMELINS AIR COMPRESSORS.

These Air Compressors are perfect for Industrial, Commercial and Residential use. They are available in Electric, Petrol and Diesel so you will find exactly what you need. Built in heavy duty cast iron, 2 and 3 Cylinder Pump Air Compressors are designed for cool running with stainless steel valves.

STANDARD FEATURES

- Pressure gauge
- Pneumatic wheels
- 5 Year air tank warranty

OPTIONAL EXTRAS

- Filter regulator

IDEAL FOR

- Air powered tools
- Spray painting
- Stapling / Nailing




FAST FREDDY HOSE WINDERS.

Made in Canada and exclusive to Crommelins these are the new solution for rolling up long lengths of layflat hose, air hose, cables, ropes, etc. effortlessly and neatly. Using four centre winding arms, side height arm, material rollers and side guides giving the perfect coil when wound.

STANDARD FEATURES

- Suits Lay flat hose, extension cords, assorted ropes and cables
- Easy access for securing uniform coils
- Heavy duty maintenance free construction
- Comfortable grip crank handle
- Four adjustable centre winding arms
- Frictionless material guide rollers
- Removes water/air from hose as winding
- Corrosion resistant aluminium reel plate
- Maintenance free construction
- 1 Year manufacturers warranty



	FF4
MAX. SIZE HOSE	4" LAY FLAT (100MM)
HOSE CAPACITY (KG)* *Based on 4" or 6" lay flat hose	72KG
REEL CAPACITY (M)*	30M
REEL SIZE (MM)	760MM
CENTRE PIN LENGTH (MM)	210MM
WEIGHT (DRY)	42KG
DIMENSIONS (LxWxH)	406 x 1345 x 1420MM
MANUFACTURER'S WARRANTY	1 YEAR



IDEAL FOR

- Rental and Hire
- Hire and rental
- Work shops and Site works
- 4" and 6" Lay flat hoses
- Assorted rope, cables and extension cords

OPTIONAL

- Leg mount
- Wall mount
- Hitch mount



	FF6
MAX. SIZE HOSE	6" LAY FLAT (150MM)
HOSE CAPACITY (KG)* *Based on 4" or 6" lay flat hose	72KG
REEL CAPACITY (M)*	30M
REEL SIZE (MM)	970MM
CENTRE PIN LENGTH (MM)	280MM
WEIGHT (DRY)	54KG
DIMENSIONS (LxWxH)	480 x 1345 x 1420MM
MANUFACTURER'S WARRANTY	1 YEAR

EARLEX WALL PAPER STEAMER.

This professional steam wallpaper stripper removes all types of wall paper materials. It makes light work of a difficult job and the frame incorporates a step.

STANDARD FEATURES

- 2400W heating element
- 90 minutes of steam time
- Anodised aluminium water tank
- 5m anti-kink cool run hose
- 5m power cable
- Exterior water level indicator
- Built in step takes up to 100KG
- Large lightweight steam plate
- 3 year anti-corrosion guarantee on tank

IDEAL FOR

- Hire and rental
- Building and decorators
- Wallpaper, vinyls, painted surfaces, multi-layered and even Artex®



GENERAL TRADE



SM5

WATTAGE (W)	2400W
WATER TANK CAPACITY (L)	7.5L
OPERATION HOURS (HR)	UP TO 4HR
WEIGHT (KG)	9.2KG
DIMENSIONS (LxWxH)	470 x 450 x 410MM
MANUFACTURER'S WARRANTY	1 YEAR

DRY WALL SANDER.

This heavy duty plasterboard sander is designed with the user in mind. It features comfortable grips, is well balanced and when operated in conjunction with a dust extractor it will result in a virtually dust free sanding environment.

STANDARD FEATURES

- Advanced soft start motor
- Variable Speed 650-1600RPM
- Unique full movement swivel head – no inefficient screw adjustment
- Includes 4m long vacuum hose
- Universal connection to industrial vacuum
- 225mm diameter disc area
- Comfortable cushioned grip

IDEAL FOR

- Walls and ceilings
- Hard to reach places



	PS1000
SANDING DISC AREA	225MM
MOTOR WATTAGE (W)	550W
VARIABLE SPEED	650 to 1600rpm
WEIGHT (KG)	8KG
DIMENSIONS PACKAGE (LxWxH)	310 x 310 x 160MM
MANUFACTURER'S WARRANTY	1 YEAR

DRY WALL VACUUM.

This robust heavy duty extractor is designed specifically for use with plaster board sanders.

STANDARD FEATURES

- Powerful 1400 watt motor
- Long lasting stainless steel drum
- Large 30 litre capacity
- Includes reusable cloth bag
- Operates as a wet/dry all purpose vacuum
- Includes accessories and floor tools kit
- Automatically switches on and shuts off with Power Sander

IDEAL FOR

- Plaster board sanding
- General Cleanup



	DE30L
MOTOR WATTAGE (W)	1400W
TANK CAPACITY (L)	30L
WEIGHT (KG)	10KG
DIMENSIONS PACKAGE (LxWxH)	375 x 375 x 615MM
MANUFACTURER'S WARRANTY	1 YEAR

CROMTECH WET & DRY VACUUM.

This 2400w wet and dry industrial vacuum cleaner has a 90L capacity and a strong suction for use at job sites, workshops, shops, garages and warehouses. It comes with a range of accessories to make the job easier including a two piece stainless steel wand, flexible hose, dry floor tool and a wet floor tool.

STANDARD FEATURES

- Wet and dry vacuum cleaner
- 2400w power using 2 x 1200w motors
- 90L Poly tank
- Auto float-switch shutoff for wet vacuuming when reaches full capacity
- Impact resistant poly design
- Drainage hose
- 4.4m power cable
- 76 to 78dB decibels
- 1 Year manufacturer's warranty

IDEAL FOR

- Building and construction
- Workshops and garages
- Job sites

ACCESSORIES INCLUDE

- Two piece stainless steel wand
- Flexible hose
- Dry floor tool
- Wet floor tool
- Crevice tool
- Brush tool



	CTZD98
WATTAGE (W)	2400W
TANK CAPACITY (L)	90.0L
MOTOR	2x 1200W
WEIGHT (KG)	26KG
DIMENSIONS PACKAGE (LxWxH)	590 x 510 x 995MM
MANUFACTURER'S WARRANTY	1 YEAR





ENGINES

ROBIN PETROL ENGINES.



Crommelins have been the Australia distributors for Robin engines since 1964. These engines have been the preferred choice of power on a wide variety of equipment to the rental, construction and agricultural Industries. Reliability, performance and longevity is the cornerstone to the popular engine.

STANDARD FEATURES

- Larger and extra cooling fins on crankcase, cylinder and mounting base
- Intake and exhaust valves produce low fuel consumption
- Low noise, soft tone quality rigid muffler
- Recoil start with no kickback
- Easy maintenance with fewer parts
- Compatibility to other engine brands allows easy replacements.
- Spark arrestor muffler
- Low oil sensor shutdown
- Dual element air filter
- 3 Year manufacturer's warranty

OPTIONAL EXTRAS

- Electric Start
- Lighting coil 12V-15W, 200W
- Generator specification



	 EX17	 EX21	 EX27	 EX35	 EX40
LABELED POWER (HP)	6.0HP	7.0HP	9.0HP	12.0HP	14.0HP
ENGINE BRAND	ROBIN	ROBIN	ROBIN	ROBIN	ROBIN
BORE X STROKE (MM)	67 X 48MM	67 X 60MM	75 X 60MM	89 X 65MM	89 X 65MM
PISTON DISPLACEMENT (CC)	169CC	211CC	265CC	404CC	404CC
MAX. OUTPUT (KW / HP / RPM)	4.2 / 5.7 / 4000	5.1 / 7.0 / 4000	6.6 / 9.0 / 4000	8.8 / 12.0 / 3600	10.3 / 14.0 / 3600
CONT. OUTPUT (KW / HP / RPM)	2.9 / 4.0 / 3600	3.7 / 5.0 / 3600	5.1 / 7.0 / 3600	6.3 / 8.5 / 3600	7.0 / 9.5 / 3600
MAX. TORQUE (NM / KGF.M / RPM)	11.3 / 1.15 / 2500	13.9 / 1.41 / 2500	18.6 / 1.90 / 2500	26.0 / 2.65 / 2400	27.0 / 2.75 / 2400
SPARK PLUG	NGK BR6HS	NGK BR6HS	NGK BR6HS	NGK BR6HS	NGK BR6HS
FUEL TANK	3.6L	3.6L	6.1L	7.0L	7.0L
STARTING SYSTEM	RECOIL START	RECOIL START	RECOIL START	RECOIL START	RECOIL START
DECIBELS @ 7M	66db	68db	70db	72db	72db
WEIGHT (DRY)	15KG	16KG	21KG	33KG	33KG
DIMENSIONS (LxWxH)	304x354x335MM	311x366x335MM	351x420x410MM	389x450x443MM	389x450x443MM
ENGINE MANUFACTURER'S WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS

FEATURES

Advanced technology and engineering - Based on the Subaru WRX World Rally champion car's boxer engine

Easy Start - Easy starting with no kickback. 30 to 40% lower recoil pulling force than competitors.

Long warranty - 3 years Robin engine warranty

Fuel consumption - The intake and exhaust valves are located at optimum angles, and the straight intake port produces minimal airflow resistance resulting in lower fuel consumption.

Engine life - Heavy duty chain driven OHC system with oval type steel links resist stretching, resulting in extended maintenance free operation.

Easy Maintenance - Fewer parts for service. Routine maintenance, assembly and disassembly can be performed with ordinary tools.

Performance - Pent roof combustion chamber produces more horsepower & torque from less displacement.

Compatibility - Application compatibility with existing slant cylinder engines can be easily replaced with EX engines.

Low noise - soft tone quality, new rigid muffler and OHC system reduces noise by 2dBA.

Heat reduction - Larger and extra cooling fins on crankcase, cylinder and mounting base results in heat reduction and outstanding oil delivery system.







WARRANTY



3 YEAR ROBIN ENGINE WARRANTY

Robin Industrial Engines and Robin Imported Products (Pumps, Generators) come with a 3 year manufacturer's warranty.



2 YEAR MANUFACTURER'S WARRANTY

CROMMELINS™ brand products powered by a Robin Industrial Engine come with a 2 year manufacturer's warranty.



1 YEAR MANUFACTURER'S WARRANTY

All other products including CROMMELINS™, CROMTECH™, flexible drive products (ie FP2T), high pressure pumps and imported products come with a 1 year manufacturer's warranty.



OTHER BRANDS WARRANTY

Other branded products come with warranties provided by their manufacturer, ie. Golz, American Sanders, AR Blue Clean.

—
**AWARD WINNING
SERVICE &
BACKUP**

WARRANTY EXPLAINED

Crommelins Machinery warrants their goods against defects in materials and workmanship under normal use and service.

The Crommelins Machinery warranty does not cover fair wear commensurate with the age of the product, any damage caused by accident, abuse, misuse, neglect or failure to observe proper operating instructions or proper machinery maintenance as described in the instruction manual.

It is the owners responsibility to regularly maintain a product in accordance with the owners manual and only use the equipment for its designed purpose.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

CONSUMER ADVICE

Any claim under these warranties must be made within warranty period from the date of purchase of the product.

To make a claim under the warranty, you must return the product (with proof of purchase) to the closest warranty agent or to the place of purchase.

Where a failure does not amount to a major failure, Crommelins Machinery is entitled to choose between providing you with a repair, replacement or refund. To obtain compensation, you would need to provide documentary evidence of the loss or damage suffered, and documentary evidence that such loss or damage was a reasonably foreseeable consequence of a failure by Crommelins Machinery to comply with a consumer guarantee under the Australian Consumer Law.

CROMMELINS™, CROMTECH™, CROMTECH OUTBACK™, CROMMELINS FINANCE™, DOLPHIN™ is registered trademarks of Crommelins Operations Pty Ltd, trading as The Crommelin Group.

SERVICE AGENTS

There are over 185 national authorised service/repair agents available, visit www.crommelins.com.au for their details and locations. For engine brands other than Robin please contact the manufacturer for service agents.

CROMMELINS PRODUCTS

Crommelins takes pride in all products they sell and they live by their company Mission Statement; "To be the supplier of choice to Hire and Construction Industry by providing high quality portable powered products."

THE CROMMELIN GROUP

ABN 11 008 889 656
PO Box 352, BENTLEY WA 6982

PH (08) 9350 5588

FAX (08) 9451 6381

E email@crommelins.com.au

CROMMELINS™
EST. 1958
MACHINERY

CROMMELINS™
EST. 1958
MACHINERY

SALES
&
SPARE
PARTS





CROMMELINS
AUSTRALIA



