CROMMELINS
MACHINERY




# 24/25 PRODUCT CATALOGUE




CROMMELINS

CROMTECH

Robin

GÖLZ®

BLUEBIRD

SoRoTo®
HARD WORKING SINCE 1986

Ground Hog

# INNOVATION POWERED BY EXPERIENCE

CROMMELINS MACHINERY

# PRODUCT RANGE


ABOUT US 02
CROMMELINS DIFFERENCE 03

GENERATORS
- PETROL 07
- DIESEL 09
- WELDER GENERATOR 11
- WORKSTATION 13
- AVR 14

LEISURE RANGE 15
- LEISURE GENERATORS 16
- POWER STATION 17
- INVERTER STATION 18

COMPACTION & CONCRETING 19
- TROWELS 21
- PLATE COMPACTORS 23
- DRIVE UNITS 24
- RAMMER 25
- CONCRETE MIXER 26
- VIBRATORY PRODUCTS 27

CUTTING & DRILLING 29
- BRICK SAW 30
- MANUAL TILE CUTTER 31
- TILE SAW 32
- FLOOR SAW 33

PRESSURE CLEANER 34
- PETROL 36
- DIESEL 40
- ACCESSORIES 41

PUMPS 42
- PETROL FIREFIGHTING 45
- DIESEL FIREFIGHTING 46
- PETROL CLEAR WATER 48
- DIESEL CLEAR WATER 49
- POLY PUMPS 50
- PETROL TRASH 51
- DIESEL TRASH 52
- PORTABLE 53
- SUBMERSIBLE 54
- PUDDLE 55
- FLEXIBLE DRIVE SUBMERSIBLE 56
- SKID MOUNTED FIREFIGHTING 57

GROUND CARE 58
- POSTPULLER 59
- TRENCHERS 60
- WOOD CHIPPER 61
- POST HOLE DIGGER 62
- STAR PICKET DRIVER 63
- DETHATCHER 64
- SOD & TURF CUTTER 65
- LAWN AERATOR 66
- LAWN ROLLERS 67
- ERGONOMIC HARNESS 68

AIR EQUIPMENT 69
- CARPET DRYER 70
- VENTILATOR 71
- AIR FILTRATION 72

GENERAL TRADE 73
- TROLLEYS 74
- PANEL LIFT 75
- AIR COMPRESSORS 76
- WALLPAPER STRIPPER 77
- BELT CONVEYORS 78

ENGINES 79

WARRANTY 83




# INNOVATION POWERED BY EXPERIENCE

# ABOUT US

At Crommelins Machinery, we always put the customer first. We respond promptly, deliver a quality product, provide the right information, follow up, and keep our promises. We approach every situation with a 'Can Do' attitude and use the 'One Team' method to make sure that the solutions we provide are cohesive and safe.

From humble beginnings selling equipment out of the back of a Holden station wagon, CROMMELINS has grown to be the strong family owned business it is today. Employing over 35 people nationally whilst being a supplier of choice to the hire and rental industry for portable powered equipment.



## SAFETY

We care about the health and wellbeing of our staff, visitors and customers.



## CUSTOMER FOCUS

We respect our customers and always put them first.



## CAN DO

We go the 'extra mile' and always look for ways to innovate and improve our offerings.



## ONE TEAM

We work together to achieve our common goals. One Team – One Goal – No Limits.



## SUSTAINABILITY

We actively seek ways to contribute to the wellbeing of our community whilst building our long term value.



## TAKE OWNERSHIP

We take responsibility for our actions, fix problems and learn from them.

# CROMMELINS DIFFERENCE




Crommelins Machinery has always been at the forefront of innovation within the Australian market, and this has been powered by the experience of its staff in listening to what the customer needs and introducing products that meet the demands of the industry. All products are rigorously tested and constantly reassessed to ensure they can outperform. With more than 65 years in Hire and Construction and a founding member of the Hire and Rental Industry Association, Crommelins has been providing high quality portable machinery products to Australians since 1958.

### PREFERRED SUPPLIER TO THE HIRE INDUSTRY

Over our long history, Crommelins Machinery has laid a foundation of reliability and trust within the Hire and Rental Industry.

### AUSTRALIAN OWNED, EST. IN 1958

We are proud to be Australian owned and operated. We have a strong awareness of Australian geographic, government, business, product and worksite requirements and standards.

### QUALITY PRODUCTS

We respect the reputation of the Crommelins Machinery brand, a trust built with customers over more than 60 years. Improvements and innovations are important to us but not at the risk of quality. Only products that stand up to our rigorous testing process will receive our tick of approval.

### NEW PRODUCTS, INNOVATIVE TECHNOLOGY

Crommelins Machinery is invested in continuously improving our existing products and expanding our range with new product innovations. Although we are focused on the needs of our Australian clientele, we accept nothing less than world's best practice.

### RELIABLE SERVICE

When you've purchased a product, Crommelins Machinery will go the extra mile to assist you when you need parts, service or backup support.

### CUSTOM PRODUCTS

We appreciate that each of our customers has unique requirements, which is why we offer a range of customisations for the vast majority of our products.

# GENERATORS

# CHOOSING YOUR GENERATOR

Crommelins Machinery has been building generators for over 60 years and has a range of quality generators for all industries. Crommelins Machinery can offer a generator to suit your specific needs with a variety of custom options available.

### STANDARD GENERATOR

- Genuine Robin/Honda/Yanmar engines
- Australian fabricated steel frame
- Quality AVR alternator
- 2 x Switched outlets

### CHOOSING THE CORRECT GENERATOR

1. Figure out what item/s need powering.
2. Add the total wattage of item/s together.
3. Determine the total wattage equals less than the maximum output of the generator. For continuous loads, use continuous output.
4. Choose/buy your generator.

At start up, electric motors consume approximately 3 times the power requirement of the appliance. Make sure to check the generator continuous and/or its maximum output wattage when calculating power required.

| EQUIPMENT | WATTS RUNNING |
|---|---|
| MOBILE PHONE CHARGER | 50 |
| HAIR DRYER | 1000-1500 |
| MICROWAVE | 1200+ |
| KETTLE | 1600-2000 |
| HOUSEHOLD FRIDGE | 300-600 |
| PORTABLE FAN | 40 |
| COFFEE MAKER | 1200 |
| BELT SANDER | 950 |
| PRESSURE WASHER | 1200 |
| AIR COMPRESSOR | 1400 |
| CIRCULAR SAW | 1500 |
| SPACE HEATER | 1000 |
| CARAVAN AIR CONDITIONER | 1500+ |
| LAPTOP COMPUTER | 500 |
| 9” ANGLE GRINDER | 1500-2000 |
| ELECTRIC DRILL 3/8” | 500-700 |
| TELEVISION | 75-200 |
| TOASTER | 800-1250 |
| WELDER 140A | 5000 |
| WATER PUMPS | 275-1000 |
| OVEN | 4000-8000 |



# CUSTOMISE YOUR GENERATORS

Crommelins generators can be customised to suit most requirements and applications. Due to their proven reliability, high performance and customisation many Crommelins generators are prevalent in hire fleets.

### CUSTOM OPTIONS

- Long range fuel tanks (some models)
- Electric start with AGM battery
- Honda powered
- Lockable battery isolator
- Emergency stop button
- 4 x Wheels (solid, no-flat) with brakes
- 2, 4 and 6 wheel options
- Weatherproof (IP66) outlets
- Anderson jump plugs
- Recoil start locks
- Custom frame colouring
- Asset numbering and logo plate

### STANDARD HIREPACK

- Central lifting bar/hook
- 2 x Wheel kit
- Foldout transport handle
- Weatherproof outlets & RCD protection

### CROMMELINS STEEL FRAMES

- Australian made steel frames
- Customisable to your specifications
- Heavy duty tubular steel
- Powder coated

### STANDARD MINE SPECIFICATION- DIESEL ONLY

- Hirepack
- Electric start with AGM battery
- Lockable battery isolator
- Emergency stop button
- Bunding
- 1kg fire extinguisher

*Please confirm these specs meet your local mine-site requirements when ordering.

# ALTERNATORS EXPLAINED

Below is a guide to help match the alternator to the application.

### ALTERNATOR BRANDS

- Sincro - Crommelins Generators
- Mecce Alte - Cromtech Generators
- Stamford - Crommelins standby generators

| | |
|---|---|
| **STANDARD ALTERNATOR** (CONDENSER TYPE) | Suitable for power tools and resistive loads such as a kettle, a toaster, lights and other equipment not requiring a great accuracy of voltage control of power supply. A simple low maintenance design for basic equipment. Most generators come with a standard condenser type alternator. |
| **AUTOMATIC VOLTAGE REGULATOR** (AVR) | Used for when power is required for more sensitive equipment and when the generator will be used to start electric motors. AVR alternators provide a more stable voltage output to compensate for the variation in voltage from load changes. |
| **INVERTER** (ELECTRONIC VOLTAGE CONTROL) | For use with sensitive equipment such as computers. The inverter control system maintains an extremely high accuracy level of voltage and frequency fluctuation with very low sine wave distortion. The system also allows for the engine speed to be automatically adjusted in direct proportion to the load applied (econo-mode) maximising fuel efficiency, while maintaining 240v supply. |

# CROMMELINS PETROL GENERATORS

These generators power most equipment and are perfect for the hire, agricultural, construction industries, and recreational use. The Crommelins range of petrol generators are sized from 5000 to 8000 watts, and you can order to hire spec.

## STANDARD FEATURES

- 32mm Australian fabricated steel frame
- Genuine Robin/Honda industrial engine
- Hirepack (2 x wheels, transport handle, lifting hook, weatherproof outlets with RCD protection)
- Individual circuit overload protection
- IP66 Workplace compliant
- Sincro brushless alternator with overload protection
- Two year manufacturer's warranty
- Assembled and tested in Australia

## IDEAL FOR

- Hire and rental
- Farm and rural
- Backup power
- Government shires and councils
- Work sites

## OPTIONAL EXTRAS

- Electric start with AGM battery
- Honda powered
- Custom frame colouring
- Asset numbering and logo plate









| | CG64RPH | CG85RPH | CG100BPEH | CG1300HPEH |
|---|---|---|---|---|
| **MAXIMUM OUTPUT (W)** | 5000W | 6800W | 8000W | 13000W |
| **CONTINUOUS OUTPUT (W)** | 4700W | 6200W | 7500W | 12000W |
| **STARTING SYSTEM** | RECOIL START | RECOIL START | ELECTRIC START | ELECTRIC START |
| **OUTLETS (SINGLE PHASE)** | 2 X 15AMP | 2 X 15AMP | 2 X 15AMP | 2 X 15AMP |
| **ALTERNATOR** | SINCRO | SINCRO | SINCRO | MECCALTE |
| **VOLTAGE/FREQUENCY** | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ |
| **ENGINE MODEL** | EX40 | 14HP EX40 | 16HP BS16HPES | 16HP BS16HPES |
| **ENGINE BRAND** | ROBIN | ROBIN | VANGUARD | HONDA |
| **FUEL TANK** | 7L | 7L | 8.4L | 45L |
| **RUNNING TIME (RATED OUTPUT)** | 1.9HR | 1.9HR | 2HR | 6HR @ FULL LOAD |
| **DECIBELS @ 7M** | 76db | 76db | 76db | 80db |
| **WEIGHT (DRY)** | 89KG | 95KG | 105KG | 240KG |
| **DIMENSIONS (LxWxH)** | 935 x 535 x 725MM | 935 x 535 x 725MM | 970 x 515 x 715MM | 1060 X 1007 X 750MM |
| **MANUFACTURERS WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMTECH PETROL GENERATORS

Designed for general use, this trade range is perfect for construction, agriculture, worksites and farming. These generators will provide you with quality and durability with no fuss. Standard and tradepack models are available.

## IDEAL FOR

- General purpose use
- Tradies and residential
- Farm and rural
- Construction and work sites

## STANDARD FEATURES

- 25mm Australian fabricated steel frame
- Genuine Robin industrial engine
- Mecc Alte brushless alternator
- Assembled and tested in Australia
- Two year manufacturer's warranty
- Twin 240V single phase outlets

## TRADEPACK OPTIONS INCLUDES

- Central lifting bar/hook
- 2 x Wheel kit
- Foldout transport handles
- IP66 Weatherproof outlets and RCD protection









| | TG35RP | TG40HP | TG60RP | TG60HP | TG85RP | TG85HP | TG100BPE |
|---|---|---|---|---|---|---|---|
| **MAXIMUM OUTPUT (W)** | 2800W | 3200W | 5000W | 5000W | 7000W | 7000W | 8000W |
| **CONTINUOUS OUTPUT (W)** | 2500W | 3000W | 4700W | 4700W | 6400W | 6400W | 7500W |
| **STARTING SYSTEM** | RECOIL START | RECOIL START | RECOIL START | RECOIL START | RECOIL START | RECOIL START | ELECTRIC START |
| **OUTLETS (SINGLE PHASE)** | 2 X 10AMP | 2x 10AMP | 1 X 10AMP, 1 X 15AMP | 1 X 10AMP, 1 X 15AMP | 2 X 15AMP | 2 X 15AMP | 2 X 15AMP |
| **ALTERNATOR** | MECC ALTE | MECC ALTE | MECC ALTE | MECC ALTE | MECC ALTE | MECC ALTE | MECC ALTE |
| **VOLTAGE/ FREQUENCY** | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ |
| **ENGINE MODEL** | 7HP EX21 | GX200 | 9HP EX27 | GX270 | 14HP EX40 | GX390 | 16HP BS16HPES |
| **ENGINE BRAND** | ROBIN | HONDA | ROBIN | HONDA | ROBIN | HONDA | BRIGGS & STRATTON VANGUARD |
| **FUEL TANK** | 3.6L | 3.6L | 6.1L | 5.3L | 7L | 6.1L | 8.4L |
| **RUNNING TIME (RATED OUTPUT)** | 2.4HR | 2.4HR | 2.6HR | 2.6HR | 1.9HR | 1.7HR | 2.0HR |
| **DECIBELS @ 7M** | 68db | 68db | 70db | 70db | 72db | 72db | 76db |
| **WEIGHT (DRY)** | 40KG | 40KG | 56KG | 56KG | 70KG | 70kg | 105KG |
| **DIMENSIONS (LxWxH)** | 610 X 450 X 410 MM | 610 X 450 X410 MM | 710 X 500 x 540MM | 710 X 500 x 540MM | 710 x 500 x 540MM | 710 x 500 x 540mm | 810 x 500 x 610MM |
| **MANUFACTURERS WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMMELINS DIESEL GENERATORS

Crommelins diesel generators are suitable for situations when it is not practical to have petrol powered generators, such as mining and oil industry applications. They are low maintenance, heavy duty industrial generators with the benefit of low running cost and durability over time.

## STANDARD FEATURES

- Electric start with AGM battery
- Sincro brushless alternator
- Workplace compliant
- 32mm  Australian fabricated steel frame
- Two years manufacturer's warranty
- Assembled and tested in Australia
- Individual overload protection

## IDEAL FOR

- Hire and rental
- Mining and oil

## OPTIONAL EXTRAS

- Stet Cleave
- Long range fuel tank (16L)
- Anderson jump plug
- Recoil start lock
- Custom frame colouring
- Asset numbering and logo plate

## MINE SPECIFICATION OPTION INCLUDES

- Emergency stop
- Battery isolator
- Bunding tray
- Fire extinguisher





PHOTO WITH ROBIN ENGINE





TO WITH HATZ ENGINE

| | CG40YDEH | CG69YDEH | CG80ZDEH | CG80KDEH |
|---|---|---|---|---|
| **MAXIMUM OUTPUT (W)** | 3800W | 5500W | 6000W | 6000W |
| **CONTINUOUS OUTPUT (W)** | 3500W | 5000W | 5000W | 5000W |
| **STARTING SYSTEM** | ELECTRIC START | ELECTRIC START | ELECTRIC START | ELECTRIC START |
| **OUTLETS (SINGLE PHASE)** | 2X 10 AMP | 1 x 10 AMP 1 X 15AMP | 2 X 15AMP | 2x 15AMP |
| **ALTERNATOR** | SINCRO | SINCRO | SINCRO | SINCRO |
| **VOLTAGE/FREQUENCY** | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ | 240V - 50HZ |
| **ENGINE MODEL** | L70 | 10HP L100 | 10.5HP IB40 | 12HP KD500 |
| **ENGINE BRAND** | YANMAR | YANMAR | HATZ | KOHLER |
| **FUEL TANK** | 2.4L | 5.4L | 5L | 5.0L |
| **DECIBELS @ 7M** | 76db | 81db | 82db | 82db |
| **WEIGHT (DRY)** | 85KG | 116KG | 130KG | 130KG |
| **DIMENSIONS (LxWxH)** | 755 X 510 X 550MM | 840 x 520 x 640MM | 920 x 710 x 950MM | 960 x 700 x 910mm |
| **MANUFACTURERS WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMTECH DIESEL GENERATOR

This Cromtech generator AVR diesel 6.0kW is for general use for onsite power for tradies. Likewise, it is also suitable for residential, farms and fetes, etc. The IP66 weatherproof outlets with RCD protection makes these units site safe* and ready to use.

## STANDARD FEATURES

- IP66 rated outlets (single phase – 15AMP)
- Weatherproof outlets
- RCD and overload protection switches
- Electric start and recoil start
- Fold-out handles
- Steel frame with large wheels
- Diesel-powered
- Large 12.5L fuel tank
- 5 Hours running time (at 75% load)
- 9.8hp Cromtech diesel engine
- VHT Meter (Volts, Hertz, Time)
- Low oil alarm, overload alarm and output indicator
- One-year Cromtech warranty

## IDEAL FOR

- General-purpose use
- Tradies and residential
- Farm and rural



| | TG6000DVE |
|---|---|
| MAXIMUM OUTPUT (W) | 6000W |
| CONTINUOUS OUTPUT (W) | 5500W |
| STARTING SYSTEM | ELECTRIC START |
| OUTLETS (SINGLE PHASE) | 2X 15AMP (IP66) |
| ALTERNATOR | ELECTRIC START |
| VOLTAGE/FREQUENCY | 230v-50hz |
| ENGINE MODEL | 9.8hp |
| ENGINE BRAND | CROMTECH |
| FUEL TANK | DIESEL |
| DECIBELS @ 7M | 95db |
| WEIGHT (DRY) | 110KG |
| DIMENSIONS (LxWxH) | 800 X 500 X 640MM |
| MANUFACTURERS WARRANTY | 1 YEAR |

# CROMMELINS WELDER GENERATORS

Crommelins welder generators are a convenient combination of Arc Welding and power generation. This unit is ideally suited to rental and agricultural industries for small on-site repairs. These models can be customised to suit your requirements.

## STANDARD FEATURES

- Welder Sincro brushless alternator
- Genuine Robin/Yanmar industrial engine
- Workplace compliant
- 32mm Australian fabricated steel frame
- Two year manufacturer's warranty
- Assembled and tested in Australia
- 5 metre welding lead kit

## IDEAL FOR

- Hire and rental
- Mining and oil
- Farm and rural
- Shires and councils

## OPTIONAL EXTRAS

- Electric start with AGM battery
- Hire pack
- Mine specification- DIESEL ONLY
- Long range fuel tank
- Anderson plugs
- Recoil start lock
- 10 metre welding lead kit

## MINE SPECIFICATION OPTION INCLUDES

- Emergency stop
- Battery isolator
- Bundingtray
- Fire extinguisher





PICTURE FOR ILLUSTRATION ONLY

| | GW200RPH | GW180YDE |
|---|---|---|
| WELDING AMPS (A) | 60 TO 200AMP | 60 TO 180AMP |
| MAXIMUM OUTPUT (W) | 5600W | 4000W |
| CONTINUOUS OUTPUT (W) | 4480W | 3200W |
| STARTING SYSTEM | RECOIL START | ELECTRIC START |
| OUTLETS (SINGLE PHASE) | 2 X 15AMP | 1 X 10AMP, 1 X 15AMP |
| ALTERNATOR | SINCRO | SINCRO |
| VOLTAGE/FREQUENCY | 240V - 50HZ | 240V - 50HZ |
| FUEL TYPE | PETROL | DIESEL |
| ENGINE MODEL | 14HP EX40 | 10HP L100 |
| ENGINE BRAND | ROBIN | YANMAR |
| FUEL TANK | 7L | 4.7L |
| RUNNING TIME (RATED OUTPUT) | 1.9HR | 3.3HR |
| DECIBELS @ 7M | 72db | 79db @ 1M |
| WEIGHT (DRY) | 83KG | 114KG |
| DIMENSIONS (LxWxH) | 820 x 510 x 540MM | 840 x 520 x 640MM |
| MANUFACTURERS WARRANTY | 2 YEARS | 2 YEARS |

# CROMTECH WELDER GENERATOR

The 200amp Cromtech welder generator is powered by a Robin engine and has a low maintenance Italian Mecc Alte Alternator. The model comes in an Australian made steel roll frame.

## IDEAL FOR

- Farm maintenance
- General purpose use
- Welding on-site
- Backup power

## STANDARD FEATURES

- Welder Mecc Alte brushless alternator
- Genuine Robin industrial engine
- Double switched power outlets
- 25mm Australian fabricated steel frame
- Overload protection
- Two year manufacturer's warranty
- Australian assembled and tested

## OPTIONAL EXTRAS

- Welding leads
- Electric start with AGM battery
- Trade pack
- Long range fuel tank
- Recoil start lock



| | TGW200RP |
|---|---|
| WELDING AMPS (A) | 60 TO 200A |
| DUTY CYCLE | 200amp @ 35% DUTY CYCLE |
| MAXIMUM OUTPUT (W) | 5600W |
| CONTINUOUS OUTPUT (W) | 4480W |
| STARTING SYSTEM | RECOIL START |
| OUTLETS (SINGLE PHASE) | 2 X 15AMP |
| ALTERNATOR | MECC ALTE |
| VOLTAGE/FREQUENCY | 240V - 50HZ |
| FUEL TYPE | PETROL |
| ENGINE MODEL | 14HP EX40 |
| ENGINE BRAND | ROBIN |
| FUEL TANK | 7.0L |
| RUNNING TIME (RATED OUTPUT) | 1.9HR |
| DECIBELS @ 7M | 72DB |
| WEIGHT (DRY) | 82.5KG |
| DIMENSIONS (LxWxH) | 710 x 500 x 540MM |
| MANUFACTURERS WARRANTY | 1 YEAR |

# CROMMELINS WORKSTATION GENERATORS

The perfect combination for a mobile workshop or service vehicle. A generator, welder and air compressor all built into an Australian fabricated steel frame, making it easy to move from site to site.

## STANDARD FEATURES

- 40L Air compressor (7.7cfm)
- Power generation 5600 watts
- Electric start with AGM battery
- Weatherproof outlets with RCD
- Sincro brushless alternator
- 32mm Australian fabricated steel frame
- Cable holders and lifting hook
- 5 metre welding leads
- Two year manufacturer's warranty
- Assembled and tested in Australia

## IDEAL FOR

- Agriculture
- Air compressor equipment
- Welding on-site
- Multi-purpose use
- Service vehicles

## OPTIONAL EXTRAS

- Mine specification- DIESEL ONLY
- Hire pack
- Long range fuel tank
- Battery charger
- 10 metre welding leads





| | WS200RPEH | WS180YDEH |
|---|---|---|
| WELDING AMPS (A) | 60 TO 200A | 60 TO 180A |
| AIR COMPRESSOR FLOW RATE (CFM) | 7.7CFM | 7.7CFM |
| FUEL TYPE | PETROL | DIESEL |
| MAXIMUM OUTPUT (W) | 5600W | 4000W |
| CONTINUOUS OUTPUT (W) | 4480W | 3200W |
| STARTING SYSTEM | RECOIL | ELECTRIC START |
| OUTLETS (SINGLE PHASE) | 2 X 15AMP | 1 X 10AMP, 2 X 15AMP |
| ALTERNATOR | SINCRO | SINCRO |
| VOLTAGE/FREQUENCY | 240V - 50HZ | 240V - 50HZ |
| ENGINE MODEL | 14HP EX40 | 10HP L100 |
| ENGINE BRAND | ROBIN | YANMAR |
| FUEL TANK | 7.0L | 5.4L |
| RUNNING TIME (RATED OUTPUT) | 1.9HR | 3.3HR |
| DECIBELS @ 7M | 72db | 97db @ 1M |
| WEIGHT (DRY) | 143KG | 170KG |
| DIMENSIONS (LxWxH) | 930 x 830 x 720MM | 930 x 830 x 720MM |
| MANUFACTURERS WARRANTY | 2 YEARS | 2 YEARS |

# CROMTECH AVR GENERATORS

Designed for general use, this trade range is perfect for construction, agricultural, worksites and farming and will provide quality and durability with no fuss.

### IDEAL FOR

- General purpose use
- Tradies and residential
- Farm and rural
- Fetes and markets

### STANDARD FEATURES

- 2x Outlets (single phase - 15 Amp)
- RCD protection
- Electric start and recoil start
- Fold-out handles
- Steel frame with large wheels
- 4-Stroke, air cooled, OHV engine
- Hours operation, Hz, Voltage meter
- Battery charging (12V-8.3Amp)
- Low oil alarm, overload alarm, output indicator
- Large 25L fuel tank
- One year Cromtech warranty



| | TG6500VE |
|---|---|
| **MAXIMUM OUTPUT (W)** | 6500W |
| **CONTINUOUS OUTPUT (W)** | 6000W |
| **STARTING SYSTEM** | ELECTRIC START |
| **OUTLETS (SINGLE PHASE)** | 2 X 15AMP |
| **VOLTAGE/FREQUENCY** | 230V - 50HZ |
| **12V POWER OUTPUT** | 12V-8.3AMP |
| **ENGINE MODEL** | CROMTECH (420cc) |
| **OIL CAPACITY (L)** | 1.1L |
| **FUEL TANK** | 25L |
| **DECIBELS @ 7M** | 74db |
| **WEIGHT (DRY)** | 87KG |
| **DIMENSIONS (LxWxH)** | 715 x 545 x 605MM |
| **MANUFACTURERS WARRANTY** | 1 YEAR |

# LEISURE RANGE

# CROMTECH LEISURE GENERATORS

Crommelins have hand selected this range of quality inverter generators for recreational and domestic use. These petrol powered generators come with multiple power options with an eco-mode for economical operation.

## IDEAL FOR

- Camping, caravanning & RVs
- Portable fridge/freezer
- Home and small office backup power
- Precision instruments
- Small power tools
- Fetes and markets

## CTG2500IP FEATURES

- Bonus dust cover and service kit
- Lightest model in its class

## CTG4500IE FEATURES

- Digital display (Volts, Hz, Kw, Hrs)
- Extendable handle
- Large rubber wheels

## STANDARD FEATURES

- 2 x Outlets
- USB Outlets
- Main LED sensors (low oil alarm, overload protection, output light)
- Eco-mode adjusts output as load requires and lowers noise
- AC reset button
- 4-Stroke, forced air cooled, OHV, recoil start
- Pure sine wave
- Easy maintenance with convenient access covers
- One year domestic use Cromtech warranty







| | CTG2500IP | CTG4500IE |
|---|---|---|
| **MODEL NAME** | CROMTECH OUTBACK PLATINUM INVERTER GENERATOR 2.4kW | CROMTECH OUTBACK 4.5kw |
| **MAXIMUM OUTPUT (W)** | 2400W | 4500W |
| **CONTINUOUS OUTPUT (W)** | 2100W | 3700W |
| **STARTING SYSTEM** | RECOIL START | RECOIL/ REMOTE/ ELECTRIC |
| **OUTLETS (SINGLE PHASE)** | 2 | 2 |
| **VOLTAGE/FREQUENCY** | 230V - 50HZ | 230V - 50HZ |
| **USB POWER OUTPUT** | 2X USB (5V) | 2X USB (5V) |
| **12V POWER OUTPUT** | 12V-8AMP | 12V-8AMP |
| **ENGINE MODEL** | CROMTECH LH148F(G) | 6HP CROMTECH LH170F (212CC) |
| **FUEL TANK** | 4L | 7L |
| **DECIBELS @ 7M** | 52 - 59db @7m eco mode no load | 55-60db |
| **RUNNING TIME (LOAD DEPENDING)** | 4.5 HRS @ 75% LOAD | 4-12 HRS |
| **WEIGHT (DRY)** | 19.6KG | 37.7KG |
| **DIMENSIONS (LxWxH)** | 480 x 315 x 430 MM | 580 x 487 x 530MM |
| **MANUFACTURERS WARRANTY** | 2 YEAR | 1 YEAR |

# CROMTECH POWER STATION

The Cromtech Outback Inverter Power Station 1.5kW is your ideal companion for outdoor adventures. Designed for camping, 4x4 trips, and caravan excursions, it provides 1,500W of pure sine wave power. Perfect for charging devices like smartphones, running mini coolers, and keeping your gadgets powered while you're on the go.

## STANDARD FEATURES

- 500 Cycles To 80%+ Capacity
- Power 11 Devices Simultaneously
- 3 flexible recharging options (AC/Solar/12-36 Volt)
- Battery Rescue Activation Port
- Large Size, High-Definition Smart LCD Screen
- BMS Protection: Over Current / Short Current/ Over Temperature
- Inverter Protection: Under Voltage / Over
- Voltage /Short Circuit / Overload / Over Temperature
- Eco-Friendly / Gas Free / Quiet / Cost-Effective

## IDEAL FOR

- Camping
- Caravanning
- Motorhomes
- 4x4



| | CTL1500I |
|---|---|
| MAXIMUM OUTPUT (W) | 1500W |
| CONTINUOUS OUTPUT (W) | 3000W |
| AC CHARGE INPUT | 750W Max |
| AC CHARGING (FAST CHARGE) | 650W |
| 12 VOLT CHARGING | 11-36v, 10A (240W Max) |
| SOLAR PANEL CHARGING | 18V, 180W Max 36V, 240W Max |
| EMERGENCY CHARGING | 5V DC 2A (MAX) |
| AC OUTPUT VOLTAGE | 230V, 50Hz (2x Socket Outlet) |
| 12 VOLT & DC PORT | 81db |
| WEIGHT (DRY) | 12.5KG |
| DIMENSIONS (LxWxH) | 39 x 21.9 x 28.6 CM |
| MANUFACTURERS WARRANTY | 1 YEARS |

# CROMTECH INVERTER STATION

The Cromtech Inverter Station 7000iA is an updated model featuring the ATS connection socket. It is seamlessly integrated into the control panel. This feature enables the generator to be directly used as a backup home generator*.

### IDEAL FOR

- Food trucks
- Coffee vans
- Fetes, markets, and events
- Emergency home back-up power

### STANDARD FEATURES

- Remote and electric start with recoil start backup
- Automatic Transfer Switch connection
- 2 wire remote start connection
- 2×15 Amp IP66 weatherproof outlets
- 1×32 Amp IP66 weatherproof outlet for maximum power from one outlet
- Up to 17 hours continuous running (depending on load)
- Eco switch adjusts engine speed to load required (lowering noise and fuel consumption)
- Interactive control panel
- Easy maintenance with convenient large access doors
- One year Cromtech warranty

### TG7ATS - AUTOMATIC TRANSFER SWITCH

- Sold separatenly
- Automatically starts the generator set when main power is cut off
- Must be connected to main power by an electrician



| | TG7000IA |
|---|---|
| **MAXIMUM OUTPUT (W)** | 7000W |
| **CONTINUOUS OUTPUT (W)** | 6000W |
| **STARTING SYSTEM** | REMOTE/ELECTRIC/RECOIL |
| **OUTLETS (SINGLE PHASE)** | 3X OUTLETS ( 2X 15AMP, 1X 32AMP) |
| **VOLTAGE/FREQUENCY** | 240V- 50HZ |
| **ENGINE MODEL** | CROMTECH LC190FD-2 |
| **FUEL TYPE** | PETROL |
| **RUNNING TIME** | UP TO 17 HRS CONTINUOUS |
| **NOISE LEVEL** | 70 to 90 DB |
| **WEIGHT (DRY)** | 157kg |
| **DIMENSIONS (LxWxH)** | 960 x 750 x 773 mm |
| **MANUFACTURERS WARRANTY** | 1 YEAR |

# COMPACTION & CONCRETING

# PORTABLE CONSTRUCTION EQUIPMENT

Crommelins offer an extensive range of concreting and construction equipment. From compactors to trowel machines and more. All products are designed to deliver outstanding performance and reliability.

Crommelins vast range of protable construction equipment is ideal for a range of uses depending on the industry.

**IDEAL FOR**

- Soil compaction for turf
- Trench compaction (CC60R)
- Brick paving
- Hire and rental industry
- Paving and landscaping
- Concrete slabs and tilt panels
- Concrete tilt panels
- Mining & diesel related jobs
- Power source to drive flex pumps
- Power source to drive concrete vibrator shafts
- Stairways
- Footings
- Slabs

**INDUSTRY**

- Hire and rental
- Building and construction
- Commercial
- DIY
- Civil
- Construction

# CROMMELINS PETROL POWER TROWELS

The Crommelins petrol power trowels set the standard for concrete trowelling machines. Operator friendly, well balanced and easy to maintain, these machines are the choice of concreters Australia wide.

## IDEAL FOR

- Concrete slabs and tilt panels
- House pads
- Hire and rental

## STANDARD FEATURES

- Smooth performance and stable handling
- Gut bar with ergonomic handles offers easily adjustable control
- Handy holder for mobile phone, water bottle, or other accessories
- 'Dead-mans' safety switch
- Blade guard with blade access gate for easy blade changes and cleaning
- Heavy duty lifting bar
- Assembled and tested in Australia
- Two year manufacturer's warranty

## OPTIONAL EXTRAS

- Multi purpose cover [MPCOVER]
- Honda powered
- Floor pan
- Diesel Powered



| | CPT24RP |
|---|---|
| TROWELLER SIZE (INCH & MM) | 24" (610MM) |
| MAIN FEATURE | SMALL JOBS, FITS SMALL/TIGHT AREAS & PATHWAYS, SIDE-HOUSE LANEWAYS |
| ENGINE MODEL | 6HP EX17 |
| ENGINE BRAND | ROBIN |
| FUEL TANK | 3.6L |
| DECIBELS @ 7M | 66db |
| WEIGHT (DRY) | 50KG |
| DIMENSIONS (LxWxH) | 1200 x 800 x 900MM |
| MANUFACTURERS WARRANTY | 2 YEARS |

# CROMMELINS BATTERY OPERATED POWER TROWELS

The Crommelins battery operated power trowel enables contractors and hire and rental companies to comply with the growing trend site regulations of prohibiting flammable fuels - while still being reliable as its traditional counterparts.

**IDEAL FOR**

- Hire and Rental
- Civil & Construction
- Mining
- Agricultural

**STANDARD FEATURES**

- Variable speed hand throttle controle
- Folding handle
- Lift bar
- Rechargeable 72-volt lithium-ion battery sold separately
- Up to an hour of continuous use
- Assembled and tested in Australia
- Two year manufacturer's warranty



| | CPT22BR |
|---|---|
| **TROWELLER SIZE (INCH & MM)** | 22" (508MM) |
| **MAIN FEATURE** | BATTERY OPERATED |
| **ENGINE MODEL** | 2.1KW PERMANENT MAGNET BRUSHLESS |
| **ENGINE BRAND** | BATTERY OPERATED |
| **FUEL TANK** | N/A |
| **DECIBELS @ 7M** | 79db |
| **WEIGHT (DRY)** | 60KG |
| **DIMENSIONS (LxWxH)** | 1300 x 650 x 1000MM |
| **MANUFACTURERS WARRANTY** | 1 YEARS |

# CROMMELINS PLATE COMPACTORS

Crommelins compactors are built to industry best standards. These popular units will withstand the heavy demand of usage required by rental companies and contractors. Outstanding performance and longevity make them a perfect choice for any trade.

## STANDARD FEATURES

- Assembled and tested in Australia
- Soft grip handle
- Fast travel speed for increased productivity
- Easy to reach throttle control
- Central lifting hook
- Lifting bar and engine protection frame (CC70R/H model)
- Two years manufacturer's warranty

## BATTERY OPERATED MODEL FEATURES

- Front exciter position
- Folding handle and wheels
- Lift bar
- 72 Volt Lithium-ion battery sold separately*

## IDEAL FOR

- Soil compaction for turf
- Trench compaction (CC60R)
- Brick paving
- Hire and rental industry
- Paving and landscaping

## OPTIONAL EXTRAS

- Folding handle & wheels retro-fit for CC70RP
- Transport trolley [CWKTR]
- Multi purpose cover [MPCOVER]



| | CC40HP | CC60RP | CC60HP | CC70RP | CC70HP | CC70YD | CC90HP | CC90RP | CC60BR |
|---|---|---|---|---|---|---|---|---|---|
| PLATE/SHOE SIZE (MM) | 480 X 280MM | 520 x 360MM | 520 x 360MM | 610 x 460MM | 610 x 460MM | 610 x 460MM | 540 X 500MM | 540x 500MM | 520x360MM |
| FREQUENCY(VPM) | 5400VPM | 5800VPM | 5800VPM | 6500VPM | 6500VPM | 6500VPM | 6000VPM | 6000VPM | 5800VPM |
| CENTRIFUGAL FORCE (KN) | 10KN | 12KN | 12KN | 18KN | 18KN | 18KN | 16.5KN | 16.5KN | 12KN |
| EXCITER POSITION | FRONT | FRONT | FRONT | CENTRAL | CENTRAL | CENTRAL | FRONT | 16.5KN | 12KN |
| MAIN FEATURE | LIFTING BAR & WHEELS | FOLDING HANDLE & WHEELS | FOLDING HANDLE & WHEELS | REVERSIBLE HANDLE | REVERSIBLE HANDLE | REVERSIBLE HANDLE | FRONT CLAMP FITS ISOLATION MAT | FRONT CLAMP FITS ISOLATION MAT | BATTERY OPERATED |
| FUEL TYPE | PETROL | PETROL | PETROL | PETROL | PETROL | DIESEL | PETROL | PETROL | LITHIUM-ION |
| ENGINE MODEL | GX100 | 6HP EX17 | GX200 | 6HP EX17 | GX200 | 4.7HP L48 | GX200 | 6HP EX17 | 2.1KW |
| ENGINE BRAND | HONDA | ROBIN | HONDA | ROBIN | HONDA | YANMAR | HONDA | ROBIN | BATTERY |
| FUEL TANK | 1.2IL | 3.6L | 3.1L | 3.6L | 3.1L | 2.4L | 3.1L | 3.6L | N/A |
| DECIBELS @ 7M | 66DB | 66DB | 66DB | 66DB | 66DB | 94DB | 69DB | 69DB | 69DB |
| WEIGHT (DRY) | 45KG | 68KG | 68KG | 82KG | 82KG | 98KG | 84KG | 84KG | 74KG |
| DIMENSIONS (LxWxH) | 770 X 420 X 900MM | 750 x 380 x 550MM | 750 x 380 x 550MM | 620 x 510 x 1250MM | 620 x 510 x 1250MM | 620 x 510 x 1250MM | 620 x 510 x 1250MM | 620 x 510 x 1250MM | 620 x 510 x 1250MM |
| MANUFACTURERS WARRANTY | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 1 YEARS |

# CROMMELINS DRIVE UNITS

Crommelins drive units suit most makes of 3 dog drive flexible shaft concrete vibrators and pumps. They are available in diesel or petrol powered. All models feature a sled mounted frame, which enables use on any surface.

## STANDARD FEATURES

- Drives 2" flexible drive submersible pumps [FP2T & FP2TA]
- Drives vibrator shafts
- Rubber mounted sub-frame between engine and HD frame to ensure reduced vibration
- Sled mounted frame which enables usage on any surface
- Full heavy duty protective roll frame
- Two year manufacturer's warranty

## BATTERY OPERATED FEATURES

- Universal 3 dog coupling
- Full protective roll frame
- Anti-vibration rubber mounts

## IDEAL FOR

- Power source to drive flex pumps
- Power source to drive concrete vibrator shafts
- Hire and rental
- Civil
- Construction

## OPTIONAL EXTRAS

- Electric start
- Mine specification- DIESEL ONLY
- Long range fuel tank
- Emergency stop- ELECTRIC START ONLY
- Central lifting bar/hook








| | DU60HP | DU60RP | DU47YD | DU47YDE | DU10YDE | DU53BH |
|---|---|---|---|---|---|---|
| **VIBRATORY SHAFTS (UP TO)** | 65MM | 65MM | 65MM | 65MM | 75MM | 65MM |
| **PUMP SHAFTS (UP TO)** | 50MM | 50MM | 50MM | 50MM | 50MM | 50MM |
| **FUEL TYPE** | PETROL | PETROL | DIESEL | DIESEL | DIESEL | BATTERY |
| **STARTING SYSTEM** | RECOIL START | RECOIL START | RECOIL START | ELECTRIC START | ELECTRIC START | BATTERY |
| **ENGINE MODEL** | GX200 | 6HP EX17 | 4.7HP L48 | 4.7HP L48 | 10HP L100 | HONDA GXE 2.0H, 2KW CLASS BRUSHLESS |
| **ENGINE BRAND** | HONDA | ROBIN | YANMAR | YANMAR | YANMAR | HONDA |
| **FUEL TANK** | 3.1L | 3.6L | 2.4L | 2.4L | 5.4L | N/A |
| **DECIBELS @ 7M** | 66db | 66db | 94db @ 1M | 94db @ 1M | 97db @ 1M | 94db |
| **WEIGHT (DRY)** | 32KG | 32KG | 49KG | 50KG | 103KG | 45KG |
| **DIMENSIONS (LxWxH)** | 460 x 465 x 540 | 460 x 465 x 540 | 500 X 500 X 500MM | 600 x 510 x 550MM | 850 x 510 x 650MM | 233 X 269 X 150MM |
| **MANUFACTURERS WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 1 YEAR |

# CROMMELINS BATTERY OPERATED RAMMER

Crommelins Battery-Powered Rammer are the perfect solution for sites requiring quiet, emission-free operation. it is deal for precise compaction tasks.

## STANDARD FEATURES

- 72 Volt Lithium-ion battery sold separately*
- Lithium-ion battery charger sold separately
- German bellows
- Two year manufacturer's warranty

## IDEAL FOR

- Hire and Rental
- Civil and construction
- Mine sites
- Agricultural



| | CR82BH |
|---|---|
| MOTOR | 2KW HONDA GXE 2.0S |
| IMPACT FORCE | 16KN |
| IMPACT BPM | 640-840 BPM |
| FOOT PLATE SIZE | 285 x 360 MMM |
| WEIGHT | 82KG |
| CHARGING TIME | 60KG |
| RUN TIME | 55 MINUTES |
| MANUFACTURERS WARRANTY | 1 YEAR |

# CROMMELINS BATTERY OPERATED CONCRETE MIXER

The Crommelins battery operated concrete mixer allows contractors and hire and rental companies to comply with the growing trend of site regulations prohibiting flammable fuels.

**STANDARD FEATURES**

- 72 Volt Lithium-ion battery sold separately*
- German bellows
- Two year manufacturer's warranty

**IDEAL FOR**

- Hire and Rental
- Civil and construction
- Mine sites
- Agricultural



| | CM35BH |
|---|---|
| **MOTOR** | 2KW HONDA GXE 2.0H |
| **RATED POWER** | 3600RPM |
| **CAPACITY** | 3.5CU/FT, 1CU/M |
| **WEIGHT** | 135KG |
| **BATTERY VOLTAGE** | 72V, 10Ah Capacity |
| **RUN TIME** | 50 MINS |
| **CHARGING TIME** | 60 MINUTES (5-100%) |
| **MANUFACTURERS WARRANTY** | 1 YEAR |

# CROMMELINS VIBRATORY PRODUCTS

Available in 28, 38, 45 and 60mm vibrator shaft sizes, these products attach to '3 dog' drive units and are for fast, effective compaction for concrete pours in footings and formwork.

### STANDARD FEATURES

- Strong, durable shafts for demanding jobs
- Two piece oil seals double the protection from grease seeping into the rotary head and reducing power
- High tension spring coupling between inner cable and rotor provides better vibration and longer life
- Protective spirals on both ends of the shaft minimises kinking and damage
- High quality inner cable and multilayered outer casing
- 'Flats' on removable parts makes servicing quick and easy
- Quality self aligning double row ball bearings are used to withstand high loadings

### IDEAL FOR

- Stairways
- Footings
- Slabs

### OPTIONAL EXTRAS

- 9.0m length [excludes JV28]

### EXTENSIONS

- 3 metre FPEXT3
- 6 metre FPEXT6






| | JV28 | TCV38 | TCV45 | TCV60 |
|---|---|---|---|---|
| **SHAFTS SIZE (MM)** | 28MM | 38M | 45MM | 60MM |
| **SHAFT LENGTH (M)** | 6M | 6M | 6M | 6M |
| **FREQUENCY (VPM)** | 13500VPM | 13500VPM | 13500VPM | 13500VPM |
| **WEIGHT (DRY)** | 16KG | 16KG | 21.5KG | 21.5KG |
| **DIMENSIONS (LxWxH)** | 6000 x 25 x 28MM | 6000 x 38 x 38MM | 6000 x 45 x 45MM | 6000 x 60 x 60MM |
| **MANUFACTURERS WARRANTY** | 1 YEAR | 1 YEAR | 1 YEAR | 1 YEAR |

# CROMMELINS PORTABLE VIBRATOR

The 45mm Crommelins portable vibrator will do a number of jobs that could only be done by larger drive units and shafts. The portability and weight means that this unit is easy to use and saves the need to use a heavy drive unit. It is ideal for footings, stairways and footpaths.

### STANDARD FEATURES

- Genuine Honda 4-stroke engine
- Steel nose
- Throttle control on shaft with soft grip handle for low vibration
- Balanced design and lightweight
- Anti-roll bar to protect the engine from damage in transit.
- Full length steel reinforcing spiral which provides increased strength to the poker hose
- Two year manufacturer's warranty



| | CV45HP |
|---|---|
| SHAFT SIZE (MM) | 45MM |
| FREQUENCY (VPM) | 9000VPM |
| FUEL TYPE | PETROL |
| ENGINE MODEL | 1.3HP GX35 |
| ENGINE BRAND | HONDA |
| FUEL TANK | 0.65L |
| DECIBELS @ 7M | 69.5db |
| WEIGHT (DRY) | 11KG |
| DIMENSIONS PACKAGE (LxWxH) | 1117 x 292 x 358MM |
| MANUFACTURERS WARRANTY | 2 YEARS |

# CUTTING & DRILLING

# CROMMELINS ELECTRIC BRICK SAW

This robust brick saw is designed with the operator in mind, including features to ensure ease of use and safe transport. It will make easy work of cutting your bricks and pavers. It's perfect for building and construction, hire and rental, contractors and DIY.

## IDEAL FOR

- Hire and rental
- Contractor
- DIY
- Building and construction

## STANDARD FEATURES

- Extendable handles for lifting and transport
- Height adjustable spring loaded cutting head with locking option
- Sliding tray with rail system
- Heavy duty mitre guide
- Motor capacitor box crash plate
- Large never-flat, puncture proof wheels
- Foot control pedal
- Detachable stand for portability
- 14 inch blade capacity (350mm)
- Assembled and tested in Australia
- One year manufacturer's warranty

## OPTIONAL EXTRAS

- Diamond blades



| | CBS350CE |
|---|---|
| **BLADE SIZE (MM)** | 350MM |
| **CUTTING DEPTH (MM)** | 125MM |
| **CUTTING TABLE SIZE (MM)** | 860 x 440MM |
| **SLIDING TRAY SIZE (MM)** | 280 x 460MM |
| **MOTOR WATTAGE (W)** | 1700W |
| **MOTOR BRAND** | CMG |
| **SHAFT SPEED (RPM)** | 2880RPM |
| **WEIGHT (DRY)** | 109KG (INCLUDING STAND) |
| **DIMENSIONS (LxWxH)** | 1200 x 780 x 1620MM |
| **MANUFACTURERS WARRANTY** | 1 YEAR |

# MANUAL TILE SAW CUTTER

Achieve precise tile cutting with this durable pull-action cutter. Features include adjustable rails, diagonal cutting, spring-loaded tables, and a 12-month warranty. Perfect for tradespeople, DIY enthusiasts, and hire businesses.

## STANDARD FEATURES

- Pull-action tile cutter with a spring-loaded metal base.
- Adjustable rails to accommodate different tile thicknesses.
- Measuring bar rotates 0 to 45 degrees in both directions for quick adjustments.
- Designed for precise diagonal cuts.
- Removable measuring bar for easy portability.
- Spring-loaded tables ensure accurate tile breaking.
- Durable die-cast aluminium construction.
- Wide tile support surface for stability.
- Dual support bars for enhanced reliability.
- Ergonomic handle for user comfort.
- Includes two cutting wheels and spare breaker feet.
- One year manufacturer's warranty

## IDEAL FOR

- Hire and rental
- Contractor
- DIY
- Building and construction

| | SIG0670B |
|---|---|
| **STRAIGHT CUT** | 670MM |
| **DIAGONAL CUT** | 470MM |
| **WEIGHT (DRY)** | 13KG |
| **DIMENSIONS (LxWxH)** | 970 X 350 X 270MM |
| **MANUFACTURERS WARRANTY** | 1 YEAR |



# GÖLZ TILE SAWS

These professional rail tile saws feature a durable low maintenance guide rail system and come standard with a small electric pump located in the water catchment tray. It is excellent for precision cutting and has extensions to the tray for cutting large tiles.

## STANDARD FEATURES

- Water cooled cutting blade
- Adjustable tilt saw head & rail to cut 90° & 45°
- Adjustable cutting length
- Electric water pump with quick coupling, easy for changing the pump
- Removable water tub and cutting table for easy cleaning
- Removable blade guard for easy blade changes
- Foldable legs for transport and storage
- Rear wheels for transport onsite
- One year manufacturer's warranty
- Comes with 200 or 250mm blade (depends on model)

## IDEAL FOR

- Hire and rental
- Tilers
- Building and construction
- DIY

## OPTIONAL EXTRAS

- Diamond blades



| | TS200 |
|---|---|
| BLADE SIZE (MM) | 200MM |
| CUTTING DEPTH (MM) | 40MM |
| CUTTING LENGTH (MM) | 560MM |
| CUTTING TABLE SIZE (MM) | 720 x 480MM |
| BLADE FLANGE SIZE Ø (MM) | 64MM |
| ARBOR HOLE | 25.4MM |
| MOTOR WATTAGE (W) | 1300W |
| SHAFT SPEED (RPM) | 2800RPM |
| WEIGHT (DRY) | 57KG |
| DIMENSIONS (LxWxH) | 1220 x 540 x 1299MM |
| MANUFACTURERS WARRANTY | 1 YEAR |



| | TS250 |
|---|---|
| BLADE SIZE (MM) | 250MM |
| CUTTING DEPTH (MM) | 65MM |
| CUTTING LENGTH (MM) | 980MM |
| CUTTING TABLE SIZE (MM) | 1140 x 480MM |
| BLADE FLANGE SIZE Ø (MM) | 64MM |
| ARBOR HOLE | 25.4MM |
| MOTOR WATTAGE (W) | 1300W |
| SHAFT SPEED (RPM) | 2800RPM |
| WEIGHT (DRY) | 72KG |
| DIMENSIONS (LxWxH) | 1640 x 540 x 1299MM |
| MANUFACTURERS WARRANTY | 1 YEAR |

# GÖLZ FLOOR SAWS

These German designed compact road saws are made for asphalt and concrete cutting. These floor saws are ideal for small road repair jobs.

### STANDARD FEATURES

- Adjustable anti-vibration handles for operator comfort
- Cutting depth adjustment by handwheel with depth indicator
- Push style cutting
- Front cutting guide
- Parking break with big rear wheels
- Lifting hook
- 25L water tank
- Durable Poly-V belt for an optimum power transmission

### IDEAL FOR

- Hire and rental
- Contractor
- Road repairs
- Cutting trenches for piping

### OPTIONAL EXTRAS:

- Honda powered [H] - FS125 only
- Diamond blades







| | FS125 | FS175 |
|---|---|---|
| **BLADE SIZE (MM)** | 350MM | 450MM |
| **CUTTING DEPTH (MM)** | 120MM | 165MM |
| **BLADE SHAFT SIZE (MM)** | 25.4MM | 25.4MM |
| **WATER TANK (L)** | 25L | 25L |
| **HAND VIBRATION** | 4.5 M/S² | 4.5 M/S² |
| **MOTOR MODEL** | 7HP EX21 | 14HP EX40 |
| **MOTOR BRAND** | ROBIN | ROBIN ONLY |
| **SHAFT SPEED (RPM)** | 2730RPM | 2300RPM |
| **WEIGHT (DRY)** | 84KG | 126KG |
| **DIMENSIONS (LxWxH)** | 650 x 450 x 1000MM | 1220 x 491 x 1160MM |
| **MANUFACTURERS WARRANTY** | 1 YEAR | 1 YEAR |

# PRESSURE CLEANERS

# CHOOSING A PRESSURE WASHER

Crommelins petrol and diesel high-pressure washers are power packed to rapidly and effectively wipe out all the washing, degreasing, descaling and disinfecting problems that are part of every working day in commercial and industrial situations.

### FOR THE HOME

- Strip paint flakes off walls and garden furniture
- Remove stains and mould from brick paving and limestone
- Wash grease and oil from driveways
- Clean gutters and pergolas

### FOR INDUSTRY

- Clean agricultural equipment and other machinery
- Remove paint flakes
- Wash grease and oil from workshops
- High pressure water cleaning

### PRESSURE WASHER TERMS

- **PSI** - Pounds per square inch which determines how much pressure is directly applied on the surface being cleaned
- **LPM** - Litres per minute (or L/MIN)
- **Water Flow** - The maximum amount of water that the pump produces
- **Purge** - A method of eliminating air from a pressure washer for constant pressure

### CUSTOM OPTIONS (SOME MODELS)

- Electric start
- Honda powered
- Mine specification
- Long range fuel tank
- Bunding
- Fire extinguisher
- Emergency safety stop
- Lockable battery isolator
- Lockable recoil start
- Plant numbering
- Anderson jump start
- Custom frame colouring

# CROMTECH PRESSURE CLEANER

This Cromtech pressure cleaner is built with an AR brass head axial pump for all round cleaning at home, on the farm and in the workplace. This model is powered by a Robin petrol engine for performance and longevity.

## STANDARD FEATURES

- Quality gun and steel lance
- Quick-connect hose couplings
- Detergent injector nozzles
- AR brass head axial pump
- Detergent hose pickup tube & filter
- Trolley frame with hose holders, gun hook and front foot
- Removable handle for storage and transport
- Rubber foot to keep machine stable
- Pneumatic wheels
- Additional inline water filter
- One year manufacturer's warranty
- Three year Robin engine warranty



## IDEAL FOR

- Light trade
- Cleaning moss/dirt from paving
- Shop fronts and awnings
- Mud from flooded areas
- Paint from fences

## OPTIONAL ACCESSORIES

- Turbo nozzle
- Hose extension
- 15" Surface cleaner (2700psi models)

| | TPV2700RP |
|---|---|
| MAX. RATED PRESSURE (PSI) | 2700PSI |
| MAX. RATED BAR (BAR) | 186BAR |
| WATER FLOW (L/MIN) | 10L |
| HOSE LENGTH & TYPE | 10M HOSE |
| PRESSURE PUMP TYPE | AR BRASS HEAD AXIAL PUMP |
| ENGINE MODEL | 6HP EX17 |
| ENGINE BRAND | ROBIN |
| FUEL TANK | 3.6L |
| DECIBELS @ 7M | 66db |
| WEIGHT (DRY) | 36KG |
| DIMENSIONS (LxWXH) | 780 x 550 x 920MM |
| MANUFACTURERS WARRANTY | 1 YEARS |

# CROMMELINS PRESSURE CLEANERS

This extremely popular range of pressure cleaners are built with AR pumps for the light industrial market. Assembled and tested in Australia, the CPV range are powered by Robin engines for performance and longevity.

### STANDARD FEATURES

- Quality gun and steel lance
- Robin or Honda engine model
- Quick-connect hose couplings
- 4 x Spray nozzles (0° / 15° / 40°/ Detergent)
- Detergent hose pickup tube & filter
- Trolley frame with hose holders, gun hook and front bumper
- Removable handle and bumper for transport
- Front bumper bar to protect the pump
- Rubber front foot to keep machine stable
- Pneumatic wheels
- Additional inline water filter
- One year pressure pump warranty
- Two year manufacturer's warranty

### IDEAL FOR

- Light trade and agricultural use
- Cleaning moss and dirt from paving
- Shop fronts and awnings

### OPTIONAL ACCESSORIES

- Turbo nozzle
- Hose extension
- 15" Surface cleaner (2700psi models)
- 21" Surface spray [SC21] fits 3000psi+ models







| | CPV2700RP | CPV3200RP | CPV4000RP |
|---|---|---|---|
| MAX. RATED PRESSURE (PSI) | 2700PSI | 3200PSI | 4000PSI |
| MAX. RATED BAR (BAR) | 186BAR | 220BAR | 275BAR |
| WATER FLOW (L/MIN) | 11.4L | 14.0L | 15.0L |
| HOSE LENGTH & TYPE | 10M HOSE | 10M HOSE | 15M HOSE |
| PRESSURE PUMP TYPE | AR TRIPLEX | AR TRIPLEX | AR TRIPLEX |
| ENGINE MODEL | 7HP EX21 | 9HP EX27 | 14HP EX40 |
| ENGINE BRAND | ROBIN | ROBIN | ROBIN |
| FUEL TANK | 3.6L | 6.0L | 7.0L |
| DECIBELS @ 7M | 68db | 74db | 72db |
| WEIGHT (DRY) | 43KG | 48KG | 67KG |
| DIMENSIONS (LxWXH) | 670 x 520 x 960MM | 720 x 520 x 960MM | 920 x 600 x 960MM |
| MANUFACTURERS WARRANTY | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMMELINS PRESSURE CLEANERS (HONDA)

This extremely popular range of pressure cleaners are built with AR pumps for the light industrial market. Assembled and tested in Australia, the CPV range can be powered by a customised Honda engine for performance and longevity.

### IDEAL FOR

- Light trade and agricultural use
- Cleaning moss and dirt from paving
- Shop fronts and awnings

### STANDARD FEATURES

- Quality gun and steel lance
- Quick-connect hose couplings
- 4 x Spray nozzles (0° / 15° / 40°/ Detergent)
- Detergent hose pickup tube & filter
- Trolley frame with hose holders, gun hook and front bumper
- Removable handle and bumper for transport
- Front bumper bar to protect the pump
- Rubber front foot to keep machine stable
- Pneumatic wheels
- Additional inline water filter
- One year pressure pump warranty
- Two year manufacturer's warranty

### CUSTOM OPTIONS

- Turbo nozzle
- Hose extension
- 15" Surface cleaner (2700psi models)
- 21" Surface spray [SC21] fits 3000psi+ models







| | CPV2700HP | CPV3200HP | CPV4000HP |
|---|---|---|---|
| MAX. RATED PRESSURE (PSI) | 2700PSI | 3200PSI | 4000PSI |
| MAX. RATED BAR (BAR) | 186BAR | 220BAR | 275BAR |
| WATER FLOW (L/MIN) | 11.4L | 14.0L | 15.0L |
| HOSE LENGTH & TYPE | 10M HOSE | 10M HOSE | 15M HOSE |
| PRESSURE PUMP TYPE | AR TRIPLEX | AR TRIPLEX | AR TRIPLEX |
| ENGINE MODEL | GX200 | GX270 | GX390 |
| ENGINE BRAND | HONDA | HONDA | HONDA |
| FUEL TANK | 3.1L | 5.3L | 7.0L |
| DECIBELS @ 7M | 68db | 74db | 72db |
| WEIGHT (DRY) | 43KG | 48KG | 67KG |
| DIMENSIONS (LxWXH) | 670 x 520 x 960MM | 720 x 520 x 960MM | 920 x 600 x 960MM |
| MANUFACTURERS WARRANTY | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMMELINS PETROL PRESSURE CLEANERS

Crommelins have produced a pressure cleaner available in 2000psi, 3000psi or 4000psi. Whether required for the smaller, simpler jobs like washing down dusty & dirty machinery or for larger jobs and constant use, this pressure cleaner will suit your needs.

## STANDARD FEATURES

- Genuine Robin industrial engine
- Electric Start Models available
- AR Triplex pump with 2:1 reduction gearbox
- Adjustable pressure regulator
- Detergent injector nozzle
- Heavy duty gun with twin lance
- 10m high pressure hose
- Gun and hose holder
- Rubber isolated engine mounting plate
- Central lifting hook
- 4 x Pneumatic wheels
- Australian fabricated heavy duty galvanised roll frame
- One year pressure pump warranty
- Two year manufacturer's warranty

## IDEAL FOR

- Hire and rental
- Agriculture
- Mud from flooded areas
- Paint from fences

## OPTIONAL ACCESSORIES

- Electric start
- Turbo nozzle
- Hose extension
- Custom colouring
- 21" Surface spray [AF210] fits 3000psi+ models







| | CPC3000SP | CPH3000RP | CPC4000RP |
|---|---|---|---|
| **MAX. RATED PRESSURE (PSI)** | 3000PSI | 3000PSI | 4000PSI |
| **MAX. RATED BAR (BAR)** | 205BAR | 205BAR | 275BAR |
| **WATER FLOW (L/MIN)** | 15L | 15L | 15L |
| **HOSE LENGTH & TYPE** | 10M HOSE | 10M HOSE | 10M HOSE |
| **PRESSURE PUMP TYPE** | AR TRIPLEX | AR TRIPLEX | AR TRIPLEX |
| **ENGINE MODEL** | 14HP EX40 | 14HP EX40 | 14HP EX40 |
| **ENGINE BRAND** | ROBIN | ROBIN | ROBIN |
| **FUEL TANK** | 7.0L | 6.1L | 7.0L |
| **DECIBELS @ 7M** | 72db | 72db | 72db |
| **WEIGHT (DRY)** | 83KG | 83KG | 85KG |
| **LANCE & SPRAY GUN** | TWIN LANCE HD GUN | SINGLE LANCE HD GUN | TWIN LANCE HD GUN |
| **MANUFACTURERS WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMMELINS DIESEL PRESSURE CLEANERS

These diesel pressure cleaners are available in 3000psi and are powered by a genuine Yanmar diesel engine.

### STANDARD FEATURES

- Genuine Yanmar industrial engine with electric start
- AR Triplex pump with 2:1 reduction gearbox
- Detergent injector nozzle
- Adjustable pressure regulator
- 10m high pressure hose
- Heavy duty gun with twin lance
- Gun and hose holder
- Australian fabricated heavy duty galvanised roll frame
- Central lifting hook
- Rubber isolated engine mounting plate
- 4 x Pneumatic wheels
- One year pressure pump warranty
- Two year manufacturer's warranty



| | CPC3000YDE |
|---|---|
| MAX. RATED PRESSURE (PSI) | 3000PSI |
| MAX. RATED BAR (BAR) | 205BAR |
| STARTING SYSTEM | ELECTRIC START |
| WATER FLOW (L/MIN) | 15L |
| HOSE LENGTH & TYPE | 10M HOSE |
| PRESSURE PUMP TYPE | AR TRIPLEX |
| ENGINE MODEL | 10HP L100 |
| ENGINE BRAND | YANMAR |
| FUEL TANK | 5.4L |
| DECIBELS @ 7M | 97db @ 1M |
| WEIGHT (DRY) | 115KG |
| MANUFACTURERS WARRANTY | 2 YEARS |

### IDEAL FOR

- Hire and rental
- Mining
- Agriculture
- Mud from flooded areas

### OPTIONAL ACCESSORIES

- Mine specification
- Turbo nozzle
- Hose extension
- Custom colouring
- 21" Surface spray [SC21] fits 3000psi+ models
- Hose reel

### MINE SPECIFICATION OPTION INCLUDES

- Emergency stop
- Battery isolator
- Bunding tray
- Fire extinguisher

# PRESSURE CLEANER ACCESSORIES

### TURBO NOZZLES
- Suits all models



### 15" SURFACE CLEANER (SC15)
- Suits 2700psi models




### HIGH PRESSURE HOSE
- Suits all models (up to 4000psi)



### 21" SURFACE CLEANER (SC21)
- Suits 3000psi+ models
- 14KG



### CPV NOZZLES
- Pencil Jet
- Fan Jet 15
- Fan Jet 40
- Detergent Nozzle



# PUMPS

# CHOOSING YOUR PUMP

Crommelins Machinery has a large range of pumps to meet all your pumping needs. Small portable pumps, fire fighting pumps, large capacity pumps and pumps for on-site construction and heavy duty pumping work.

### STANDARD FEATURES

- Construction grade quality
- Low maintenance and long engine life
- Assembled and tested in Australia

### PUMP TERMS

- **Total Head** - The total height in meters liquid can be pumped to.
- **Max. Suction** - The maximum depth liquid can be sucked at below the level of the pump.
- **Trash** - Allows pumping in muddy/sandy water and will also pump solids.
- **Clean Water** - For clear water pumping only
- **Poly** - For pumping waste water, chemicals, sea water, etc.
- **Self Priming** - Requires no water for subsequent pumping operation once initial pumping is done.

# CUSTOMISE YOUR PUMP

Crommelins Machinery can customise pumps to suit your needs.

### OPTIONAL EXTRAS

- Long range fuel tank
- Mine specification- DIESEL ONLY
- Electric start
- Fire extinguisher
- Safety stop
- Custom colouring
- Galvanising

### OPTIONAL ACCESSORIES

- **Hose Kit (FFHOSETK)** - suits all fire fighting pumps
- **Pump Role Frame (PURF1)** - optional extra for fire fighting petrol pumps
- **Fire Fighting Pump Trolly (PPKR1)** - Suits models FF150RP, FF150RP7, FT15ORP, and FT150RP7
- **Lay Flat Hose 2" (FP2HOSEKT)** - Ideal for agriculture, general water transfer, building and construction and flood relief

# PRE-SEASON PUMP MAINTENANCE

Before the bushfire season arrives or when you need to use your pump,  it is wise to check your pump unit to make sure it is ready for service.

**MAINTENANCE TIPS**

1. If not already done (at end of season) change the engine oil.
2. Drain any fuel left in the tank and fill with fresh petrol. Loosen the fuel bowl retaining bolt on carburettor and allow fresh fuel to flush through. Tighten the bolt.
3. Remove spark plug  and pour a little engine oil in the cylinder. Pull motor over three or four times. Remove plug and rinse in petrol and replace.
4. Fill pump unit with water and start pump in normal fashion. The engine can be run for 1-2 minutes without connecting to water tank as long as the pump is full of water.

If the motor does not start or run properly (lack of compression/blocked carburettor) it will be necessary to have the unit checked by your local service agent.

*Note: Service should be done in a workshop (clean area), not an open field.

# PUMP CURVES

**FIRE FIGHTING**




**PETROL CLEAR WATER & POLY**




**ELECTRIC SUBMERSIBLE**




**DIESEL CLEAR WATER**




**TRASH & FLEX. SUBMERSIBLE**



# CROMMELINS PETROL FIRE FIGHTING PUMPS

These fire fighting pumps are known for their reliability, durability and versatility. They are ideal for fire fighting, water transfer, washing down farm machinery and many other jobs that require water at pressure. They come in either single or twin impeller.

### STANDARD FEATURES

- 1 ½" Inlet (40mm)
- 1 ½" Outlet and 2 x 1" Outlet
- Bolt on replaceable suction and discharge ports
- Metal (not plastic) delivery outlet caps
- Cast iron diffuser increases pump life
- Cast aluminium impeller
- Cast aluminium pump body
- Two years manufacturer's warranty
- Assembled and tested in Australia

### IDEAL FOR

- Fire fighting
- Water transfer
- Washing down machinery
- Agriculture
- Shires and councils

### OPTIONAL EXTRAS

- Electric start with AGM battery
- Trolley kit (recoil start only)
- Honda powered
- 2" Inlet / Outlets
- Hose kits available
- Viton seals

**PUMP CURVE:** REFER TO PAGE 40








| | FF150RP | FF150RP7 | FT150RP | FT150HP | FT150RP7 | FT220YDE |
|---|---|---|---|---|---|---|
| **WATER FLOW (L/MIN)** | 360L | 420L | 300L | 300L | 360L | 420L |
| **WATER FLOW (L/HR)** | 21,600L | 25,200L | 18,000L | 18,000L | 21,600L | 25,000L |
| **TOTAL HEAD (M)** | 60M | 50M | 90M | 90M | 90M | 93M |
| **MAX. SUCTION (M)** | 8M | 8M | 8M | 8M | 8M | 8M |
| **IMPELLER** | SINGLE | SINGLE | TWIN | TWIN | TWIN | TWIN |
| **ENGINE MODEL** | 6HP EX17 | 7HP EX21 | 6HP EX17 | GX200 | 7HP EX21 | 10HP L100 |
| **ENGINE BRAND** | ROBIN | ROBIN | ROBIN | HONDA | ROBIN | YANMAR |
| **FUEL TANK** | 3.6L | 3.6L | 3.6L | 3.1L | 3.6L | 5.4L |
| **DECIBELS @ 7M** | 66db | 68db | 66db | 66db | 68db | 83db |
| **WEIGHT (DRY)** | 24KG | 25KG | 30KG | 31KG | 32KG | 77KG |
| **DIMENSIONS (LxWxH)** | 510 x 440 x 440MM | 510 x 440 x 440MM | 510 x 440 x 440MM | 510 x 440 x 440MM | 510 x 440 x 440MM | 980 X 530 X 660MM |
| **MANUFACTURER'S WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMMELINS DIESEL FIRE FIGHTING PUMP

These fire fighting pumps are known for their reliability, durability and versatility. They are ideal for firefighting, water transfer, washing down farm machinery and many other jobs that require water at pressure. They come in either single or twin impeller.

## STANDARD FEATURES:

- 1 ½" Inlet (40mm)
- 1 ½" Outlet and 2 x 1" Outlet
- Bolt on replaceable suction port
- Metal (not plastic) delivery outlet caps
- Cast iron diffuser increases pump life
- Cast aluminium impeller
- Cast aluminium pump body
- Two years manufacturer's warranty
- Assembled and tested in Australia

## IDEAL FOR

- Fire fighting
- Water transfer
- Washing down machinery
- Agriculture
- Shires and councils
- Mining

## OPTIONAL EXTRAS

- Electric start with AGM battery
- Mine specification
- 2" Inlet / Outlets
- Hose kits available
- Viton seals

**PUMP CURVE:** REFER TO PAGE 40





| | FF150YD | FT150YDE | FT220YDE |
|---|---|---|---|
| WATER FLOW (L/MIN) | 300L | 240L | 420L |
| WATER FLOW (L/HR) | 18,000L | 14,400L | 25,200L |
| TOTAL HEAD (M) | 57m | 85M | 93M |
| MAX. SUCTION (M) | 8M | 8M | 8M |
| IMPELLER | SINGLE | TWIN | TWIN |
| STARTING SYSTEM | RECOIL START | ELECTRIC START | ELECTRIC START |
| ENGINE MODEL | 4.7HP L48 | 6.7hp L70 | 10HP L100 |
| ENGINE BRAND | YANMAR | YANMAR | YANMAR |
| FUEL TANK | 2.4L | 3.3L | 5.4L |
| DECIBELS @ 7M | 94db @ 1M | 81db | 83db |
| WEIGHT (DRY) | 51KG | 64KG | 77KG |
| DIMENSIONS (LxWxH) | 530 x 420 x 490MM | 800 x 510 x 600MM | 980 x 530 x 660MM |
| MANUFACTURER'S WARRANTY | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMTECH FIRE FIGHTING PUMPS

These fire fighting pumps are known for their reliability, durability and versatility. They are ideal for fire fighting, water transfer, washing down farm machinery and many other jobs that require water at pressure. They come in either single or twin impeller. Our Cromtech products come standard with a one year warranty.

### STANDARD FEATURES

- 1 ½" Inlet (40mm) and 2 x 1" Outlet
- Bolt on replaceable suction and discharge ports
- Metal (not plastic) delivery outlet caps
- Cast iron diffuser increases pump life
- Cast aluminium impeller
- Cast aluminium pump body
- One years manufacturer's warranty
- Assembled and tested in Australia

### IDEAL FOR

- Fire fighting
- High-pressure water pumping
- Water transfer
- Emptying or filling

### OPTIONAL EXTRAS

- Trolley kit (recoil start only)
- Honda powered
- 2" Inlet / Outlets
- Hose kits available
- Viton seals

**PUMP CURVE:** REFER TO PAGE 40





| | TFF150 | TFT150DE |
|---|---|---|
| **INLET (IN)** | 1.5" | 1.5" |
| **OUTLET (IN)** | 1 x 1.5 and 2 x 1" | 1 x 1.5" and 2 x 1" |
| **WATER FLOW (L/MIN)** | 370L | 250L |
| **WATER FLOW (L/HR)** | 21,600L/22 | 15,000L |
| **TOTAL HEAD (M)** | 50M | 75M |
| **MAX. SUCTION (M)** | 8M | 8M |
| **STARTING SYSTEM** | RECOIL START | ELECTRIC START |
| **ENGINE MODEL** | CT200DP | 5.3HP DIESEL |
| **ENGINE BRAND** | CROMTECH | CROMTECH |
| **FUEL TANK** | 3.6L | 3.5L |
| **WEIGHT (DRY)** | 25KG | 61KG |
| **DIMENSIONS (LxWxH)** | 658 x 450 x 450MM | 658 x 450 x 450MM |
| **MANUFACTURER'S WARRANTY** | 1 YEAR | 1 YEAR |

# CROMMELINS PETROL CLEAR WATER PUMPS

These are ideal for general purpose pumping, for transferring large volumes of water such as from a dam to a water tank. They are also popular on water trucks for spray bars and tree watering operations.

### STANDARD FEATURES

- Genuine Robin engine
- Centrifugal self-priming pump for fast and efficient pumping
- Direct coupled pump ensures efficient, economical operation
- Cast iron impeller and inner casing
- Two year manufacturer's warranty

### IDEAL FOR

- Hire and rental
- General purpose water transfer
- Agriculture

### OPTIONAL EXTRAS

- Electric start with AGM battery

**PUMP CURVE:** REFER TO PAGE 40







| | PTX208 | PTX307 | CP400RP |
|---|---|---|---|
| **INLET (IN)** | 2" | 3" | 4" |
| **OUTLET (IN)** | 2" | 3" | 4" |
| **WATER FLOW (L/MIN)** | 520L | 1000L | 1800L |
| **WATER FLOW (L/HR)** | 31,200L | 60,000L | 108,000L |
| **TOTAL HEAD (M)** | 32M | 32M | 28M |
| **MAX. SUCTION (M)** | 8M | 8M | 8M |
| **STARTING SYSTEM** | RECOIL START | RECOIL START | RECOIL START |
| **ENGINE MODEL** | 6HP EX17 | 6HP EX17 | 9HP EX27 |
| **ENGINE BRAND** | ROBIN | ROBIN | ROBIN |
| **FUEL TANK** | 3.6L | 3.6L | 6.1L |
| **DECIBELS @ 7M** | 66db | 66db | 70db |
| **WEIGHT (DRY)** | 25KG | 28KG | 45KG |
| **DIMENSIONS (LxWxH)** | 470 x 344 x 414MM | 527 x 368 x 417MM | 610 x 425 x 565MM |
| **MANUFACTURER'S WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMMELINS DIESEL CLEAR WATER PUMPS

These are ideal for general purpose pumping, for transfering large volumes of water such as from a dam to a water tank. They are also popular on water trucks for spray bars and tree watering operations.

### STANDARD FEATURES

- Genuine Yanmar diesel engine
- Centrifugal self-priming pump for fast and efficient pumping
- Direct coupled pump ensures efficient, economical operation
- Water-resisting quality with mechanical seal
- Cast iron impeller and inner casing
- Two year manufacturer's warranty

### IDEAL FOR

- Hire and rental
- General purpose water transfer
- Agriculture
- Mining
- Exploration

### OPTIONAL EXTRAS

- CP300YD is available with Electric start with AGM battery (CP300YDE)

**PUMP CURVE:** REFER TO PAGE 40



| | CP300YD PHOTO WITH ROBIN ENGINE |
|---|---|
| INLET (IN) | 3" |
| OUTLET (IN) | 3" |
| WATER FLOW (L/MIN) | 900L |
| WATER FLOW (L/HR) | 54,000L |
| TOTAL HEAD (M) | 28M |
| MAX. SUCTION (M) | 8M |
| STARTING SYSTEM | RECOIL START |
| ENGINE MODEL | 4.7HP L48 |
| ENGINE BRAND | YANMAR |
| FUEL TANK | 2.4L |
| DECIBELS @ 1M | 94db @ 1M |
| WEIGHT (DRY) | 43.5KG |
| DIMENSIONS (LxWxH) | 590 x 410 x 510MM |
| MANUFACTURER'S WARRANTY | 2 YEARS |

# CROMMELINS POLY PUMPS

The Crommelins poly pumps are durable and reliable pumps for applications where chemicals, waste water, salt water and mild caustic liquids have to be pumped. Constructed of corrosion-resistant materials, it comes with 316 stainless steel fasteners throughout and Viton seals.

## STANDARD FEATURES

- Viton seals for pumping chemical liquids
- Corrosion resistant poly pump
- Heavy duty roll frame
- 2 Years manufacturer's warranty
- Assembled and tested in Australia
- Honda or Yanmar engine

## IDEAL FOR

- Chemicals and mild caustic liquids
- Waste water
- Salt water

## OPTIONAL EXTRAS

- Electric start with AGM battery - Diesel only
- Mine specification- Diesel only

**PUMP CURVE:** REFER TO PAGE 40





| | PP200YDV | PP300YDV |
|---|---|---|
| INLET (IN) | 2" | 3" |
| OUTLET (IN) | 2" | 3" |
| WATER FLOW (L/MIN) | 730L | 1059L |
| WATER FLOW (L/HR) | 43,800L | 63,540L |
| TOTAL HEAD (M) | 38M | 25M |
| MAX. SUCTION (M) | 8M | 8M |
| STARTING SYSTEM | RECOIL START | RECOIL START |
| ENGINE MODEL | 4.7HP L48 | 4.7HP L48 |
| ENGINE BRAND | YANMAR | YANMAR |
| FUEL TYPE | DIESEL | DIESEL |
| FUEL TANK | 2.4L | 2.4L |
| DECIBELS @ M | 94db @ 1m | 94db @ 1m |
| WEIGHT (DRY) | 52KG | 65KG |
| DIMENSIONS (LxWxH) | 530 x 420 x 490MM | 730 X 485 X 610MM |
| MANUFACTURER'S WARRANTY | 2 YEARS | 2 YEARS |

# CROMMELINS PETROL TRASH PUMPS

Trash pumps handle larger solids and debris for heavy-duty de-watering applications. A trash pump uses deep impeller vanes with a large volute and pumps water containing suspended sticks, stones and debris without clogging or harming pump components.

## IDEAL FOR

- Rental and hire
- General purpose de-watering
- Construction job site
- Agriculture

## STANDARD FEATURES

- Genuine Robin petrol engines
- Self-priming for fast and efficient pumping
- Silicon-carbon mechanical seal
- Cast iron impeller and inner casing
- Quick clean-out suction port provides easy maintenance and long service life
- Two years manufacturer's warranty
- Assembled and tested in Australia

## OPTIONAL EXTRAS

- Electric start with AGM battery

**PUMP CURVE:** REFER TO PAGE 40







| | TP200YDE | TP300YDE | TP400YDE |
|---|---|---|---|
| **INLET (IN)** | 2" | "3 | 4" |
| **OUTLET (IN)** | 2" | 3" | 4" |
| **WATER FLOW (L/MIN)** | 680L | 1170L | 1700L |
| **WATER FLOW (L/HR)** | 40,800L | 70,200L | 102,000L |
| **TOTAL HEAD (M)** | 24M | 25M | 21M |
| **MAX. SUCTION (M)** | 8M | 8M | 8M |
| **STARTING SYSTEM** | RECOIL START | ELECTRIC START | ELECTRIC START |
| **ENGINE MODEL** | 4.7hp L48N | 6.7hp L70 | 10.0hp L100 |
| **ENGINE BRAND** | YANMAR | YANMAR | YANMAR |
| **FUEL TANK** | 2.4L | 2.4L | 4.7L |
| **DECIBELS @ 7M** | 94db @ 1m | 94db @ 1m | 76db |
| **WEIGHT (DRY)** | 55KG | 95KG | 100KG |
| **DIMENSIONS (LxWxH)** | 590 x 510 x550MM | 980 x 530 x 660MM | 860 X 530 X 650MM |
| **MANUFACTURER'S WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS |

# CROMMELINS DIESEL TRASH PUMPS

Trash pumps handle larger solids and debris for heavy-duty de-watering applications. A trash pump uses deep impeller vanes with a large volute and pumps water containing suspended sticks, stones & debris without clogging or harming pump components.

## STANDARD FEATURES

- Genuine Yanmar diesel engine
- Self-priming for fast and efficient pumping
- Silicon-carbon mechanical seal
- Cast iron impeller and inner casing
- Quick clean-out suction port provides easy maintenance and long service life
- Two years manufacturer's warranty
- Assembled and tested in Australia

## IDEAL FOR

- Rental and hire
- General purpose de-watering
- Construction job site
- Mining
- Exploration

## OPTIONAL EXTRAS

- Mine specification
- Long range fuel tank
- 4 wheel kit

**PUMP CURVE:** REFER TO PAGE 40



MINESPEC WITH LONG RANGE FUEL TANK AND WHEEL KIT SHOWN



| | TP300YDE | TP400YDE |
|---|---|---|
| **INLET (IN)** | 3" | 4" |
| **OUTLET (IN)** | 3" | 4" |
| **WATER FLOW (L/MIN)** | 1170L | 2000L |
| **WATER FLOW (L/HR)** | 70,200L | 120,000L |
| **TOTAL HEAD (M)** | 25M | 21M |
| **MAX SOLIDS (MM)** | 30MM | 30MM |
| **MAX. SUCTION (M)** | 8M | 8M |
| **STARTING SYSTEM** | ELECTRIC START | ELECTRIC START |
| **ENGINE MODEL** | 6.7HP L70 | 10HP L100 |
| **ENGINE BRAND** | YANMAR | YANMAR |
| **FUEL TANK** | 3.3L | 4.7L |
| **DECIBELS @ 7M** | 94db @ 1M | 76db |
| **WEIGHT (DRY)** | 95KG | 100KG |
| **DIMENSIONS (LxWxH)** | 850 x 510 x 650MM | - |
| **MANUFACTURER'S WARRANTY** | 2 YEARS | 2 YEARS |

# CROMMELINS PORTABLE PUMPS

The Cromtech 1" Portable Pump is a compact and reliable water transfer solution. With a 25mm inlet and outlet, it delivers up to 117 litres per minute. Lightweight with a self-priming design and transport handle, it's perfect for quick, efficient tasks in hire, construction, and DIY projects.

## STANDARD FEATURES

- Self priming, centrifugal transfer pump
- 25m inlet and outlet
- 117L/min water flow
- Compact design
- Carry handle
- Lightweight
- Toolkit and fixings
- 3m suction hose

## IDEAL FOR

- Agriculture
- Construction
- Domestic Tasks
- Hire and Rental

## OPTIONAL EXTRAS

- Tool kit and fixings
- Plastic funnel
- 3m suction hose



| | CTP102 |
|---|---|
| **OUTLET (MM)** | 25mm (1") |
| **WATER FLOW (L/MIN)** | 117L/min |
| **WATER FLOW (L/MIN)** | 7000L/hr |
| **WATER FLOW (L/MIN)** | 70,200L |
| **TOTAL HEAD (M)** | 30M |
| **MAX SUCTION** | 8MM |
| **SHAFT SEALANT** | CERAMIC MECHANICAL SEAL |
| **ENGINE** | 4-STROKE, AIR COOLED |
| **WEIGHT (DRY)** | 7.5KG |
| **DIMENSIONS (L X W X H)** | 230 X 340 X 375MM |
| **MANUFACTURER'S WARRANTY** | 1 YEAR |

# CROMTECH SUBMERSIBLE PUMPS

Constructed with stainless steel and cast iron, these pumps are ideal for pumping grey and clean water out of water tanks, pools, ponds, sewage and flooded areas.

## IDEAL FOR

- Pools and ponds
- Flooded areas
- Sewage
- De-watering

## STANDARD FEATURES

- Float switch (F) automatically turns pump on/off
- High quality bearing seals
- Stainless motor shaft
- Single phase electric motor
- Overload protection
- 7m rope to lower/lift pump
- 10m long power cord
- Vortex impeller

## OPTIONAL EXTRAS

- Hose kits available



| | V450F |
|---|---|
| OUTLET (MM) | 25 / 32 / 40 / 50MM |
| WATER FLOW (L/MIN) | 200L |
| WATER FLOW (L/HR) | 12,000L |
| TOTAL HEAD (M) | 8.5M |
| MAX. SOLIDS (MM) | 25MM |
| IMPELLER | OPEN VANE VORTEX |
| MOTOR | 450W |
| WEIGHT (DRY) | 17KG |
| DIMENSIONS (LxWxH) | 270 x 200 x 520MM |
| MANUFACTURER'S WARRANTY | 1 YEAR |

=

# CROMTECH SUBMERSIBLE PUDDLE PUMP

When you have those nuisance puddles or flooding on site, and conventional pumps don't drain low enough, the Cromtech puddle pump is the answer. This pump will operate on most surfaces down to 1mm, leaving the bare minimum of water.

## STANDARD FEATURES

- Adjustable discharge outlet
- Operates on most surfaces
- Drains down to 1mm water level
- Single phase electric motor
- Overload protection
- 10m long power cord
- Vortex impeller

## IDEAL FOR

- Rental and hire
- General purpose de-watering
- Construction sites
- Slabs and footings
- Agriculture
- Pools and ponds
- Flooded areas
- Versatile for all industries




| | CPP450 |
|---|---|
| **OUTLET (MM)** | 25MM |
| **WATER FLOW (L/MIN)** | 85L |
| **WATER FLOW (L/HR)** | 5100L |
| **TOTAL HEAD (M)** | 10M |
| **MAX. SOLIDS (MM)** | 0.2MM |
| **IMPELLER** | OPEN VANE VORTEX<br>CAN PUMP DOWN TO 1MM<br>WATER LEVEL |
| **MOTOR** | 450W |
| **WEIGHT (DRY)** | 12KG |
| **PACKAGE DIMENSIONS (LxWxH)** | 230 x 230 x 350mm |
| **MANUFACTURER'S WARRANTY** | 1 YEAR |

# CROMMELINS FLEXIBLE DRIVE SUBMERSIBLE PUMPS

These 50mm pumps are heavy duty and designed to handle the toughest of jobs. The submersible pump attaches to a drive unit to rapidly remove water containing solids such as in footings, manholes, tanks, drainage, emptying pools, waste transfer and much more.

## IDEAL FOR

- Rental and hire
- Manholes
- Drainage

## STANDARD FEATURES

- Cast iron or aluminium pump casing
- Wide suction passages to allow debris (up to 25mm) to pass through
- Can allow fluids containing up to 60% solids
- Quick action flexshaft coupling with 3 dog drive
- Includes adaptor for cam lock/discharge hose
- 6m length flexible shaft
- Rope included to lift the pump in/out of holes
- Movable spiral section to prevent kinking
- 1 Year manufacturer's warranty

## OPTIONAL EXTRAS

- 3M Extension shaft
- 6M Extension shaft
- Drive units
- Hose kits available





| | FP2T | FP2TA |
|---|---|---|
| **OUTLET (IN)** | 2" (50MM) | 2" (50MM) |
| **WATER FLOW (L/MIN)** | 933L | 933L |
| **WATER FLOW (L/HR)** | 56,000L | 56,000L |
| **TOTAL HEAD (M)** | 29M | 25M |
| **PUMP TYPE** | CAST IRON | ALUMINIUM |
| **MAX. SOLIDS (MM)** | 25MM | 25MM |
| **IMPELLER** | OPEN VANE VORTEX | OPEN VANE VORTEX |
| **DRIVE TYPE** | 3 DOG | 3 DOG |
| **WEIGHT (DRY)** | 33KG | 32KG |
| **DIMENSIONS PACKAGE (LxWxH)** | 1000 x 770 x 200MM | 1000 x 770 x 200MM |
| **MANUFACTURER'S WARRANTY** | 1 YEAR | 1 YEAR |

# CROMMELINS SKID MOUNTED FIRE FIGHTING UNITS

## BUILT TO ORDER

Crommelins fire fighting units are designed to be easily placed onto a 6x4 or 8x5 trailer or Ute tray. There are three models to choose from, and each includes a 6.0hp Crommelins Fire Fight Pump as standard.

## STANDARD FEATURES

- Crommelins Fire Fighting Pump [FF150RP]
- 30m, ¾" hose on hose reel
- Adjustable spray nozzle
- Recirculation hose with bypass valve back to tank
- 6m Suction hose with valve for filling from dam.
- Hot dipped galvanized steel skid (square tube)
- Base with lifting points
- 1 Year manufacturer's warranty

## IDEAL FOR

- Rental and hire
- General purpose watering
- Construction and Civil Works
- Agriculture

## OPTIONAL EXTRAS

- Twin impeller pumps
- Honda powered
- Yanmar diesel powered
- Forklift pockets
- Customisation to suit customer needs







| | FS600RP / 600LTFFP | FS800RP / 800LTFFP | FS1000RP / 1000LTFFP |
|---|---|---|---|
| **WATER TANK CAPACITY** | 600L | 800L | 1000L |
| **SKID MOUNT FEATURES** | FITS STANDARD 6X4 TRAILER (LOAD CAPACITY 745KG) | FITS STANDARD 6X4 TRAILER (LOAD CAPACITY 945KG) | FITS STANDARD 8X5 TRAILER (LOAD CAPACITY 1165KG) |
| **WATER FLOW (L/MIN)** | 360L | 360L | 360L |
| **WATER FLOW (L/HR)** | 21,600L | 21,600L | 21,600L |
| **TOTAL HEAD (M)** | 60M | 60M | 60M |
| **MAX. SUCTION (M)** | 8M | 8M | 8M |
| **IMPELLER** | SINGLE | SINGLE | SINGLE |
| **STARTING SYSTEM** | RECOIL START | RECOIL START | RECOIL START |
| **ENGINE MODEL** | 6HP EX17 | 6HP EX17 | 6HP EX17 |
| **ENGINE BRAND** | ROBIN | ROBIN | ROBIN |
| **FUEL TANK** | 3.6L | 3.6L | 3.6L |
| **DECIBELS @ 7M** | 66db | 66db | 66db |
| **WEIGHT (DRY)** | 145KG | 145KG | 160KG |
| **WEIGHT (WET)** | 745.G | 945KG | 1165KG |
| **DIMENSIONS (LxWxH)** | 1760 x 1180 x 1000MM | 1760 x 1180 x 1000MM | 1760 x 1500 x 1000MM |
| **MANUFACTURER'S WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS |

# GROUND CARE

# CROMMELINS POST PULLER

This award winning postpuller is powered by a Honda engine, provides 3059KG of pulling force, making it suitable for removing a range of posts and pickets sized from 1 to 85mm.

It features a high-strength transmission chain with an endurance rating of 3059kg and a tensile strength of 65000N, based on in-house testing.

The post puller includes post stake puller jaws with focus points, designed to accommodate various post and picket shapes, ensuring efficient mechanical extraction for different applications.

## IDEAL FOR

- Hire and rental
- Fencing contractors
- Agriculture and farming
- Tree planting
- Landscaping

## STANDARD FEATURES

- Powered by Honda GX50 2HP Four Stroke Engine
- Easily removes any shape of a post or picket sized 1-85mm
- Safe endurance strength of transmission chain 3000N (3059KG)
- Ultimate tensile strength






| | PP6000HP |
|---|---|
| **PULLING POWER** | 3000N (3059KG) |
| **ULTIMATE TENSILE STRENGTH (IN-HOUSE TESTING)** | 65000N |
| **ENGINE MODEL** | GX50 2HP Four Stroke engine |
| **ENGINE BRAND** | Honda |
| **JAW SIZES** | 4 sizes |
| **POST SIZES** | 1-85MM |
| **MANUFACTURER'S WARRANTY** | 1 YEAR |

# GROUNDHOG TRENCHER 18"

This trencher is an easy to use, compact trencher offering controlled digging to exact depth with minimal effort. Suitable for a variety of grounds including sand, lawn, clay and gravel. Its slim design fits through narrow gates and doorways, making trenching close to walls and fences easy, perfect for sprinkling systems, irrigation, reticulation and NBN cabling.

## STANDARD FEATURES

- 'Shark' tooth cutting blades
- Digging chain guard
- Solid roller digging chain for increased life
- Up to 2.5 to 3m (8-10Fft) per minute productivity
- Centrifugal clutch with all metal shoes and drum, needle bearing equipped
- Side deliver auger
- Wide pneumatic tyres with tubes
- Heavy duty steel frame and lift hook
- Donaldson aircleaner system
- 2 Year manufacturer's warranty

## IDEAL FOR

- Hire and rental
- NBN Cabling
- Reticulation & plumbing
- Councils and government departments



| | T418RP |
|---|---|
| **OPERATIONAL LENGTH (IN)** | 18" (460MM) |
| **DIGGING DEPTH (IN)** | 8", 12" & 18" (203, 305 & 460MM) |
| **DIGGING WIDTH (IN)** | 3" (75MM) |
| **ENGINE MODEL** | 6HP EX17 |
| **ENGINE BRAND** | ROBIN |
| **FUEL TANK** | 3.6L |
| **DECIBELS @ 7M** | 66db |
| **WEIGHT (DRY)** | 110KG |
| **DIMENSIONS (LxWxH)** | 1600 x 610 x 1200MM |
| **MANUFACTURER'S WARRANTY** | 2 YEAR |

# CROMMELINS WOOD CHIPPERS

Crommelins wood chippers feature twin reversible chipping blades, and the single adjustable anvil blade easily 'cuts' through tree branches. With models suitable for home, farm and commercial, these heavy-duty machines will suit most chipping needs.

## IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments and parks & gardens

## STANDARD FEATURES

- Twin reversible chipper blades and single adjustable anvil blade
- Deep hopper with rubber curtain
- Vibration free operation under load
- Foot mounted emergency stop switch
- Easy remove hopper and discharge chute
- Large wheels for transport on site
- Simple maintenance & belt tensioning
- Heavy duty rotor bearings with grease points
- Heavy duty 3mm steel plate construction
- Removable front handle
- 2 Year manufacturer's warranty

## OPTIONAL EXTRAS

- Electric start with AGM battery (GTS13 models)
- Lifting points
- Honda powered







| | GTS600RP | GTS600HF | S1300HP | GTS1300RP | GTS1310RP (HIRE MODEL) |
|---|---|---|---|---|---|
| **GREEN WOOD DIAMETER (MM)** | 50MM | 50MM | 100MM | 100MM | 100MM |
| **CHIPPER BLADE WIDTH (MM)** | 60MM | 60MM | 250MM | 250MM | 250MM |
| **EXTRA FEATURES** | FOOT MOUNTED E/ STOP, EXTRA LONG FEED CHUTE | FOOT MOUNTED E/ STOP, EXTRA LONG FEED CHUTE | FOOT MOUNTED E/ STOP | FOOT MOUNTED E/ STOP | FOOT MOUNTED E/ STOP, PANIC BAR, LOCKABLE RECOIL START, AUTO SHUT-OFF ON HOPPER & CHUTE, LIFTING HOOKS |
| **INPUT HOPPER SIZE (MM)** | 250 x 250MM | 250 x 250MM | 340 X 470MM | 340 x 420MM | 340 x 420MM |
| **ENGINE MODEL** | 7HP EX21 | GX200 | GX390 | 14HP EX40 | 14HP EX40 |
| **ENGINE BRAND** | ROBIN | HONDA | HONDA | ROBIN | ROBIN |
| **FUEL TANK** | 3.6L | 3.1L | 6.1L | 7.2L | 7.0L |
| **DECIBELS @ 7M** | 72db | 72db | 74db | 74db | 74db |
| **WEIGHT (DRY)** | 58KG | 58KG | 165KG | 165KG | 175KG |
| **DIMENSIONS (LxWxH)** | 1340 x 470 x 1320MM | 1340 x 470 x 1320MM | 1500 x 750 x 1520MM | 1500 x 750 x 1520MM | 1500 x 750 x 1520MM |
| **MANUFACTURER'S WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS |

# GROUNDHOG POST HOLE DIGGERS

Groundhog post hole diggers are ideal for fencing, tree planting and landscaping. Single person and two-person operation models are all designed for operator comfort and ease of use. These tough machines will take the hard work out of digging holes, making jobs easier, quicker and safer.

## STANDARD FEATURES

- Genuine Robin or Honda industrial engines
- Ergonomic handlebars with ‘dead man’ switch providing safe operation
- Reversible blade auger design to double the life
- Made in the USA

## OPTIONAL EXTRAS

- Display and storage stand
- Augers 2", 4", 6" and 8" (for GHM1H)
- Augers 2" to 12" (Other models)
- Auger extensions (1ft, 2ft,and 3ft)



## IDEAL FOR

- Hire and rental
- Fencing contractors
- Agriculture & farming
- Tree planting
- Landscaping





| | GHM1H | C715RP |
|---|---|---|
| AUGER WIDTH (IN) | 8” (203MM) | 12” (305MM) |
| OPERATING TYPE | ONE-PERSON | TWO-PERSON |
| ENGINE MODEL | GX35 | 6HP EX17 |
| ENGINE BRAND | HONDA | ROBIN |
| FUEL TANK | 0.63L | 3.6L |
| DECIBELS @ 7M | 69db | 66db |
| WEIGHT (DRY) | 11.5KG | 35KG |
| MANUFACTURER’S WARRANTY | 1 YEARS | 2 YEARS |

# CROMMELINS STAR PICKET DRIVERS

Fencing has never been made easier with Crommelins picket/post drivers. These machines will efficiently hammer star pickets and posts into the ground. Built to be lightweight, they have versatile sleeves to allow for use with different sized star (Y) pickets, steel posts and timber stakes.

### STANDARD FEATURES

- Genuine Honda industrial engine
- 4-Stroke, petrol powered
- Lightweight for its size
- Anti-vibration handles
- Large impact force provides efficient driving
- Compact and easily transportable

### OPTIONAL EXTRAS

- Picket/Post reducer sleeves
- Cradle (PDCRADLE) 5KG
- Case (PDCASE)
- Multifunction handle kit
- Extension handle kit
- Case
- "3/4, 1 1/2" collar reducer
- "2, 2 1/4" collar reducer









### IDEAL FOR

- Hire and rental
- Fencing
- Agriculture & farming
- Landscaping
- Sign companies





| | SPX52HP | SPX82HP |
|---|---|---|
| PICKET/POST CAPACITY (IN) | 2" (50.8MM) | 3 ¼" (82MM) |
| IMPACT BLOW | 1720/MIN | 1720/MIN |
| ENGINE MODEL | GX35 | GX35 |
| ENGINE BRAND | HONDA | HONDA |
| FUEL TANK | 0.63L | 0.63L |
| DECIBELS @ 7M | 69db | 69db |
| WEIGHT (DRY) | 16KG | 19.5KG |
| DIMENSIONS (LxWxH) | 590 x 340 x 200MM | 590 x 340 x 200MM |
| MANUFACTURER'S WARRANTY | 1 YEARS | 1 YEARS |

# DETHATCHERS

This machine is perfect for removing years of build up of dead thatch in lawns. Using flail blades, the machine strips the thatch, which is then raked up. This then promotes healthy regrowth and improved water absorption.

### IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments

### PR18HP STANDARD FEATURES

- Flail blade (for removing matted thatch).
- Ergonomic handle with padded grips to reduce operator fatigue
- Three-position handle for user comfort
- Folding handle for transport
- Strong steel frame

### PR18 OPTIONAL EXTRAS

- Delta blade reel thinning running stem grasses.





| | PR18HP |
|---|---|
| **OPERATIONAL WIDTH (IN)** | 18" (457MM) |
| **OPERATIONAL HEIGHT (IN)** | 7X PRESETS 1" TO -1" (AT 1/4" INCREMENTS) |
| **MODEL BRAND** | BLUEBIRD |
| **ENGINE MODEL** | GX160 |
| **ENGINE BRAND** | HONDA |
| **FUEL TANK** | 3.1L |
| **WEIGHT (DRY)** | 59KG |
| **DIMENSIONS (LxWxH)** | 1160 x 670 x 990MM |
| **MANUFACTURER'S WARRANTY** | 1 YEAR |

# SOD AND TURF CUTTERS

Where there is turf to remove, our turf cutters will get the job done. Our turf cutters feature multiple depth settings making them suitable for a variety of terrain and soil conditions. These robust, heavy duty cutters will provide years of low maintenance and outstanding reliability along with a high productivity rate.

### TC16HP STANDARD FEATURES

- 16" Cutting blade
- Belt driven
- Multiple depth adjustable
- Pneumatic drive wheels
- Over centre clutches
- Slotted holes for bearing housing
- Solid steel construction for strength and durability
- High speed bearings with eccentric locking collars
- Easy, low maintenance

### IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments

### SC550 STANDARD FEATURES

- Simplified depth setting adjusts up to 2.5" (60mm) depth.
- 5 x Speeds (2 x cut speeds, 2 x transport, 1 x reverse)
- Soft grip rubber handle reduces vibration
- 4WD Operation for extra torque
- Up to 1404m²/hr - low speed productivity
- Up to 1822m²/hr - high speed productivity
- Strong steel frame
- Lightweight aluminum plate arms reduce vibration and feature maintenance-free ball bearings
- 10" semi-pneumatic v-tractor tread wheels

### TC16HP OPTIONAL EXTRAS

- Turf slitting blade
- Trenching blade
- Mole draining blade



PHOTO SHOWN WITH HONDA



| | TC16HP |
|---|---|
| CUTTING WIDTH (IN) | 16" (355MM) |
| CUTTING DEPTH (IN) | 4" (100MM) |
| MODEL BRAND | INGS |
| ENGINE MODEL | GX270 |
| ENGINE BRAND | HONDA |
| FUEL TANK | 5.3L |
| WEIGHT (DRY) | 130KG |
| DIMENSIONS (LxWxH) | 1450 x 850 x 500MM |
| DECIBELS @ 7M | 66db |
| MANUFACTURER'S WARRANTY | 1 YEAR |

| | SC550HP |
|---|---|
| CUTTING WIDTH (IN) | 18" (457MM) |
| CUTTING DEPTH (IN) | 2.5" (60MM) |
| MODEL BRAND | BLUEBIRD |
| ENGINE MODEL | GX200 |
| ENGINE BRAND | HONDA |
| FUEL TANK | 3.1L |
| WEIGHT (DRY) | 150KG |
| DIMENSIONS (LxWxH) | 1370 x 610 x 910MM |
| DECIBELS | 66db |
| MANUFACTURER'S WARRANTY | 1 YEAR |

# BLUEBIRD LAWN AERATOR 19"

Greater productivity, better manoeuvrability, and a user-friendly design are just a few of the outstanding features that make the Bluebird aerator a breeze to operate. This self-propelled aerator is used to core holes into compacted lawns, allowing water to feed directly to the root matter, yielding a more productive, healthy lawn.

## STANDARD FEATURES

- 30 x 2cm Coring tines (closed spoon design) hardened for long life
- Genuine Honda industrial engine
- Rotating tines for easy turning
- Aerating pattern 76-100mm
- Up to 2034m²/hr productivity
- 2 x 16kg removable weights
- Front wheels - 10" semi-pneumatic
- Rear wheels (8" solid rubber)
- Fold down handles for easy transportation and storage

## IDEAL FOR

- Hire and rental
- Contractors
- Councils
- Government departments



| | 530 |
|---|---|
| CUTTING WIDTH (IN) | 19" (482MM) |
| CUTTING DEPTH (IN) | 3" (75MM) |
| MODEL BRAND | BLUEBIRD |
| ENGINE MODEL | GX120 |
| ENGINE BRAND | HONDA |
| FUEL TANK | 2.0L |
| WEIGHT (DRY) | 131KG |
| DIMENSIONS (LxWxH) | 1220 x 736 x 1295MM |
| MANUFACTURER'S WARRANTY | 1 YEAR |

# WATER-FILLED LAWN ROLLERS

These simple, no fuss rollers are very easy to use. Water rollers provide gardeners and landscapers with a practical tool for establishing and maintaining lawns. They are built to be long lasting, durable and provide protection against the elements.

### 60L POLY WATER ROLLER FEATURES

- Lightweight (when unfilled)
- 25mm double bung system for quick emptying
- Steel handle and frame
- Galvanised compact resistant PVC roller
- Dimensions package - 650x450x450MM
- UV Stabilised polytuff barrel



| | 60PLR |
|---|---|
| OPERATIONAL WIDTH (IN) | 24” (600MM) |
| WEIGHT | 5KG (65KG FILLED) |
| MANUFACTURES WARRANTY | 1 YEAR |

### IDEAL FOR

- Hire and rental
- DIY

### GALVANISED SPIKED ROLLER FEATURES

- Galvanised for durability
- Internal galvanising protects when filled with water.
- 600mm operating width
- 300mm diameter
- 150mm spikes



| | SROLL |
|---|---|
| DIGGING DEPTH (INCHES) | 6” (150MM) |
| OPERATONAL WIDTH (INCHES) | 24" (600MM) |
| MANUFACTURES WARRANTY | 1 YEAR |

# GTM ERGONOMIC HARNESS ET2



Exclusive to Crommelins, the GTM Ergonomic Harness ET2 is designed to reduce the weight of a hedge trimmer. Simple to set up, it will ease fatigue, ensuring the operator can work more safely, in comfort, with less effort.

## STANDARD FEATURES

- Adjustable strapping (for all sizes)
- Suited to petrol powered hand held tools such as hedge trimmers and long-reach hedge cutters
- Tension cable winds in/out to operate at all heights
- Rotates up to 15 degrees for off center operation
- Separates into 2 pieces for storage and transport
- Carry bag included
- Reduces apparent weight to approximately 1.5KG

## IDEAL FOR

- Landscaping
- Garden contractors
- Shires and councils
- Parks and gardens
- Golf courses



| | ET2 |
|---|---|
| **OPERATIONAL ROTATION (°)** | UP TO 15° |
| **OPERATIONAL WEIGHT (kg)** | EQUIPMENT UP TO 4.5kG |
| **WEIGHT (DRY)** | 5KG |
| **MANUFACTURER'S WARRANTY** | 1 YEAR |
| **BRAND** | GTM PROFESSIONAL |

# AIR EQUIPMENT

# CROMTECH CARPET DRYERS

This range of industrial carpet dryers is well suited to professional carpet cleaning, flood remediation and rental. All units are low amperage running and have a large air output for quick drying.

### STANDARD FEATURES

- Single phase motor
- Impact resistant body with integrated handle
- Protective fan covers
- Low amp draw for economical running
- Long power cable
- Stackable, light weight and compact
- One year Cromtech warranty

### IDEAL FOR

- Rental and hire
- Carpet drying
- Air movement
- Flood remediation
- Professional carpet cleaners

### OPTIONAL EXTRAS

- Snout attachment [SNAK] for D22







| | AP110002 | D22 |
|---|---|---|
| AIR TYPE | CARPET DRYER | CARPET DRYER |
| WATTAGE (W) | 250W | 750W |
| AMPS (LOW/MED/HIGH) | 1.6AMP | 2.2 / 2.2 / 2.3AMP |
| AIR DISPLACEMENT (CFM) | 850CFM | 2455CFM |
| SPEED (LOW/MED/HIGH) | 1600RPM | 1200 / 1300 / 1400RPM |
| EXTRA FEATURES | COMPACT PROFILE, NO AIR FLOW DEAD SPOT | STACKABLE |
| POWER CABLE LENGTH (M) | 4.5M | 4.5M |
| DECIBELS @ 7M | 62db | 70db |
| WEIGHT (DRY) | 8.5KG | 16KG |
| DIMENSIONS (LxWxH) | 540 x 430 x 250MM | 520 x 450 x 540MM |
| MANUFACTURER'S WARRANTY | 1 YEAR | 1 YEAR |

# CROMTECH VENTILATORS

Cromtech ventilators provide powerful and effective ventilation for cleaning, fume and dust dispersion and room or confined space ventilation. They are compact and made from heavy duty durable materials.

## STANDARD FEATURES

- Light weight, compact design
- Impact resistant body with handle
- Protective fan covers
- Long power cable
- One year Cromtech warranty

## IDEAL FOR

- Hire and rental
- Air movement
- Fume dispersion
- Commercial and trade use

## DUCTING AVAILABLE

- 12” Ducting
- Hard wearing flexible woven polyester
- Easily retractable for transport
- 5 metre length



12"

**BR125M**
340 X 340 X 5000MM





| | HT30 | AP110012 |
|---|---|---|
| **AIR TYPE** | VENTILATOR | VENTILATOR |
| **WATTAGE (W)** | 500W | 750W |
| **VENT SIZE (IN)** | 12” (300MM) | 12” (300MM) |
| **STATIC PRESSURE (PA)** | 273PA | 540PA |
| **AIR FLOW RATE ($M^3$)** | 65$M^3$ | 65$M^3$ |
| **SPEED (LOW/MED/HIGH)** | 2800RPM | 2900RPM |
| **EXTRA FEATURES** | HANDLE | STACKABLE, PLASTIC BODY RESISTS RUST |
| **POWER CABLE LENGTH (M)** | 2.5M | 2.5M |
| **DECIBELS @ 7M** | 78db | 68db |
| **WEIGHT (DRY)** | 10.5KG | 14KG |
| **DIMENSIONS (LxWxH)** | 300 x 280 x 330MM | 520 x 400 x 500MM |
| **MANUFACTURER’S WARRANTY** | 1 YEAR | 1 YEAR |

# CROMTECH AIR FILTRATION

Designed for indoor air quality restoration, particularly after fire, flood, sewage or mould remediation. This air scrubber has a filtration device fitted with HEPA filters for removing hazardous particles from the air.

### CROMTECH AIR SCRUBBER

- Single phase motor
- Variable speed control
- Stackable and compact
- 16” Inlet and 10” lay flat outlet
- One year Cromtech warranty
- **Optional accessory** - Carbon/potassium permanganate filter to absorb odours and gases

### IDEAL FOR

- Professional carpet cleaners
- Concrete cutting
- Chemical pouring




| | AS110001 |
|---|---|
| **TYPE** | AIR SCRUBBER |
| **WATTAGE (W)** | 250W |
| **AIR DISPLACEMENT (CFM)** | 500CFM |
| **SPEED (HIGH)** | 2400RPM |
| **POWER CABLE LENGTH (M)** | 4.5M |
| **EXTRA FEATURES** | 16” INLET & 10” LAY FLAT OUTLET |
| **WEIGHT (DRY)** | 16KG |
| **DIMENSIONS (LxWxH)** | 570 x 360 x 655MM |
| **MANUFACTURER’S WARRANTY** | 1 YEAR |

# GENERAL TRADE

# CROMMELINS TROLLEYS

The Crommelins range of heavy lifting equipment will make the task of moving equipment easier, quicker and safer.

### COMPACTOR TROLLEY

- Handle clip prevents compactor from slipping off trolley
- 2x Heavy duty rubber wheel
- Suits CC70 and CC90 models

### STAIR CLIMBING TROLLEY

- Adjustable strap to hold fridge/object to trolley
- Dual protective strips prevents damage to object
- Heavy duty rubber on tri-shaped axis for climbing stairs

### PANEL LIFT CADDY

- Lifting hook/bar
- Keeps all panel lift components in one easy to move and transport caddy
- Chain and hook to hold pieces in place
- Heavy duty solid rubber wheels

### STANDARD FEATURES

- Powder coated HD steel frame
- One year manufacturer's warranty







| | CWKTR | FTSCS | PLCADDY |
|---|---|---|---|
| **CAPACITY MAX. (KG)** | 150KG | 300KG | PANEL LIFT (45KG) |
| **WHEELS TYPE** | SOLID RUBBER | 6X SOLID WHEELS | SOLID RUBBER |
| **SUITS** | CC70H, CC70RP, CC70YD, CC90RP, CC90H COMPACTORS | FRIDGES AND BULKY ITEMS | PANEL LIFT [PLIFT] |
| **WEIGHT (DRY)** | 15KG | 25KG | 15KG (60KG WITH PLIFT) |
| **DIMENSIONS (LxWxH)** | 400 x 500 x 1305MM | 460 x 610 x 1520MM | 410 x 600 x 1114MM |
| **MANUFACTURER'S WARRANTY** | 1 YEAR | 1 YEAR | 1 YEAR |

# PANEL LIFT

The dry wall panel lifter enables one person to work alone installing panels to ceilings or vertical walls. This model is designed to fold up and fit in the boot of a car for easy transportation and is perfect for the hire industry and contractors.

## STANDARD FEATURES

- Reaches to 3.4m (11 feet)
- Easy one-person operation
- No tool assembly
- Folding tripod base
- All welded steel construction
- Foldable tripod legs with 5” (125mm) casters so it fits easily through doorways.
- Fast action single stage winch
- Silent camlock brake



| | PLIFT |
|---|---|
| MAX. CAPACITY (KG) | 68KG |
| MAX. HEIGHT (MM) | 3350MM |
| MIN. HEIGHT (MM) | 860MM |
| SHEET SIZE (MM) | 1200 X 4800MM |
| WEIGHT (DRY) | 45KG |
| DIMENSIONS (LxWxH) | 1500 x 800 x 400MM |
| MANUFACTURER’S WARRANTY | 1 YEAR |

## IDEAL FOR

- Hire and rental
- Walls and ceilings
- Drywall plasterers

## OPTIONAL EXTRAS

- Trolley [PLCADDY]



# CROMMELINS AIR COMPRESSORS

The Crommelins air compressors are perfect for industrial, commercial, agricultural and residential use. They are available in electric, petrol and diesel, so you will find exactly what you need.

### IDEAL FOR

- Air powered tools
- Spray painting
- Stapling / nailing

### STANDARD FEATURES

- Large volume air tank
- Puncture proof tyres
- Filter regulator
- Cast iron piston pump
- Filter regulator
- Metal belt guard
- One years Crommelins warranty

### OPTIONAL EXTRAS

- Petrol Robin engine
- Petrol Honda engine
- Diesel Yanmar L48N engine
- Electric start with AGM battery (Yanmar only)
- E-stop (Yanmar only)
- Battery isolator (Yanmar only)










| | AC10E | AC15RP | AC15HP | AC19YD | AC19YDE |
|---|---|---|---|---|---|
| **PUMP DISPLACEMENT (L/MIN)** | 270L | 430L | 430L | 540L | 540L |
| **FREE AIR DELIVERY** | 200L | 350L | 350L | 440L | 440L |
| **TANK CAPACITY** | 60L | 60L | 60L | 75L | 75L |
| **MAXIMUM PRESSURE** | 900KPA [130psi] | 1000KPA [145psi] | 100KPA [145psi] | 1000KPA [145psi] | 100KPA [145psi] |
| **PUMP MODEL** | PG20 | PG31 | PG31 | PG41 | PG41 |
| **PUMP CYLINDERS** | TWIN | TWIN | TWIN | TRIPLE | TRIPLE |
| **POWER SOURCE** | ELECTRIC (10 AMP) | PETROL (RECOIL START) | PETROL (RECOIL START) | DIESEL (RECOIL START) | DIESEL (ELECTRIC START) |
| **MOTOR/ENGINE TYPE** | 1.65KW TECO MOTOR | 6.0HP ROBIN EX17 | HONDA GX200 | 4.7HP YANMAR L48 | 4.7HP YANMAR L48 |
| **DECIBELS @ 7M** | 72db | 68db | 77db | 83db | 83DB |
| **WEIGHT (DRY)** | 85KG | 90KG | 90KG | 119KG | 124KG |
| **DIMENSIONS (LxWxH)** | 1110 x 450 x 770MM | 1120 x 450 x 770MM | 1120 x 450x 770MM | 1130 x 450 x 840MM | 1130 x 450 x 840 MM |

# WAGNER WALLPAPER STRIPPER

A professional wallpaper streamer that features advanced flash boiler technology for quick heating, making it ideal to remove all types of wallpaper. Its durable design suits both professionals and DIY enthusiasts. It has a patented built-in step and an extra large 5.1 litre anodised aluminum water tank.

### STANDARD FEATURES

- 2300W heating element
- 95 minutes of steam time
- Anodised aluminium water tank
- 4.9mm anti-kink cool run hose
- 5m power cable
- Two different steamer plates to adapt to any surface
- Integrated 30cm step to accomodate up to 150KG
- Large lightweight steam plate
- 3 year anti-corrosion guarantee on tank

### IDEAL FOR

- Hire and rental
- Builders and decorators
- Wallpaper, vinyls, painted surfaces, multi-layered and even Artex®



| | BU2418217 |
|---|---|
| WATTAGE (W) | 2300W |
| WATER TANK CAPACITY (L) | 5.1L |
| OPERATION HOURS | 95 MINS |
| WEIGHT (KG) | 7.5KG |
| DIMENSIONS (LxWxH) | 530 x 300 x 370 MM |
| MANUFACTURER'S WARRANTY | 2 YEARS |

# SOROTO BELT CONVEYORS

These belt conveyors are among the lightest available, featuring an aluminum frame, open construction, and optimised balance point that allows a signle person to move even an 8m conveyor.

Perforations in the steel sheets under the PVC belt cool both the machine and the belt while enabling self-cleaning during operation, making maintenance simple. Additionally, a range of belt options are available to suit specific applications.

## STANDARD FEATURES

- Standard feeder box
- PVC belt with 10mm high carriers
- Powerful motor of 110V/230V
- Transportation undercarriage
- PVC sidebattens
- Aluminum sidebattens
- Protective motor switch and thermal circuit breaker
- Self adjusting safety relay plus starting and operating capacitors

## ACCESSORIES

- Large removeable feeder box
- Crate for conveyor transportation







| | 2000AUS | 3300AUS | 4500AUS | 6000AUS | 8000AUS |
|---|---|---|---|---|---|
| **MOTOR** | 240V/110V | 240V/110V | 240V/110V | 240V/110V | 240V/110V |
| **OUTPUT** | 0.50KW | 0.50KW | 0.50KW | 0.55kW | 0.55kW |
| **SPEED** | 32 CM/SEC | 32 CM/SEC | 32 CM/SEC | 32 CM/SEC | 32 CM/SEC |
| **LENGTH** | 220CM | 330CM | 450CM | 600CM | 800CM |
| **BELT WIDTH** | 34CM | 34CM | 34CM | 34CM | 34CM |
| **FRAME WIDTH** | 48CM | 48CM | 48CM | 48CM | 48CM |
| **HEIGHT** | 23CM | 23CM | 23CM | 23CM | 23CM |
| **WEIGHT** | 95KG | 75KG | 95KG | 110KG | 134KG |
| **MAX INCLINATION** | 30/45 ° | 30/45 ° | 30/45 ° | 30/45 ° | 30/45 ° |
| **MANUFACTURER'S WARRANTY** | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS | 2 YEARS |

# ENGINES

# ROBIN PETROL ENGINES.

Crommelins Machinery has been the Australian distributor for Robin Engines since 1964. These engines have been the preferred choice of power on a wide variety of equipment to the rental, construction and agricultural industries. Reliability, performance and longevity is the cornerstone of these popular engines.

## STANDARD FEATURES

- Larger and extra cooling fins on crankcase, cylinder and mounting base
- Intake and exhaust valves produce low fuel consumption
- Low noise, soft tone quality rigid muffler
- Recoil start with no kickback
- Easy maintenance with fewer parts
- Compatibility to other engine brands allows easy replacements
- Spark arrestor muffler
- Low oil sensor shutdown
- Dual element air filter
- 3 Year manufacturer's warranty

## OPTIONAL EXTRAS

- Electric Start






| | EX17 | EX21 | EX27 | EX40 |
|---|---|---|---|---|
| **LABELED POWER (HP)** | 6.0HP | 7.0HP | 9.0HP | 14.0HP |
| **ENGINE BRAND** | ROBIN | ROBIN | ROBIN | ROBIN |
| **BORE X STROKE (MM)** | 67 X 48MM | 67 X 60MM | 75 X 60MM | 89 X 65MM |
| **PISTON DISPLACEMENT (CC)** | 169CC | 211CC | 265CC | 404CC |
| **MAX. OUTPUT (KW / HP / RPM)** | 4.2 / 5.7 / 4000 | 5.1 / 7.0 / 4000 | 6.6 / 9.0 / 4000 | 10.3 / 14.0 / 3600 |
| **CONT. OUTPUT (KW / HP / RPM)** | 2.9 / 4.0 / 3600 | 3.7 / 5.0 / 3600 | 5.1 / 7.0 / 3600 | 7.0 / 9.5 / 3600 |
| **MAX. TORQUE (NM / KGF.M / RPM)** | 11.3 / 1.15 / 2500 | 13.9 / 1.41 / 2500 | 18.6 / 1.90 / 2500 | 27.0 / 2.75 / 2400 |
| **SPARK PLUG** | NGK BR6HS | NGK BR6HS | NGK BR6HS | NGK BR6HS |
| **FUEL TANK** | 3.6L | 3.6L | 6.1L | 7.0L |
| **STARTING SYSTEM** | RECOIL START | RECOIL START | RECOIL START | RECOIL START |
| **DECIBELS @ 7M** | 66db | 68db | 70db | 72db |
| **WEIGHT (DRY)** | 15KG | 16KG | 21KG | 33KG |
| **DIMENSIONS (LxWxH)** | 304x354x335MM | 311x366x335MM | 351x420x410MM | 389x450x443MM |
| **ENGINE MANUFACTURER'S WARRANTY** | 3 YEARS | 3 YEARS | 3 YEARS | 3 YEARS |

# FEATURES

**Advanced technology and engineering** - Based on the Subaru WRX World Rally champion car's boxer engine.

**Easy Start** - Easy starting with no kickback. 30 to 40% lower recoil pulling force than competitors.

**Long warranty** - 3 years Robin engine warranty.

**Engine life** - Heavy duty chain driven OHC system with oval type steel links resist stretching, resulting in extended maintenance free operation.

**Fuel consumption** - The intake and exhaust valves are located at optimum angles, and the straight intake port produces minimal airflow resistance resulting in lower fuel consumption.

**Easy Maintenance** - Fewer parts for service. Routine maintenance, assembly and disassembly can be performed with ordinary tools.

**Performance** - Pent roof combustion chamber produces more horsepower & torque from less displacement.

**Compatibility** - Application compatibility with existing slant cylinder engines can be easily replaced with EX engines.

**Low noise** - Soft tone quality, new rigid muffler and OHC system reduces noise by 2dBA.

**Heat reduction -** Larger and extra cooling fins on crankcase, cylinder and mounting base results in heat reduction and outstanding oil delivery system.





# AWARD WINNING SERVICE & BACKUP

### 3 YEAR ROBIN ENGINE WARRANTY

Robin Industrial Engines and Robin Imported Products (Pumps, Generators) come with a 3 year manufacturer's warranty.

### 2 YEAR MANUFACTURER'S WARRANTY

CROMMELINS™ brand products powered by a Robin Industrial Engine come with a 2 year manufacturer's warranty.

### 1 YEAR MANUFACTURER'S WARRANTY

All other products including CROMMELINS™, CROMTECH™, flexible drive products (ie FP2T), high pressure pumps and imported products come with a 1 year manufacturer's warranty.

### OTHER BRANDS WARRANTY

Other branded products come with warranties provided by their manufacturer, ie. Gölz, American Sanders, AR Blue Clean.

# WARRANTY EXPLAINED

Crommelins Machinery warrants their goods against defects in materials and workmanship under normal use and service.

The Crommelins Machinery warranty does not cover fair wear commensurate with the age of the product, any damage caused by accident, abuse, misuse, neglect or failure to observe proper operating instructions or proper machinery maintenance as described in the instruction manual.

It is the owners' responsibility to regularly maintain a product in accordance with the owners manual and only use the equipment for its designed purpose.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

## CONSUMER ADVICE

Any claim under these warranties must be made within the warranty period from the date of purchase of the product.

To make a claim under the warranty, you must return the product (with proof of purchase) to the closest warranty agent or to the place of purchase.

Where a failure does not amount to a major failure, Crommelins Machinery is entitled to choose between providing you with a repair, replacement or refund. To obtain compensation, you would need to provide documentary evidence of the loss or damage suffered, and documentary evidence that such loss or damage was a reasonably foreseeable consequence of a failure by Crommelins Machinery to comply with a consumer guarantee under the Australian Consumer Law.

CROMMELINS™, CROMTECH™, CROMTECH OUTBACK™, CROMMELINS FINANCE™, DOLPHIN™ are registered trademarks of Crommelins Operations Pty Ltd, trading as Crommelins Machinery.

## SERVICE AGENTS

There are over 185 national authorised service/repair agents available, visit www.crommelins.com.au for their details and locations. For engine brands other than Robin please contact the manufacturer for service agents.

## CROMMELINS PRODUCTS

Crommelins takes pride in all products they sell and they live by their company Mission Statement; “To be the supplier of choice to Hire and Construction Industry by providing high quality portable powered products.”

## THE CROMMELIN GROUP

ABN 11 008 889 656
PO Box 352, BENTLEY WA 6982
**PH** (08) 9350 5588
**FAX** (08) 9451 6381
**E** email@crommelins.com.au




Crommelins Machinery has been a pioneer in Australian market innovation, guided by a dedicated team that focuses on understanding customer needs and developing products to meet industry requirements.

Products are not only rigorously tested but also continuously re-evaluated to guarantee superior performance. Since its establishment in 1958, Crommelins Machinery has provided Australians with high quality portable power solutions, backed by more than 65 years of experience in Hire and Construction.

As a founding member of the Hire and Rental Industry Association, it continues to set the standard for excellence in the field.

## CONTACT US

**ADDRESS** 139 Welshpool Rd, Welshpool WA, 6106, Australia
**WEB ADDRESS** CROMMELINS.COM.AU
**EMAIL** reception@crommelins.com.au
**SALES LINE** 1300 650 659
**SPARES LINE** 1300 554 524
**GENERAL** (08) 9350 5588

**INNOVATION POWERED BY EXPERIENCE**